

Michael Anastassiades, Edward Barber &
Jay Osgerby, Mario Bellini, Ronan & Erwan
Bouroullec, Achille Castiglioni, Pier Giacomo
Castiglioni, Antonio Citterio, Rodolfo Dordoni,
Formafantasma, Ron Gilad, Johanna Grawunder,
Konstantin Grcic, Joris Laarman, Piero Lissoni,
Jasper Morrison, Nendo, Paolo Rizzatto, Nicoletta
Rossi & Guido Bianchi, Gino Sarfatti, Tobia Scarpa,
Philippe Starck, Patricia Urquiola, Vincent Van
Duysen, Marcel Wanders

DECORATIVE COLLECTION
MARCH 2022

FLOS

DECORATIVE COLLECTION
MARCH 2022

FLOS

NEW 2022



Almendra S2 Y Short
P. 234



Almendra S2 Y Short
P. 234

Almendra S2 Y Long
P. 234



Almendra S2 Y Long
P. 234



Almendra S2 Y Long
P. 234

Almendra S3 Y Short
P. 234



Almendra S3 Y Short
P. 234



Almendra S Arc2 Short
P. 234



Almendra S Arc2 Long
P. 234



Almendra S3 Y Short
P. 234




Almendra S3 Y Long
P. 234



Almendra S Arc2 Long
P. 234



Almendra S3 Y Long
P. 234



Almendra S3
P. 234




Almendra S3 Y Long
P. 234



Almendra S Arc2 Short
P. 234



Almendra S3
P. 234




Almendra S4
P. 234



Almendra S Arc2 Short
P. 234



Almendra S4
P. 234





Almendra S6
P. 234



Almendra S6
P. 234



Mayday Outdoor
P. 55



Oblique Floor
P. 154

NEW COLORS 2022



Lilac
Mayday
P. 55



Lite blue/ White/ Yellow/ Red
Luminator
P. 223



Patricia Urquiola

ALMENDRA, CHASEN, FLAUTA, SERENA, TATOU

Photo by Stefano Galuzzi



Jasper Morrison

GLO-BALL, OPLIGHT, SMITHFIELD, SUPERLOON


Photo by Timm Reutert



Tobia Scarpa

ARIETTE, BIAGIO, FANTASMA,
FOGLIO

Courtesy of Tobia Scarpa



Antonio Citterio

CLESSIDRA, KELVIN LED,
KELVIN EDGE, ONTHEROCKS

Courtesy of Antonio Citterio



Ronan & Erwan Bouroullec

AIM, BELT

Photo by Philippe Jarrigeon




Nicoletta Rossi and Guido Bianchi

IPNOS


Photo by Maki Ochoa

Courtesy of Rodolfo Dordoni



Rodolfo Dordoni

POCHETTE, RAY



Achille Castiglioni

AOY, DIABOLO, FRISBI, LAMPADINA,
PARENTESI, STYLOS, TARAXACUM 88

Photo by Maria Mulas



Philippe Starck

BIBLIOTHEQUE NATIONALE, BON JOUR,
BON JOUR VERSAILLES, FORT KNOX, GUNS, KTRIBE, LA PLUS BELLE,
MISS K, ROMEO, ROSY ANGELIS, SUPERARCHIMON

Courtesy of Philippe Starck



Pio Manzù

PARENTESI



Achille & Pier Giacomo Castiglioni

ARCO, GATTO, LUMINATOR, SNOOPY,
SPLÜGEN BRÄU, TACCIA, TARAXACUM,
TOIO, VISCONTEA

Photo by Luciano Ferri



Johanna Grawunder

WAN

Courtesy Designer's Gallery Köln



Konstantin Grcic

MAYDAY, NOCTAMBULE, OK

Photo by Frank Hülsbörger



Piero Lissoni

BUTTON, CLARA, TIGHT LIGHT

Photo by Giovanni Gastel



Marcel Wanders

SKYGARDEN, ZEPPELIN

Courtesy of Marcel Wanders



Vincent Van Duysen

OBLIQUE

Photo by Jan Verlinde



Mario Bellini

CHIARA

Photo by Alessandro Furchino Capria





Formafantasma

WIRELINE, WIRERING

Courtesy of Formafantasma



Nendo

SAWARU

Photo by Andreas Larsson



Paolo Rizzatto

265

Photo by Santi Caleca



Joris Laarman

NEBULA

Courtesy of Joris Laarman Lab



Edward Barber & Jay Osgerby

BELLHOP, TAB

Courtesy of E. Barber & J. Osgerby



Ron Gilad

2620, GOLDMAN

Photo by Monica Castiglioni




Photo by Frank Hülsbömer

Michael Anastassiades

ARRANGEMENTS, CAPTAIN FLINT, COORDINATES, COPYCAT
IC LIGHTS, LAST ORDER, OVERLAP, STRING LIGHTS

TABLE LAMPS

Collezione di lampade da tavolo



Aoy
P. 146



Bellhop
P. 84



Biagio
P. 142



Bon jour
P. 94



Bon jour unplugged
P. 98



Bon jour Versailles
P. 91



Bon jour Versailles small
P. 90



Chiara Table
P. 68



Copycat
P. 107



Gatto
P. 116



Mini Glo-Ball Table
P. 138



Glo-Ball Basic
P. 138



Glo-Ball Table
P. 138



Goldman
P. 120



Guns - Bedside Gun
P. 140



Guns - Table Gun
P. 140



IC Table 1 High
P. 103



IC Table 1 Low
P. 103



IC Table 2
P. 103



In Vitro Unplugged
P. 62



Kelvin Edge
P. 134



Kelvin Led
P. 133



KTribe Table
P. 126



Lampadina
P. 108



Last Order
P. 72

FLOOR LAMPS

Collezione di lampade da terra



Mayday
P. 55



Miss K
P. 148



Oblique
P. 78



Ray Table
P. 124



Romeo Moon Table
P. 127



Arco
P. 192



Bellhop Floor
P. 160



Bibliotheque
Nationale
P. 208



Captain Flint
P. 197



Chiara Floor
P. 170



Romeo Soft Table
P. 127



Serena
P. 88



Snoopy
P. 122



Spun Light Table
P. 144



Tab Table
P. 118



Coordinates Floor
P. 166



Fantasma Piccolo
P. 206



Glo-Ball Floor
P. 204



Guns - Lounge Gun
P. 198



IC Floor
P. 188



Taccia - Taccia small
P. 112



Tatou Table
P. 128



Ipnos Outdoor
P. 228



Kelvin Led Floor
P. 214



Ktribe Floor
P. 210



Luminator
P. 222



Noctambule Floor
P. 178



Oblique Floor
P. 154



Ray Floor
P. 200



Romeo Moon Floor
P. 218



Romeo Soft Floor
P. 218



Rosy Angelis
P. 217

INDEX

INDEX



Sawaru
P. 175



Spun Light Floor
P. 214



Stylos
P. 196



Superarchimoon
P. 220



Superloon
P. 185



Frisbi
P. 328



Glo-Ball Suspension
P. 348



IC Suspension
P. 312



Ktribe Suspension
P. 359



Nebula
P. 336



Tab Floor
P. 202



Tatou Floor
P. 190



Toio
P. 212



Noctambule
P. 299



Ok
P. 320



Overlap
P. 296



Parentesi
P. 248



Parentesi 50
P. 242

SUSPENSION LAMPS

Collezione di lampade a sospensione



Ray Suspension
P. 324



Romeo Babe S
P. 330



Romeo Moon S
P. 331



Skygarden Small
P. 259



Skygarden
P. 326



2097
P. 288



2097/18
P. 286



2620
P. 347



Aim - Aim small
P. 340



Almendra
P. 234



Smithfield
Suspension
P. 351



Splügen Bräu
P. 322



String Lights Cone
P. 306



String Lights Sphere
P. 306



Taraxacum
P. 332



Arrangements
P. 290



Belt
P. 277



Chasen
P. 338



Coordinates
Suspension
P. 263



Diabolo
P. 282



Taraxacum 88
Suspension
P. 314



Tatou Suspension
P. 319



Viscontea
P. 334



Wan Suspension
P. 325



Wireline
P. 250



Zeppelin
P. 356



IC Ceiling/Wall
P. 386



IC Ceiling/Wall
Double
P. 385



Ktribe Wall
P. 424



La Plus Belle
P. 390



Ontherocks
P. 413

WALL & CEILING LAMPS

Collezione di lampade da parete e soffitto



Oplight
P. 364



Pochette
P. 423



Romeo Babe Wall
P. 425



Skygarden Recessed
P. 421



Smithfield Ceiling
P. 398



Taraxacum 88
Ceiling/Wall
P. 416



Tight Light
P. 412



Wan Ceiling/Wall
P. 420



Wirering
P. 394



Abajourd'hui
P. 430



Soft Spun
P. 432



265
P. 407



265 Chromatica
P. 407



Ariette
P. 419



Mini Button
P. 426



Button
P. 427



Clara
P. 414



Clessidra
P. 401



Coordinates
Wall
P. 368




Coordinates
Ceiling
P. 374



Flauta
P. 381



Foglio
P. 428



Fort Knox Wall
P. 404



Mini Glo-Ball
Ceiling/Wall
P. 410



Glo-Ball Ceiling
P. 410



Glo-Ball Wall
P. 410

INDEX

INDEX

INDEX BY FAMILY

Indice prodotti per famiglia



P. 127



P. 218



P. 330



P. 425



P. 220



P. 138



P. 138



P. 204



P. 348



P. 410



P. 410



P. 410



P. 259, 326



P. 421



P. 118



P. 127



P. 218



P. 331



P. 330



P. 425



P. 202



P. 103



P. 103



P. 103



P. 188



P. 124



P. 200



P. 324



P. 148



P. 126



P. 312



P. 386



P. 385



P. 140



P. 198



P. 126



P. 210



P. 210



P. 359



P. 424



P. 144



P. 214



P. 116



P. 296



P. 332

INDEX

INDEX



P. 334



P. 356



P. 430



P. 432



P. 314



P. 374



P. 374



P. 374



P. 374



P. 374



P. 416



P. 128



P. 190



P. 319



P. 351



P. 374



P. 374



P. 374



P. 374



P. 263



P. 398



P. 133



P. 134



P. 215



P. 325



P. 263



P. 263



P. 263



P. 263



P. 263



P. 420



P. 94



P. 98



P. 91



P. 90



P. 263



P. 263



P. 263



P. 166



P. 368



P. 68



P. 170



P. 374



P. 374



P. 374



P. 290



P. 290



P. 290



P. 290



P. 178



P. 178



P. 178



P. 178



P. 84



P. 160



P. 78



P. 154

«Reputation is a bit like a table: one or two marks
and everyone notices: a whole host of scratches
and it all blends in» — *Alain de Botton*

TABLE LAMPS

NEW

MAYDAY OUTDOOR

NEW COLOR

MAYDAY

NEW

MAYDAY OUTDOOR









NEW COLOR

MAYDAY



Konstantin Grcic, 2000



In alto: K. Grcic con Mayday. La lampada riceve il prestigioso Compasso d'Oro nel 2001. A sinistra: Lampada adatta a molteplici usi e collocazioni: può essere posizionata su un tavolo, collocata a terra o sospesa, grazie alla pratica maniglia che assolve anche la funzione di avvolgicavo.

Top: K. Grcic with Mayday, the lamp that received the coveted Compasso d'Oro award in 2001. Left: It is a lamp suited to multiple uses and settings. With its practical handle that also acts as a cable winder, it can be placed on a table, on the floor or suspended.



IN VITRO UNPLUGGED

TABLE
Technical info p. 469-470
IN VITRO UNPLUGGED

In Vitro Unplugged, 2021



“Storicamente, la lampadina è stata protetta da un globo di vetro. Oggi scompare a favore della luce. È l'idea poetica e surrealista dell'illuminazione architettonica smaterializzata e il ricordo dello spazio occupato dalla luce.” Philippe Starck

“Since forever, the lightbulb has been protected by a glass globe. Today, this disappears in favor of the light. It is both the poetic and surreal idea of dematerialized architectural lighting and the memory of the space occupied by the light.” Philippe Starck







CHIARA



Mario Bellini, 2020



Nel 1969, l'architetto italiano Mario Bellini ha presentato per la prima volta Chiara, una lampada da terra realizzata da un unico "foglio" piatto ripiegato su se stesso, come un lucido mantello di acciaio inossidabile. Cinquant'anni dopo il suo lancio, Flos riedita questo prodotto iconico in svariate dimensioni e finiture.

In 1969, Italian architect Mario Bellini debuted Chiara, a flat-packable floor lamp for Flos that wore a shiny cloak of stainless steel. Fifty years after its introduction, Flos is reissuing the icon in a range of sizes and finishes.



Last Order è erede della lampada da tavolo originariamente progettata per il nuovo ristorante Four Seasons di New York, dopo il suo trasferimento e riapertura nel 2018 con gli interni disegnati dall'architetto di San Paolo Isay Weinfeld.

Last Order is a continuation of the table light that was originally designed for the new Four Seasons restaurant in New York City, which relocated and opened in 2018 with the interiors designed by São Paulo-based architect Isay Weinfeld.



LAST ORDER




TABLE

Technical info p. 475-476

LAST ORDER

Michael Anastassiades, 2020



3H CHARGING TIME

6-24H BATTERY LIFE

Il tempo necessario per caricare completamente il dispositivo è di 3 ore (500 cicli di carica garantiti). Con il dispositivo acceso a un'intensità del 100%, l'autonomia senza fili è di 6 ore (si possono superare le 24 ore di autonomia riducendo l'intensità). Dopo 6 ore, l'intensità diminuisce automaticamente del 20% e la necessità di ricarica viene indicata con un LED (L) che lampeggia ad alta frequenza (ogni 0,2 secondi) fino a che non si collega il dispositivo a una presa elettrica o fino al completo esaurimento della batteria.

The time required to completely charge the device is 3 hours (500 charging cycles guaranteed). With the device turned on at 100% intensity, the cordless autonomy is 6 hours (more than 24 hours of autonomy can be achieved by reducing the intensity). After 6 hours, the intensity automatically decreases to 20% and the need to recharge is indicated: the LED indicator (L) blinks at high-frequency (every 0.2 seconds) until the device is plugged in to charge or the battery is completely discharged.



Le finiture verde opaco e acciaio lucido possono essere utilizzate anche in ambienti esterni.

Matt green and polished inox finishes can also be used in outdoor locations.





OBLIQUE



Vincent Van Duysen, 2020






**INTEGRATED
WIRELESS
CHARGING SYSTEM**



**ALWAYS FEATURES
A USB-C PORT
INTEGRATED**

Il cuore di questa lampada è il frutto di una vera e propria sfida tecnologica concepita da Luke Smith-Wightman e Flos Architectural. Racchiusi in uno spessore di soli 5 millimetri LED e lenti sono in grado di generare un fascio di luce estremamente potente e controllato.

The heart of this lamp is the result of a real technological challenge conceived by Luke Smith-Wightman and Flos Architectural. The LEDs and lenses can generate an extremely powerful and controlled light beam from the inside of a just 5 mm thick space.







NEW COLORS


BELLHOP

TABLE


Technical info p.445

BELLHOP


Edward Barber & Jay Osgerby, 2018



PORTABLE RECHARGEABLE



UP TO 24H AUTHONOMY



"Bellhop è nata come lampada da tavolo disegnata per il nuovo Design Museum di Londra. Una lampada da tavolo che offre la massima flessibilità di utilizzo, essendo senza fili. Bellhop proietta un cono di luce d'atmosfera. Il modello wireless è come una candela dei giorni nostri."

- E. Barber & J. Osgerby

"The Bellhop began when we designed a table lamp for the new London Design Museum. The table top Bellhop gives the user ultimate flexibility as a portable lamp. Bellhop casts an atmospheric pool of light and the portable version is like a modern day candle."

- E. Barber & J. Osgerby





SERENA



Patricia Urquiola, 2015




BON JOUR VERSAILLES



Philippe Starck, 2017



Erede della lampada "Bon Jour", nata dalla collaborazione tra Flos e Starck, e del candeliere "Versailles" creato da Baccarat, la collezione Bon Jour Versailles - composta da due modelli, disponibili in cristallo o polimetilmetacrilato - rivela linee senza tempo, di ineffabile leggerezza ed empirica modernità, che evocano la memoria collettiva del passato, del presente e del futuro.

The heir to an earlier "Bon Jour" lamps collaboration between Flos and Starck and to the "Versailles" candle-holder created by Baccarat, the Bon Jour Versailles collection, with two models available in crystal or polymethylmethacrylate, reveals timeless lines with unfailing lightness and empirical modernity that evoke our collective memory of the past, of the present and the future.



- L'INTELLIGENCE DE LA NATURE
- UN MYSTÈRE
- ISSU DU HAZARD ET DE LA NECESSITÉ
- INULITÉ PAR LA NATURE IL Y A PLUS OU MOINS 100,000 ANS
- NÉ DANS LE FEU
- UN LIQUIDE
- TRANSPARENT
- TRÈS FRAGILE
- CHER
- MOULABLE PAR GRAVITÉ
- POLISSABLE
- ARISTOCRATIQUE
- SOUVENT IMPARFAIT
- INALTÉRABLE
- EMPIRIQUE
- RARE
- NOBLE
- MAGIQUE

POLYMÉTACRYLATE DE MÉTHYLE
LE
EST:



- L'INTELLIGENCE DE L'HOMME
- UNE INVENTION
- ISSU DE LA RECHERCHE CHIMIQUE
- DÉCOUVERT PAR FITTIG ET PAUL EN 1877
- NÉ DANS LA CHALEUR
- UN POLYMÈRE
- TRANSPARENT
- TRÈS SOLIDE
- ABORDABLE
- INJECTABLE
- POUSSABLE
- DÉMOCRATIQUE
- TOUJOURS PARFAIT
- INDESTRUCTIBLE
- THÉORIQUE
- INFINI
- NOBLE
- MAGIQUE

PH.S

②

Baccarat

FLOS



BON JOUR

TABLE

Technical info p.446

BON JOUR

Philippe Starck, 2015



In alto: La rivoluzionaria tecnologia Edge Lighting si unisce al concetto di "dematerializzazione" intrinseco nel prodotto. Essa sfrutta al massimo le potenzialità del LED e con uno spessore minimo garantisce una luce perfettamente uniforme, un elevato comfort visivo, massima performance ed efficienza.

A destra: L'esclusivo design minimale del dimmer integrato, garantisce il massimo controllo sull'intensità luminosa con un click.

Top: The revolutionary Edge Lighting technology is combined with the "dematerialisation" concept intrinsic in the product. This makes full use of the LED's potentialities and with a minimum thickness guarantees a perfectly uniform light, a high visual comfort, maximum performance and efficiency.

Right: The exclusive minimalist design of the integrated dimmer guarantees maximum control of the light intensity with one click.





3H CHARGING TIME



6-24H BATTERY LIFE



ACCESSORIZE IT!

La funzione "portable/cordless" è garantita dalla ricarica con l'alimentatore incluso e dall'interfaccia MicroUSB-C di nuova generazione, per un'autonomia di 6/24 ore, a seconda dell'intensità luminosa di utilizzo.

The "portable/cordless" function is guaranteed by the recharge with the adaptor included and by the latest-generation MicroUSB-C interface, for 6/24 hours lighting life, depending on the light emission intensity.

Sensore ottico posizionato sulla base che garantisce la funzione dimmer 4-step.

Optical switch sensor on the base that provide 4-step dimming function.



BON JOUR UNPLUGGED



Philippe Starck, 2015



IC



Michael Anastassiades, 2014



COPYCAT



Michael Anastassiades, 2015



LAMPADINA



Achille Castiglioni, 1972







Photo by Zoë Ghermer



I fratelli Achille e Pier Giacomo Castiglioni avevano ideato l'iconico riflettore a coppa in materia plastica trasparente. L'idea fu abbandonata per le deformazioni generate su di esso dal calore della sorgente luminosa a incandescenza. Il prototipo fu quindi sviluppato e prodotto da Flos nel 1962 con la celebre ed imponente coppa in vetro soffiato. Grazie all'uso di una innovativa sorgente luminosa a LED è oggi possibile editare Taccia in una nuova versione con diffusore in plastica trasparente, esattamente fedele all'idea originale.

In the Castiglioni brothers' original design, the iconic bowl reflector was made of transparent plastic. This idea was discarded though because the heat emitted by the incandescent light source deformed the plastic material. The prototype was then developed and produced by Flos in 1962, with its famous big blown glass bowl. Thanks to the use of a cutting-edge LED light source is now possible to edit a new version of Taccia with a transparent plastic diffuser that is accurately faithful to the original concept.



Courtesy of Fondazione Achille Castiglioni

TACCIA AND TACCIA SMALL



Achille & Pier Giacomo Castiglioni, 1962



GATTO



Achille and Pier Giacomo Castiglioni, 1960

TAB



Edward Barber & Jay Osgerby, 2011



GOLDMAN



Ron Gilad, 2013



SNOOPY



Photo by Zoë Ghermer

Achille & Pier Giacomo Castiglioni, 1967



RAY



Rodolfo Dordoni, 2007

KTRIBE




Philippe Starck, 2007

ROMEO SOFT & MOON




Philippe Starck, 1998





Patricia Urquiola immagina una lampada ispirata alle forme delle classiche armature giapponesi, viste come un modello di forza, ma anche di flessibilità.

Patricia Urquiola envisions a lamp inspired by the shapes of classic Japanese armours, seen as a model of strength, but also flexibility.



TATOU



Patricia Urquiola, 2012

KELVIN LED



Photo by Zoë Gheiner

Antonio Citterio assistant Toan Nguyen, 2009



KELVIN EDGE




Antonio Citterio, 2015



La superficie della testa è caratterizzata dalla presenza del sensore Soft Touch che permette di selezionare sia l'intensità luminosa desiderata che la temperatura colore, a seconda delle esigenze, con un solo gesto naturale ed intuitivo. La nuova Kelvin Edge include l'esclusiva tecnologia Edge Lighting, una rivoluzione nell'innovazione LED, che unisce le migliori performance in efficienza, intensità di luce e ampiezza di emissione, ad una perfetta omogeneità e al massimo comfort visivo.

On the surface of the head there is a Soft Touch sensor with which it is possible to select both the desired intensity and the colour temperature, depending on the requirements, with a single, natural and intuitive action. The new Kelvin Edge includes the exclusive Edge Lighting technology, a revolution in LED innovation, which combines the best efficiency, light intensity and emission magnitude performances with perfect homogeneousness and maximum visual comfort.



THERE IS NO MORE DOUBLE SHADOW.
ALL NICE AND CLEAN

GLO-BALL



Jasper Morrison, 1998/2009





BEDSIDE & TABLE GUN



il 20% del fatturato proveniente dalla vendita della Collezione Guns viene devoluto all'Associazione Fratelli dell'Uomo. Riconosciuta dal Ministro degli Esteri Italiano, è stata lanciata in Italia nel 1969 e fa parte del Gruppo Frères des hommes. L'organizzazione supporta progetti ed iniziative, principalmente in America Latina e Africa, legate alla distribuzione di cibo, la protezione dell'ambiente e tutela dei beni comuni, l'economia responsabile, la sanità pubblica, le migrazioni e il co-sviluppo. Dal 2019 Fratelli dell'Uomo non esiste più come entità indipendente, ma è stata invece integrata in Amref.

20% of the gross sales from the Gun Collection donated to the Fratelli dell'Uomo Association. Acknowledged by the Italian Foreign Minister, was launched in Italy in 1969 and it is part of Frères des hommes Group. The organization supports projects and initiatives, mainly in Latin America and Africa, related to access to food, environment and common goods protection, responsible economy, community health, migrations and co-development. From 2019, Fratelli dell'Uomo no longer exists as an independent entity, but instead it has been integrated into Amref.

Philippe Starck, 2005



Lavorazione artigianale del corpo della lampada Biagio, un unico blocco di marmo bianco Statuario di Carrara.

The body of the Biagio lamp is hand crafted from a single block of white Carrara statuary marble.

BIAGIO



Photo by Zoë Ghermer

Tobia Scarpa, 1968



SPUN LIGHT



Sebastian Wrong, 2003





Allestimento di A. Castiglioni per la vetrina del negozio Flos di Corso Monforte, Milano, Natale 1975.

A. Castiglioni's window dressing for the Flos store in Corso Monforte, Milan, Christmas 1975.

AOY



Achille Castiglioni, 1975

MISS K



Philippe Starck, 2003



«You can't put your feet on the ground
until you've touched the sky» — *Paul Auster*

FLOOR LAMPS

NEW

OBLIQUE FLOOR

NEW COLORS

LUMINATOR



NEW

OBLIQUE FLOOR







Edward Barber e Jay Osgerby con
la lampada da terra Bellhop Floor, in
rosso mattone.

Edward Barber and Jay Osgerby
with the floor lamp Bellhop Floor in
brick red.



BELLHOP FLOOR



Edward Barber & Jay Osgerby, 2021



PABLO DI PRIMA

17.11.2020
7064 - 13

FLOS

KODAK SAFETY FILM

KODAK SAFETY FILM

KODAK SAFETY FILM

KODAK SAFETY FILM



Lampada da terra della Collezione Coordinates, composta da una semplice base rotonda e da due barre luminose verticali. In fase di montaggio, queste ultime possono essere ruotate di 90° e bloccate sull'apertura desiderata del fascio di luce.

Floor lamp model from Coordinates Family, featuring a simple round base and two lighting bars, which can be set at the preferred beam angle during assembly.



COORDINATES



Michael Anastassiades, 2020





CHIARA



Mario Bellini, 1969/2020



“Un giorno ero nel mio studio e mi è venuto in mente che si sarebbe potuto utilizzare la luce nel modo in cui si manifesta nel nostro ambiente e nel nostro paesaggio, mai diretta, ma spesso attraversata dalle nubi o riflessa dagli oggetti, dai muri e dalle superfici. Quindi anziché dire “disegniamo una lampada” mi sono detto “disegniamo un apparato che sia in grado di prendere la luce da una sorgente artificiale e rifletterla nell’ambiente con una certa intelligenza e grazia”... Ho preso una forbice, un grande foglio di cartoncino e ho iniziato a tagliare qualche cosa che potesse diventare un cilindro con alla sommità un cappello più largo che, ricongiunto sul lato destro e sinistro, avrebbe potuto servire da riflettore della sorgente di luce ospitata nella base.”
 - Mario Bellini

“One day in my studio it came to me that we could use light the way it manifests in our surroundings and our landscapes—never directly, but often through clouds or reflected off objects, walls, and surfaces. And so, instead of saying ‘let’s design a lamp’, I said, ‘let’s design an apparatus that can take light from an artificial source and send it back into our surroundings with a certain intelligence and grace’... I took some scissors, a big piece of card, and I started to cut out something that could be made into a cylinder with a wide hat on top that, when joined on the right and left-hand side, would act as a reflector of the light source housed in the base.”
 - Mario Bellini

SAWARU



Nendo, 2018



25 DEGREES



40 DEGREES



60 DEGREES

Una luce che consiste in due cilindri indipendenti che si toccano in direzione perpendicolare. Uno ha il ruolo di fonte luminosa, mentre l'altro serve da base. L'angolazione del proiettore può essere regolata su tre posizioni: 25, 40 e 60 gradi, inserendo un perno fissato sulla base. Le diverse funzioni sono rese possibili grazie all'esclusione di elementi superflui e alla semplificazione della forma.

A light consisting of two independent cylinders touching each other in a perpendicular direction. One plays the role of a light source, while the other acts as a base. Its projection angle can be adjusted in three stages of 25, 40 or 60 degrees, by inserting the pin attached to the base. Various functions are made possible by doing away with excess elements and creating a simple form.




TUNABLE LIGHT TEMPERATURE

DIMMABLE LIGHT INTENSITY



NOCTAMBULE



Konstantin Greic, 2018



L'accurata tecnologia LED che accende le lampade è integrata in modo discreto nelle giunzioni tra i moduli in vetro. Quasi impercettibile, ma pronta ad attivarsi al calar della notte.

The carefully calibrated LED technology which powers the lamps is discretely integrated into the junctions between the glass modules. Almost absent, but ready to be activated at any (night-)time.

Noctambule: il nottambulo,
o animale notturno. Quasi
invisibile di giorno, ma dedito
ad affascinanti attività di notte.
Un'analogia perfetta.

Noctambule: the night owl or
reveller. Mostly invisible during
the day, but coming to glamorous
activity at night-time. The
analogy is fitting.



SUPERLOON



Jasper Morrison, 2015




La superficie luminosa, perfettamente omogenea e d'ispirazione "lunare", è frutto della rivoluzionaria tecnologia Edge Lighting, che unisce massime performance, efficienza e comfort visivo. Il prodotto include la funzione Dim-to-Warm: scendendo di intensità, la luce passa da un tonalità di bianco più fredda ad uno spettro più caldo, come nelle affezionate lampade a filamento.

The light surface, perfectly homogeneous and "moon-inspired", is the result of the revolutionary Edge Lighting technology, which combines maximum performance, efficiency and visual comfort. The product includes the Dim-to-Warm function: as the intensity decreases the light goes from a colder blue tone to a warmer spectrum, like in the well-loved filament lamps.

Nello stelo è incluso il sensore Soft Touch che reinventa l'interazione con il prodotto. Esso garantisce un controllo fluido e preciso del flusso luminoso con un semplice e naturale tocco della mano.

The stem includes the Soft Touch sensor, which reinvents interaction with the product. This guarantees a fluid and precise control of the light flow with a simple and natural touch of the hand.





IC



Michael Anastassiades, 2014

Il corpo illuminante è formato da quattro elementi identici intrecciati tra loro a formare una calotta unita, ispirati alle classiche armature giapponesi antiche. Il nome Tatou deriva dal francese e significa armadillo.

The luminaire is made up of four identical intertwined elements which form a unified dome, drawing its inspiration from ancient Japanese armour. The name Tatou is French for armadillo.



TATOU



Patricia Urquiola, 2012




Photo by Zoë Ghermer

ARCO



Achille & Pier Giacomo Castiglioni, 1962



“Pensavamo a una lampada che proiettasse la luce sul tavolo: ce ne erano già ma bisognava girarci dietro. Perché lasciasse spazio attorno al tavolo la base doveva essere lontana almeno due metri. Così nacque l’dea dell’arco.”
 - A. Castiglioni, intervista per Ottagono, 1970

“We were thinking about a lamp that shines light onto a table. They already existed, but you had to walk round them. To leave enough space around the table, the base had to be at least two meters away. Which was how the idea for Arco came into being.”
 - A. Castiglioni interviewed for Ottagono, 1970



STYLOS



Achille Castiglioni, 1984

CAPTAIN FLINT



Michael Anastassiades, 2015



LOUNGE GUN



il 20% del fatturato proveniente dalla vendita della Collezione Guns viene devoluto all'Associazione Fratelli dell'Uomo. Riconosciuta dal Ministro degli Esteri Italiano, è stata lanciata in Italia nel 1969 e fa parte del Gruppo Frères des hommes. L'organizzazione supporta progetti ed iniziative, principalmente in America Latina e Africa, legate alla distribuzione di cibo, la protezione dell'ambiente e tutela dei beni comuni, l'economia responsabile, la sanità pubblica, le migrazioni e il co-sviluppo. Dal 2019 Fratelli dell'Uomo non esiste più come entità indipendente, ma è stata invece integrata in Amref.

20% of the gross sales from the Gun Collection donated to the Fratelli dell'Uomo Association. Acknowledged by the Italian Foreign Minister, was launched in Italy in 1969 and it is part of Frères des hommes Group. The organization supports projects and initiatives, mainly in Latin America and Africa, related to access to food, environment and common goods protection, responsible economy, community health, migrations and co-development. From 2019, Fratelli dell'Uomo no longer exists as an independent entity, but instead it has been integrated into Amref.

Philippe Starck, 2005



RAY



Rodolfo Dordoni, 2006

TAB



Edward Barber & Jay Osgerby, 2011





GLO-BALL



Jasper Morrison, 1998

FANTASMA PICCOLO

Technical info p.458



Tobia Scarpa, 1961

BIBLIOTHEQUE NATIONALE



Philippe Starck, 2013

Come un vero e proprio prodotto hi-tech
Bibliothèque Nationale è dotata di presa USB -
posizionata sulla base -
che permette la ricarica
dei più comuni smart-
phone.

Like the hi-tech product
it is, Bibliothèque
Nationale is fitted with a
USB port, placed on the
base, for recharging the
most common brands
of smartphone.





Philippe Starck, 2007




KTRIBE

Technical info p. 472, 473, 520

TOIO

Technical info p.502-503

TOIO



Achille & Pier Giacomo Castiglioni, 1962

Photo by Zoë Ghermer

SPUN LIGHT



Sebastian Wrong, 2003

KELVIN LED



Antonio Citterio, 2011

ROSY ANGELIS



Philippe Starck, 1994



ROMEO MOON & SOFT



Philippe Starck, 1998



SUPERARCHIMOON



Philippe Starck, 2000

NEW COLORS

LUMINATOR



Achille & Pier Giacomo Castiglioni, 1954




Un classico degli anni '50, Luminator di Achille e Pier Giacomo Castiglioni ritorna in cinque brillanti colori che ne esaltano le forme essenziali. Una lampada che è un esercizio di minimalismo funzionale e il cui colore originale antracite viene arricchito da una nuova palette pop di bianco, rosso, giallo e lite blue. In questo album fotografico, il fotografo Alecio Ferrari e i set designer Studio Testò hanno sperimentato i nuovi colori e le forme essenziali di Luminator.

A 1950s classic, Achille and Pier Giacomo Castiglioni's Luminator returns in five bright colours that enhance its essential shapes. A lamp that is an exercise in functional minimalism, the original anthracite colourway is enriched with a new, pop palette of white, red, yellow and lite blue. In this photographic portfolio, photographer Alecio Ferrari and set designers Studio Testò experimented with Luminator's new colours and its essential forms.

Lampada da terra a luce indiretta, Luminator è composta da un treppiede scomponibile e da un tubo, largo appena quanto basta per contenere il portalamпада.

Floor lamp providing indirect light, Luminator is made of a decomposable tripod and a tube, just wide enough to contain the bulb socket.





IPNOS



Nicoletta Rossi and Guido Bianchi, 2014

«At rest, however, in the middle of everything is the sun. For, in this most beautiful temple, who would place this lamp in another or better position than that from which it can light up the whole thing at the same time?» — *Nicolaus Copernicus*

SUSPENSION LAMPS

NEW

ALMENDRA



L'ispirazione da cui nasce Almendra si legge subito dalla sua silhouette, un connubio perfetto tra il rigore geometrico e le curve tratte dal mondo vegetale. Il legame con la natura, tuttavia, non è puramente formale, anzi, si accompagna ad una attenta progettazione finalizzata a ridurre al massimo l'impatto ambientale.

The inspiration for Almendra can immediately be seen in its silhouette, a perfect combination of geometric rigour and curves drawn from the world of plants. Its connection with nature, however, is not strictly formal. On the contrary, it underlies a careful design aimed at minimizing environmental impact.

NEW
ALMENDRA







I petali di Almendra, sia nella loro faccia opaca sia in quella trasparente, sono realizzati in uno speciale policarbonato che, anziché essere derivato dal petrolio, è derivato da un sottoprodotto della produzione della carta.

Un materiale plastico sostenibile, proveniente da risorse rinnovabili, di origine naturale ma che tuttavia non consuma inutilmente terreno ed acqua con coltivazioni specifiche per la sua produzione.

Both the opaque and transparent faces of the petals are made of a special polycarbonate deriving from a by-product of paper production rather than from petroleum. This sustainable plastic material is based on renewable natural resources, but does not unnecessarily consume land and water as a result of dedicated cultivation.





PARENTESI 50



Achille Castiglioni & Pio Manzù





Per il suo 50° anniversario nel 2021, Parentesi torna in due tonalità che rendono omaggio ai suoi creatori, curate in collaborazione con la Fondazione Achille Castiglioni e la Fondazione Manzoni/Archivio Pio Manzù. I nuovi colori includono il Turchese, ispirato al colore della vernice usata da Castiglioni in tutta la sua casa (e nel suo studio), e l'Orange Signal preferito da Manzù per molti dei suoi prototipi automobilistici e creazioni di design industriale. L'edizione dell'anniversario ha anche una base in silicone con gli stessi colori in coordinato.

For its 50th anniversary in 2021, Parentesi returns in two shades that pay tribute to its creators, curated in collaboration with Fondazione Achille Castiglioni and Fondazione Manzoni/Archive Pio Manzù. The new colours include a Turquoise inspired by the paint colour used by Castiglioni throughout his home (and carefully recorded by the architect in his studio), and the Orange Signal preferred by Manzù for many of his automotive prototypes and industrial design creations. The anniversary edition also features a silicone base in matching colours.



Le diverse componenti di Parentesi, sono compattate in un imballaggio piccolo e leggero, perciò i costi di trasporto sono molto bassi. I due autori, Manzù e Castiglioni, non avevano previsto che in questo modo si potesse limitare anche l'impatto ambientale: una confezione leggera riduce il consumo di carburante necessario per il trasporto.

Quando abbiamo deciso di riproporre la confezione originale, trasparente e con la maniglia, abbiamo chiesto di utilizzare PET completamente riciclato derivato dal ciclo di recupero di materiali di scarto come le bottiglie in plastica. Per sua natura, il PET è perfettamente riciclabile, quindi se non si vorrà conservare la confezione disegnata da Achille Castiglioni, basterà gettare i due gusci nel bidone della raccolta differenziata.

The different components of Parentesi are compacted into a small, lightweight package, so transport costs are very low. The two authors, Manzù and Castiglioni, had not foreseen that this would also reduce the environmental impact: a light package reduces the fuel consumption necessary for transport.

When we decided, to reintroduce the original packaging, transparent and with a handle, we asked to use completely recycled PET derived from the recovery cycle of waste materials such as plastic bottles. By its nature, PET is perfectly recyclable, so if you don't want to keep the Achille Castiglioni-designed packaging, just throw the two shells in the recycling bin.



PARENTESI



Achille Castiglioni and Pio Manzù, 1971



WIRELINE

SUSPENSION

Technical info p.503

WIRELINE

Formafantasma, 2021




L'esclusivo cavo è realizzato in gomma termoplastica colorata. La composizione del polimero è perfettamente bilanciata per una sensazione morbida al tatto e la necessaria durezza per mantenere il profilo armonico e scultoreo.

The exclusive cable is made in coloured thermoplastic rubber. The polymer blend is perfectly balanced for a soft touch feeling and the necessary hardness to maintain the armonic and sculpural silhouette.



Gli elementi terminali in acciaio inox satinato, nascondono i componenti di continuità elettrica, e sono caratterizzati da una diamantatura superficiale realizzata con tecnologia CNC che ne valorizza la funzione e la raffinata estetica industriale.

The terminal elements in satin-finished stainless steel, hide the electrical continuity components, and are characterized by a surface diamond machining made by CNC, that enhances their function and the refined industrial aesthetic.





La lampada Wireline di Formafantasma è a metà tra l'espressione artistica e il design industriale. L'ultima creazione di Andrea Trimarchi e Simone Farresin per Flos rappresenta il loro ethos progettuale e i loro valori estetici, dove la funzionalità incontra la sorpresa. È un pezzo che ben rappresenta l'universo dello studio, dove il design, la responsabilità sociale e l'ecologia entrano in collisione.

Formafantasma's Wireline sits somewhere between artistic expression and industrial design. Andrea Trimarchi and Simone Farresin's latest creation for Flos represents their design ethos and aesthetic values, where functionality meets the unexpected. It's a piece that neatly fits within the studio's universe, where design, social responsibility and ecology collide.



SKYGARDEN SMALL




Marcel Wanders, 2020



Skygarden Small, in finitura ruggine, di Marcel Wanders Studio. Dettaglio della parte interna in gesso.


Skygarden Small, in rusty brown finish, by Marcel Wanders Studio. Detail of the cast plaster interior.



COORDINATES



Michael Anastassiades, 2020





Coordinates Argent Edition di
Michael Anastassiades.
Nella loro ultima interpretazione,
l'alluminio anodizzato estruso
delle lampade è definito da una
finitura argentata.

Michael Anastassiades'
Coordinates Argent Edition.
In their latest interpretation,
the lamps' extruded anodized
aluminium is defined by a silver
finish.







"Coordinates è un sistema di illuminazione composto da barre luminose orizzontali e verticali che formano strutture reticolari di varia complessità. Il sistema può essere facilmente adattato a seconda della diversa tipologia e grandezza degli ambienti."

"Coordinates is a lighting system consisting of horizontal and vertical strip lights that form illuminated grid-like structures of various complexities. The system can be easily adapted for different environments of varying scale."
- Michael Anastassiades





“Questo progetto è nato dall'evoluzione di un'importante realizzazione di luci custom installate nella dining room principale dello storico ristorante Four Seasons di New York, riaperto nel 2018 dopo un cambio di sede, con gli interni disegnati dall'architetto paulista Isay Weinfeld.”
- Michael Anastassiades

“This design evolved from a commission for the feature lighting of the main dining area at New York City's historic Four Seasons restaurant, which relocated and reopened in 2018 with the interiors designed by São Paulo-based architect Isay Weinfeld.”
- Michael Anastassiades

La collezione offre un'ampia scelta di soluzioni preconfigurate, tra cui quattro modelli di chandelier di diverse forme e dimensioni, e tre modelli di apparecchi a soffitto in due possibili lunghezze, per adattarsi a soffitti standard o molto alti.


Coordinates comes in a broad array of set configurations, including four suspended chandeliers of different sizes and three ceiling-mounted luminaires, available in two lengths to suit both standard and high ceilings.



BELT



Erwan & Ronan Bouroullec, 2020



Il cuoio rappresenta il cuore del progetto. Un materiale morbido e caldo che garantisce libertà nello spazio ma al tempo stesso caratterizzato da una certa rigidità che crea armonia nel risultato della composizione finale. Belt è rivestita in pregiato cuoio trattato con coloranti naturali per ottenere le tre finiture disponibili in gamma: nero, cuoio naturale e verde.

The leather is the heart of the project. A soft and warm material that guarantees freedom in the space but, at the same time, is characterized by certain rigidity. The result is a harmonious final composition. Belt is covered in fine leather, treated with natural dyes to obtain the three finishes available in the range: black, green and natural leather.





DIABOLO



Achille Castiglioni, 1998/2020



“Mio padre era veramente un ottimo giocatore di Diabolo”, dice Giovanna Castiglioni, figlia del leggendario designer italiano Achille Castiglioni. Parla di uno dei passatempi preferiti del padre, il gioco di destrezza derivante dallo yo-yo cinese, in cui un oggetto a forma di clessidra viene fatto correre avanti e indietro su un cordino tra due bacchette. Nel 1998 l'antico numero di giocoleria è servito da ispirazione per l'ultima collaborazione di Achille con Flos: l'omonima lampada a sospensione regolabile.

‘My father was a really, really good Diabolo player’, says Giovanna Castiglioni, daughter of legendary Italian designer Achille Castiglioni. She’s discussing one of his favorite pastimes—the juggling game, derived from a Chinese yo-yo, in which an hourglass-shaped object is spun back and forth on a string between two sticks. In 1998 the age-old balancing act served as inspiration for Achille’s final collaboration with Flos—an adjustable pendant lamp with the same name.



Courtesy of Fondazione Achille Castiglioni



2097/18



Gino Sarfatti, 1958

La collezione di moderni chandelier viene arricchita dal nuovissimo modello 2097/18, che ospita 18 lampadine a LED disponibili in versione trasparente o satinata, con due diverse temperature di colore. Stesso design e fascino, in una versione più discreta.

The collection of modern chandeliers is enriched by the brand new 2097/18 model, hosting 18 LED light bulbs available in clear or frosted versions, with two different color temperatures. Same design and allure, in a more discreet version.





2097



Gino Sarfatti, 1958



MAKE YOUR ARRANGEMENTS
[FLOS.COM/ARRANGEMENTS-CONFIGURATOR](https://www.flos.com/arrangements-configurator)

ARRANGEMENTS



Michael Anastassiades, 2018



"Arrangements è un sistema modulare di elementi geometrici di luce che si possono combinare in modo diverso per creare composizioni multiple di singoli chandelier. Ogni modulo si fissa al precedente in modo semplice, adagiato in perfetto equilibrio, come un elemento di una catena luminosa."
- Michael Anastassiades

"Arrangements is a modular system of geometric light elements that can be combined in different ways, creating multiple compositions into individual chandeliers. Each unit simply attaches onto the previous one as if resting, balancing perfectly as part of a glowing chain."
- Michael Anastassiades



CUSTOM APPLICATIONS





OVERLAP



Michael Anastassiades, 2018

NOCTAMBULE



Konstantin Greic, 2018



La nuova collezione di lampade è realizzata in moduli di vetro soffiato, trasparenti e dunque quasi inesistenti durante il giorno. Ma se accesi nell'oscurità si trasformano in splendide lampade illuminate. I moduli in vetro a forma cilindrica sono i fondamenti della collezione.

The new collection of lamps is made of blown glass modules, which are see-through and therefore almost inexistent at day-time. But, when you switch them on in the dark, they transform into gorgeous, illuminated lamps. The cylindrical glass modules set the basic grammar of the collection.

Il modulo singolo è una lanterna. Diversi moduli sovrapposti creano una colonna di luce, o un chandelier per il vano delle scale. Altri elementi come la cupola in vetro o la testa a forma di cono consentono ulteriori performance come una piantana e una sospensione.

The single module is a lantern. Several modules stacked on top of each other create a light column, or suspended chandelier inside a stair well. Extra elements such as a glass dome or cone shaped head allow for added performance such as a floorstanding uplighter and pendant.









STRING LIGHT



"Quando viaggio in treno, osservo sempre quei cavi elettrici fuori dal finestrino. E' così bello e poetico il modo in cui collegano i tralicci gli uni agli altri e, al contempo, spezzano il paesaggio. Volevo tradurre tutto ciò in architettura d'interni"
- M. Anastasiades

"When I sit on a train travelling, I always see these strings of electricity out of the window. It's so beautiful and poetic the way they connect the pylons but at the same time they divide the landscape. I wanted to translate this into interior architecture."
- M. Anastasiades







IC

Michael Anastassiades, 2014

TARAXACUM 88



Photo by Zoë Ghermer

Achille Castiglioni, 1988



A. Castiglioni esamina il primo prototipo di Taraxacum 88 nel suo Studio di Piazza Castello a Milano.

A. Castiglioni examines the first prototype of Taraxacum 88 in his Piazza Castello Studio in Milan.



TATOU



Patricia Urquiola, 2012



OK

OK

Technical info p.485

SUSPENSION

Photo by Zoë Ghermer

Konstantin Grcic, 2014

SPLÜGEN BRÄU



Achille & Pier Giacomo Castiglioni, 1961

La lampada Splügen Bräu, disegnata dai fratelli Castiglioni per illuminare l'omonima birreria-ristorante di Milano.

The Splügen Bräu lamp designed by the Castiglioni brothers to light the restaurant and beer house of the same name in Milan.



Courtesy of Fondazione Achille Castiglioni - Photo by Studio Casati

RAY



Rodolfo Dordoni, 2007

WAN



Johanna Grawunder, 2006

"Nella mia casa precedente c'era un fantastico soffitto antico intonacato. L'ho chiamato il mio Giardino sul tetto [...] Mi piaceva così tanto che quando mi trasferii, non riuscii a separarmene. Dovevo trovare il modo di portarlo nella nuova casa." - M. Wanders

"In my previous home there was a fantastic antique plaster ceiling. I called it my garden on the roof [...] I liked it so much that when I moved I couldn't live without it and had to find a way to transfer it to my new home." - M. Wanders



SKYGARDEN



Photo by Zoë Ghermer

Marcel Wanders, 2007



A. Castiglioni lavora illuminato dalla lampada Frisbi: un disco che appare sospeso a mezz'aria, acceso dalla luce riflessa da una piccola cupola cromata.

A. Castiglioni at work under the Frisbi lamp: a disk that seems to hang in mid-air, lit by the light reflected from a small chrome-plated dome.

FRISBI



Achille Castiglioni, 1978

ROMEO BABE



Philippe Starck, 1997


ROMEO MOON




Philippe Starck, 1996

Taraxacum è tra le prime lampade realizzate in cocoon, un materiale plastico ottenuto spruzzando una resina, utilizzato in origine dall' Esercito Americano come materiale protettivo di imballaggio.

Taraxacum is one of the first lamps produced using cocoon, a plastic material obtained using a resin spray, originally used by the US Army as a protective material for packaging.




TARAXACUM



Achille & Pier Giacomo Castiglioni, 1960

VISCONTEA



Achille & Pier Giacomo Castiglioni, 1960



Achille e Pier Giacomo Castiglioni con Marcel Breuer e la lampada Viscontea al negozio di Gavina a Milano, 1962.

Achille and Pier Giacomo Castiglioni with Marcel Breuer and the Viscontea lamp at the Gavina store in Milan, 1962.


NEBULA



Joris Laarman, 2007

"Chasen si ispira ad un antico strumento orientale, la tradizionale frusta in bamboo per la cerimonia del tè, in cui i delicati filamenti assumono forme sempre diverse."
- P. Urquiola

"Chasen takes its inspiration from an ancient oriental instrument, the traditional bamboo whip used during the tea ceremony, whose delicate filaments continue to change shape."
- P. Urquiola



CHASEN




Patricia Urquiola, 2007



AIM & AIM SMALL



Erwan & Ronan Bouroullec, Aim 2021



"Con Aim abbiamo elaborato una nuova tipologia di lampada che si posiziona nello spazio in modo naturale - come farebbe una pianta - grazie ai lunghi cavi di sospensione che facilitano liberamente l'orientamento e l'altezza della luce." - R. & E. Bouroullec

"With Aim we devised a new type of lamp that stands in space in a natural way, like a plant, thanks to the long suspension wires that make it easy to direct the light and adjust its height." - R. & E. Bouroullec



Erwan & Ronan Bouroullec, 2013/2014

2620



Ron Gilad, 2013



GLO-BALL



Jasper Morrison, 1998/2006

SMITHFIELD



Jasper Morrison, 2009







M. Wanders sperimenta in modo giocoso la tecnica del cocoon, con cui è realizzata la lampada Zepelin.

M. Wanders plays ironically with cocoon, the material from which the Zepelin lamp is made.

ZEPPELIN



Marcel Wanders, 2005

KTRIBE




Philippe Starck, 2005

«I cannot help mocking our unwavering certainties. It is, for example, great fun deliberately to confuse two and three dimensions, the plane and space, or to poke fun at gravity. Are you sure that a floor cannot also be a ceiling? Are you absolutely certain that you go up when you walk up a staircase?» — *Maurits Cornelis Escher*

WALL & CEILING LAMPS

L'ultima lampada di Jasper Morrison per Flos è un esercizio di semplicità: una lampada da parete al servizio dell'architettura e dello spazio. L'incarnazione del Super Normal (un tema ricorrente nelle opere di Morrison sin dagli albori della sua carriera).

Jasper Morrison's latest lamp for Flos is an exercise in simplicity; a wall lamp at the service of architecture and space. The embodiment of Super Normal (a recurring theme in Morrison's work since early on in his career).



OPLIGHT



Jasper Morrison, 2021



La sorgente luminosa di Oplight è un modulo LED coperto da un pannello trasparente ma scanalato che deflette la luce a un'angolazione tale da allontanarla dalla parete. Disponibile in quattro finiture che si adattano ad altrettante atmosfere architettoniche diverse.

Oplight light source is a board of LED's which are covered with a clear but ridged panel which deflects the light out at an angle away from the wall. Available in four finishes which fit as many types of different architectural atmospheres as possible.

Coordinates W2 (in questa pagina) e W1 (a destra), di Michael Anastassiades. Due nuovi modelli della famiglia Coordinates.

Coordinates W2 (this page) and W1 (tright), by Michael Anastassiades. Two new additions to the Coordinates family.



COORDINATES WALL



Michael Anastassiades, 2021








COORDINATES



Michael Anastassiades, 2020



Coordinates è una collezione di luci dal forte impatto visivo, disegnate in origine da Michael Anastassiades per il leggendario ristorante Four Seasons di New York. Caratterizzata da barre di LED lineare saldamente intrecciate, la sua forma sembra ispirarsi alla precisione matematica di una griglia cartesiana, illuminata ed estesa in brillanti volumi tridimensionali.

A dramatic lighting collection originally designed by Michael Anastassiades for New York's legendary Four Seasons restaurant, Coordinates features a series of interlocking linear LED luminaires that take their formal inspiration from the mathematical precision of the Cartesian grid, illuminated and expanded to three brilliant dimensions.





Coordinates è composta da un corpo in alluminio estruso, dalla sofisticata finitura anodizzata color champagne, e da un diffusore bianco opale in silicone platinico. Rigorosa, elegante e facilmente adattabile, questa collezione rappresenta una soluzione flessibile e allo stesso tempo formalmente impeccabile per illuminare tante diverse tipologie di ambienti, regalando il massimo impatto scenografico con un minimo tocco magico.

Coordinates is made from extruded aluminium with a sophisticated anodised champagne finish, and an opal-white platinic silicone diffuser. Exact, elegant, and easily adaptable, this collection offers a flexible yet formally rigorous solution for a diverse range of indoor environments, providing maximum impact with a minimal touch.

FLAUTA



Technical info p.458-459 WALL & CEILING

FLAUTA

Patricia Urquiola, 2020



High-definition renderings by Pablo Limón



In Flauta Riga, una serie di incisioni sapientemente calibrate sulla superficie tracciano un segno caratterizzato da puro rigore e riferimenti classici. La peculiarità di Flauta Spiga è invece il motivo a spina di pesce, sinonimo di eleganza e dettaglio sofisticato: un gioiello dal gusto antico e dal raffinato design contemporaneo. L'accessorio deflettore, il cui colore si abbina al corpo della lampada, si può installare sulla testa superiore o inferiore. Fissato da magneti e viti di sicurezza, crea un effetto decorativo con la luce riflessa.

In Flauta Riga, a series of skillfully calibrated etchings on the surface trace a sign characterised by pure rigour and classical references. Flauta Spiga is characterised by a herringbone pattern, a synonym of elegance and sophisticated detail: a jewel with ancient taste and a refined contemporary design.

The deflector accessory, painted to match the lamp body, can be installed on either the upper or lower head. Held in place by magnets and safety screws, it creates a decorative effect with reflected light.



IC DOUBLE



Michael Anastassiades, 2020

Una palla opalescente, che pare voglia scivolare via, apparentemente instabile. Come se si trattasse dello strumento del numero di un giocoliere che magicamente riesce a far stare in equilibrio sfera e bastone.

An apparently unstable opalescent ball that seems to want to slide away. As a juggler who magically balances a sphere on a stick.



IC




Michael Anastassiades, 2014



LA PLUS BELLE




Philippe Starck, 2018



Il sistema di fissaggio a parete
permette di appendere lo specchio
come un quadro.

The wall fixing system that allows you
to hang the mirror like a picture.





In alto: La Plus Belle è progettata per fornire il meglio della luce. Sotto il suo diffusore in silicone ottico si nascondono LED speciali assemblati in modo molto frequente per aumentare l'uniformità di diffusione e forniscono una performance unica grazie alla combinazione eccezionale di un indice di fedeltà cromatica (CRI) pari a 95 più un indicatore di stabilità dei rossi superiore a 90 (R9>90). Inoltre, la luce di La Plus Belle è gradevole e morbida (2700K) e gestibile dal dimmer a sensore integrato nello specchio.

A destra: La cornice di La Plus Belle è realizzata in una speciale lega di alluminio che consente di ottenere colorazioni anodiche di elevatissima qualità. Le finiture disponibili si dividono in anodizzato spazzolato (oro, rame) o anodizzato lucidato (bronzo, alluminio naturale).

Top: La Plus Belle is designed to provide the best possible light. Special LEDs are hidden beneath the optical silicone diffuser, assembled in a very frequent mode to increase the uniformity of the diffusion and provide a unique performance thanks to the exceptional combination of a chromatic rendering index (CRI) of 95 plus a reds stability indicator of over 90 (R9>90). Furthermore, the light from La Plus Belle is pleasant and soft (2700K) as well as manageable by the dimmer with a sensor integrated in the mirror. Right: The frame of La Plus Belle is made of a special aluminium alloy that provides the best possible extremely high quality anode colourations. The finishes available are brushed anodized (gold, copper) or polished anodized (bronze, natural aluminium).





WIRERING



Formafantasma, 2018



Il cavo e l'anello possono avere diverse combinazioni di colore, scegliendo tra una gamma di tre finiture per il cavo e cinque per l'anello.

The cable and ring are available in different colour combinations. There is a range of three finishes for the cable and five for the ring.



SMITHFIELD



Smithfield nei nuovi colori rosso e verde.

Smithfield with new colors red and green.



Jasper Morrison, 2009


CLESSIDRA



Antonio Citterio, 2011



FORT KNOX



Philippe Starck, 2008



265



Paolo Rizzato, 1973



Il design della 265 di Rizzato è tanto semplice e intuitiva quanto tecnico e preciso: una lampada a parete da sospensione, costituita da un cappello e un peso, ciascuno in equilibrio alle estremità di un braccio regolabile e fissato a muro in una posizione asimmetrica. Nel progetto di Rizzato, ciascuna parte era caratterizzata da un colore primario scelto in modo specifico: il cappello, l'elemento più importante, era disegnato in rosso, il peso era giallo e il braccio di collegamento blu. La lampada fu poi prodotta in tonalità più tenui e sebbene sia normalmente disponibile in bianco e nero, la proposta cromatica originale di Rizzato ora sta facendo il suo ritorno nel catalogo Flos per celebrare l'idea originale dell'architetto.

The design of Rizzato's 265 is as simple and intuitive as it is technical and precise: a suspended wall lamp comprising a head and weight, each balanced at the extremities of an adjustable arm, and attached to the wall in an asymmetric position. In Rizzato's design, each part featured a specifically chosen primary colour: the head, the most important element, was drawn in red, the weight was yellow and the connecting arm, blue. The lamp was eventually produced in more muted shades, and while it is normally available in black and white, Rizzato's original colour proposal is now making its way onto the Flos catalogue to celebrate the architect's original thinking. The deflector accessory, painted to match the lamp body, can be installed on either the upper or lower head. Held in place by magnets and safety screws, it creates a decorative effect with reflected light.

La tecnica artigianale di soffiatura a bocca del vetro, con cui è realizzato il diffusore della lampada Glo-ball.

The diffuser of the Glo-ball lamp is hand blown glass.



GLO-BALL



Jasper Morrison, 1999/2009

TIGHT LIGHT



Piero Lissoni, 2011

ON THEROCKS



Antonio Citterio assistant Toan Nguyen, 2003

Clara è concepita per offrire un'illuminazione diffusa e confortevole. La lampada può essere completata con un anello esterno, per ottenere un abbinamento perfetto con l'ambiente circostante.

Clara is designed to provide a comfortable and diffuse light. The lamp can be completed by an optional external ring, to perfectly match the taste of the environment.



CLARA



Piero Lissoni, 2014


TARAXACUM 88



Achille Castiglioni, 1988



ARIETTE



Tobia Scarpa, 1973

WAN



Johanna Grawunder, 2005

SKYGARDEN RECESSED



Marcel Wanders, 2009

POCHETTE



Rodolfo Dordoni, 2003

KTRIBE



Philippe Starck, 2007

ROMEO BABE




Philippe Starck, 1996/2004

MINI BUTTON



Piero Lissoni, 2005

BUTTON




Piero Lissoni, 2004

FOGLIO



Tobia Scarpa, 1966



ABAJOURD'HUI



Flos Soft Architecture

SOFT SPUN




Flos Soft Architecture

Grazie all'innovativo materiale composito Under Cover della versione Soft, la lampada Spun Light si integra perfettamente all'architettura degli spazi affiorando dalla parete.

Making use of the Soft version of the innovative composite material Under Cover, the Spun Light integrates seamlessly with the architecture of spaces, rising out of the surface of the wall.



TECHNICAL INFO



265
Paolo Rizzatto, 1973
Potenza · Power MAX 75W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 11,5W E27 1100 lm
[esclusa - excluded]

Materiali · Materials
acciaio · steel

Peso · Weight 6,0 Kg

Finiture Finishes
bianco · white
nero · black

Colori Colors
○ A0300009
● A0300030

CE IP 20

p. 407



265 CHROMATICA
Paolo Rizzatto, 1973
Potenza · Power MAX 75W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 11,5W E27 1100 lm
[esclusa - excluded]

Materiali · Materials
acciaio · steel


Peso · Weight 6,0 Kg

Finiture Finishes
chromatica

Colori Colors
● A0300099

CE IP 20

p. 407



2097/18 CLEAR BULBS
Gino Sarfatti, 1958
Potenza · Power 18 x MAX 15W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 1,5W E14 100lm
[inclusa - included]
Supplied with 20xclear LED lamps (2xspare)

Materiali · Materials
acciaio · steel


Peso · Weight 3,2 Kg

Finiture Finishes
cromo · chrome
ottone · brass
nero opaco · matte black

Colori Colors
|| A1352057
● A1352059
● A1352031

CE IP 20

p. 286



2097/18 FROSTED BULBS
Gino Sarfatti, 1958
Potenza · Power 18 x MAX 15W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 2,7W E14 150lm
[inclusa - included]

Materiali · Materials
acciaio · steel


Peso · Weight 3,2 Kg

Finiture Finishes
cromo · chrome
ottone · brass
nero opaco · matte black

Colori Colors
|| A1351057
● A1351059
● A1351031

CE IP 20

p. 286



2097/30 CLEAR BULBS
Gino Sarfatti, 1958
Potenza · Power 30 x MAX 15W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 1,5W E14 100lm
[inclusa - included]

Materiali · Materials
acciaio · steel


Peso · Weight 5,1 Kg

Finiture Finishes
cromo · chrome
ottone · brass
nero opaco · matte black

Colori Colors
|| A1402057
● A1402059
● A1402031

CE IP 20

p. 288



2097/30 FROSTED BULBS
Gino Sarfatti, 1958
Potenza · Power 30 x MAX 15W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 2,7W E14 150lm
[inclusa - included]

Materiali · Materials
acciaio · steel


Peso · Weight 5,1 Kg

Finiture Finishes
cromo · chrome
ottone · brass
nero opaco · matte black

Colori Colors
|| A1401057
● A1401059
● A1401031

CE IP 20

p. 288



2097/50 CLEAR BULBS
Gino Sarfatti, 1958
Potenza · Power 50 x MAX 15W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 1,5W E14 100lm
[inclusa - included]

Materiali · Materials
acciaio · steel


Peso · Weight 9,2 Kg

Finiture Finishes
cromo · chrome
ottone · brass
nero opaco · matte black

Colori Colors
|| A1502057
● A1502059
● A1502031

CE IP 20

p. 288



2097/50 FROSTED BULBS
Gino Sarfatti, 1958
Potenza · Power 50 x MAX 15W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 2,7W E14 150lm
[inclusa - included]

Materiali · Materials
acciaio · steel


Peso · Weight 9,2 Kg

Finiture Finishes
cromo · chrome
ottone · brass
nero opaco · matte black

Colori Colors
|| A1501057
● A1501059
● A1501031

CE IP 20

p. 288



2620
Ron Gilad, 2013
Potenza · Power 170W
Tensione · Voltage 120-277V

Fonte luminosa · Light source
2620 CHIP LED 170W 11760lm total
3000K CRI85 [inclusa - included]

Materiali · Materials
alluminio, PMMA, acciaio · aluminum,
PMMA, steel

ON DEMAND


Peso · Weight 18 Kg

Finiture Finishes
bianco · white

Colori Colors
○ F0031009

CE I P 20

p. 347



AIM SMALL
R. & E. Bouroullec, 2014
Potenza · Power 12W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
1 LED module 12W 725lm 2700K
CRI90 [inclusa - included] DIMMABLE

Materiali · Materials
alluminio, PC · aluminum, PC

Peso · Weight 1,9 Kg (1 Aim small)

Finiture Finishes
bianco · white
nero · black
blue steel anodized
light silver anodized
ivy anodized


Colori Colors
○ F0095009
● F0095030
● F0095023
● F0095054
● F0095039

ROSONE MULTIPLO / MULTIPLE ROSE
○ F0093009
● F0093030

DIMMABLE PARETE / WALL DIMMABLE
RF22227

CE I P 20

p. 340



AIM
R. & E. Bouroullec, 2013
Potenza · Power 16W
Tensione · Voltage 220/240V

Fonte luminosa · Light source
1 LED module 16W 895lm 2700K
CRI90 [inclusa - included] DIMMABLE

Materiali · Materials
alluminio, PC · aluminum, PC

Peso · Weight 3,2 Kg (1 Aim)

Finiture Finishes
bianco · white
nero · black
blue steel anodized
light silver anodized
ivy anodized

Colori Colors
○ F0090009
● F0090030
● F0090023
● F0090054
● F0090039

ROSONE MULTIPLO / MULTIPLE ROSE
○ F0093009
● F0093030

DIMMABLE PARETE / WALL DIMMABLE
RF22227

CE I P 20

p. 340



ALMENDRA S3
Patricia Urquiola, 2022
Potenza · Power 45W
Tensione · Voltage 220/240V

Fonte luminosa · Light source
LED 45W 4200lm 2700K CRI95
[inclusa - included]

Materiali · Materials
polycarbonato sostenibile, alluminio · sustainable
polycarbonate, aluminum

Peso · Weight 7,14 Kg


Finiture Finishes
off-white
nude
ocher
anthracite
bay blue metallized
lilac metallized

Colori Colors
ROSONE BIANCO / WHITE ROSE
○ F0420009
○ F0420026
● F0420027
● F0420033
● F0420039
● F0420042

ROSONE PRIMER / PRIMER ROSE*
○ F0391009
○ F0391026
● F0391027
● F0391033
● F0391039
● F0391042

CE I P 20

p. 234



ALMENDRA S4
Patricia Urquiola, 2022
Potenza · Power 60W
Tensione · Voltage 220/240V

Fonte luminosa · Light source
LED 60W 5600lm 2700K CRI95
[inclusa - included]

Materiali · Materials
polycarbonato sostenibile, alluminio · sustainable
polycarbonate, aluminum

Peso · Weight 10,18 Kg

Finiture Finishes
off-white
nude
ocher
anthracite
bay blue metallized
lilac metallized

Colori Colors
ROSONE BIANCO / WHITE ROSE
○ F0422009
○ F0422026
● F0422027
● F0422033
● F0422039
● F0422042

ROSONE PRIMER / PRIMER ROSE*
○ F0392009
○ F0392026
● F0392027
● F0392033
● F0392039
● F0392042

CE I P 20

p. 234



ALMENDRA S6
Patricia Urquiola, 2022
Potenza · Power 90W
Tensione · Voltage 220/240V

Fonte luminosa · Light source
LED 90W 8400lm 2700K CRI95
[inclusa - included]

Materiali · Materials
polycarbonato sostenibile, alluminio · sustainable
polycarbonate, aluminum

Peso · Weight 15,58 Kg

Finiture Finishes
off-white
nude
ocher
anthracite
bay blue metallized
lilac metallized

Colori Colors
ROSONE BIANCO / WHITE ROSE
○ F0423009
○ F0423026
● F0423027
● F0423033
● F0423039
● F0423042

ROSONE PRIMER / PRIMER ROSE*
○ F0393009
○ F0393026
● F0393027
● F0393033
● F0393039
● F0393042

CE I P 20

p. 234



ALMENDRA S2 Y SHORT
Patricia Urquiola, 2022
Potenza · Power 30W
Tensione · Voltage 220/240V

Fonte luminosa · Light source
LED 30W 2800lm 2700K CRI95
[inclusa - included]

Materiali · Materials
polycarbonato sostenibile, alluminio · sustainable
polycarbonate, aluminum

Peso · Weight 8,17 Kg

Finiture Finishes
off-white
nude
ocher
anthracite
bay blue metallized
lilac metallized

Colori Colors
ROSONE BIANCO / WHITE ROSE
○ F0442009
○ F0442026
● F0442027
● F0442033
● F0442039
● F0442042

ROSONE PRIMER / PRIMER ROSE*
○ F0396009
○ F0396026
● F0396027
● F0396033
● F0396039
● F0396042

CE I P 20

p. 234



ALMENDRA S2 Y LONG
Patricia Urquiola, 2022
Potenza · Power 30W
Tensione · Voltage 220/240V

Fonte luminosa · Light source
LED 30W 2800lm 2700K CRI95
[inclusa - included]

Materiali · Materials
polycarbonato sostenibile, alluminio · sustainable
polycarbonate, aluminum

Peso · Weight 8,47 Kg

Finiture Finishes
off-white
nude
ocher
anthracite
bay blue metallized
lilac metallized

Colori Colors
ROSONE BIANCO / WHITE ROSE
○ F0438009
○ F0438026
● F0438027
● F0438033
● F0438039
● F0438042


ROSONE PRIMER / PRIMER ROSE*
○ F0397009
○ F0397026
● F0397027
● F0397033
● F0397039
● F0397042

CE I P 20

p. 234

* Il rosone primer può essere dipinto dopo l'installazione con normali finiture a base d'acqua (tempera, stucco, vernice a base d'acqua) per garantire un'integrazione perfetta con la costruzione.
* The primer rose can be painted after installation with normal water-based finishes (tempera, stucco, water-based paint) to guarantee flawless integration with the building.

* Il rosone primer può essere dipinto dopo l'installazione con normali finiture a base d'acqua (tempera, stucco, vernice a base d'acqua) per garantire un'integrazione perfetta con la costruzione.
* The primer rose can be painted after installation with normal water-based finishes (tempera, stucco, water-based paint) to guarantee flawless integration with the building.



ALMENDRA S3 Y SHORT
 Patricia Urquiola, 2022
 Potenza · Power 45W
 Tensione · Voltage 220/240V

LED INCLUDED Fonte luminosa · Light source
 LED 45W 4200lm 2700K CRI95
 [inclusa - included]

Materiali · Materials
 policarbonato sostenibile, alluminio · sustainable
 polycarbonate, aluminum

Peso · Weight 9,83 Kg


Finiture Finishes
 off-white
 nude
 ocher
 anthracite
 bay blue metallized
 lilac metallized

Colori Colors
 ROSONE BIANCO / WHITE ROSE
 ○ F0436009
 F0436026
 ● F0436027
 ● F0436033
 ● F0436039
 ● F0436042

ROSONE PRIMER / PRIMER ROSE*
 ○ F0398009
 F0398026
 ● F0398027
 ● F0398033
 ● F0398039
 ● F0398042

CE I P 20

p. 234



ALMENDRA S3 Y LONG
 Patricia Urquiola, 2022
 Potenza · Power 45W
 Tensione · Voltage 220/240V

LED INCLUDED Fonte luminosa · Light source
 LED 45W 4200lm 2700K CRI95
 [inclusa - included]

Materiali · Materials
 policarbonato sostenibile, alluminio · sustainable
 polycarbonate, aluminum

Peso · Weight 10,13 Kg

Finiture Finishes
 off-white
 nude
 ocher
 anthracite
 bay blue metallized
 lilac metallized

Colori Colors
 ROSONE BIANCO / WHITE ROSE
 ○ F0421009
 F0421026
 ● F0421027
 ● F0421033
 ● F0421039
 ● F0421042

ROSONE PRIMER / PRIMER ROSE*
 ○ F0399009
 F0399026
 ● F0399027
 ● F0399033
 ● F0399039
 ● F0399042

CE I P 20

p. 234



ALMENDRA S2 ARCH SHORT
 Patricia Urquiola, 2022
 Potenza · Power 30W
 Tensione · Voltage 220/240V

LED INCLUDED Fonte luminosa · Light source
 LED 30W 2800lm 2700K CRI95
 [inclusa - included]

Materiali · Materials
 policarbonato sostenibile, alluminio · sustainable
 polycarbonate, aluminum

Peso · Weight 5,85 Kg

Finiture Finishes
 off-white
 nude
 ocher
 anthracite
 bay blue metallized
 lilac metallized

Colori Colors
 ROSONE BIANCO / WHITE ROSE
 ○ F0448009
 F0448026
 ● F0448027
 ● F0448033
 ● F0448039
 ● F0448042

ROSONE PRIMER / PRIMER ROSE*
 ○ F0394009
 F0394026
 ● F0394027
 ● F0394033
 ● F0394039
 ● F0394042

CE I P 20

p. 234



ALMENDRA S2 ARCH LONG
 Patricia Urquiola, 2022
 Potenza · Power 30W
 Tensione · Voltage 220/240V

LED INCLUDED Fonte luminosa · Light source
 LED 30W 2800lm 2700K CRI95
 [inclusa - included]

Materiali · Materials
 policarbonato sostenibile, alluminio · sustainable
 polycarbonate, aluminum

Peso · Weight 6,45 Kg


Finiture Finishes
 off-white
 nude
 ocher
 anthracite
 bay blue metallized
 lilac metallized

Colori Colors
 ROSONE BIANCO / WHITE ROSE
 ○ F0444009
 F0444026
 ● F0444027
 ● F0444033
 ● F0444039
 ● F0444042

ROSONE PRIMER / PRIMER ROSE*
 ○ F0395009
 F0395026
 ● F0395027
 ● F0395033
 ● F0395039
 ● F0395042

CE I P 20

p. 234



AOY
 Achille Castiglioni, 1975
 Potenza · Power 1 x MAX 100W + 1 x MAX 70W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 11,5W E27 1100lm +
 LED 7W E27 650lm
 [esclusa - excluded]

Materiali · Materials
 vetro · glass

Peso · Weight 12,1 Kg SWITCH INCLUDED

Finiture Finishes
 opale · opal

Colori Colors
 F0200071

CE I P 20

p. 146



ARCO
 Achille and Pier Giacomo Castiglioni, 1962
 Potenza · Power MAX 100W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 11W E27 1060lm
 [esclusa - excluded]

Materiali · Materials
 marmo, acciaio inox, alluminio · marble,
 stainless steel, aluminum

Peso · Weight 63,8 Kg SWITCH INCLUDED

Finiture Finishes
 acciaio · steel

Colori Colors
 F0300000

CE I P 20

p. 192



ARCO LED
 Achille and Pier Giacomo Castiglioni, 1962
 Potenza · Power 28W
 Tensione · Voltage 100-240V/48V

LED INCLUDED Fonte luminosa · Light source
 1 MULTICHIP LED 28W 1224lm
 2700K CRI93 [inclusa - included]
 DIMMABLE

Materiali · Materials
 marmo, acciaio inox, alluminio · marble,
 stainless steel, aluminum


Peso · Weight 63,8 Kg DIMMER INCLUDED

Finiture Finishes
 acciaio · steel

Colori Colors
 F0303000

CE I P 20

p. 192



ARIETTE 1/2
 Tobia Scarpa, 1973
 Potenza · Power 4 x MAX 40W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 11,5W E27 1100lm
 [esclusa - excluded]

Materiali · Materials
 tessuto · fabric

Peso · Weight 0,8 Kg (1) - 1 Kg (2)

Finiture Finishes
 tessuto · fabric

Colori Colors
 F0400009 ARIETTE 1
 F0500009 ARIETTE 2

CE I P 20

p. 419

* Il rosone primer può essere dipinto dopo l'installazione con normali finiture a base d'acqua (tempera, stucco, vernice a base d'acqua) per garantire un'integrazione perfetta con la costruzione.
 * The primer rose can be painted after installation with normal water-based finishes (tempera, stucco, water-based paint) to guarantee flawless integration with the building.



ARRANGEMENTS - LINE
 Michael Anastassiades, 2018
 Potenza · Power 29W
 Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
 FLEX STRIP LED 29W 1480lm 2700K
 CRI90 [inclusa - included]

Materiali · Materials
 alluminio · aluminum


Rosone escluso
 Ceiling rose excluded

Finiture Finishes
 nero opaco · matte black ● F0401030

Colori Colors

CE  

p. 290



ARRANGEMENTS - BROKEN LINE
 Michael Anastassiades, 2018
 Potenza · Power 24W
 Tensione · Voltage 48V



LED INCLUDED Fonte luminosa · Light source
 FLEX STRIP LED 24W 1200lm 2700K
 CRI90 [inclusa - included]

Materiali · Materials
 alluminio · aluminum

Rosone escluso
 Ceiling rose excluded

Finiture Finishes
 nero opaco · matte black ● F0405030

Colori Colors

CE  

p. 290



ARRANGEMENTS - DROP UP
 Michael Anastassiades, 2018
 Potenza · Power 32W
 Tensione · Voltage 48V



LED INCLUDED Fonte luminosa · Light source
 FLEX STRIP LED 32W 1530lm 2700K
 CRI90 [inclusa - included]

Materiali · Materials
 alluminio · aluminum


Rosone escluso
 Ceiling rose excluded

Finiture Finishes
 nero opaco · matte black ● F0414030

Colori Colors

CE  

p. 290



ARRANGEMENTS - DROP DOWN
 Michael Anastassiades, 2018
 Potenza · Power 30W
 Tensione · Voltage 48V



LED INCLUDED Fonte luminosa · Light source
 FLEX STRIP LED 30W 1530lm 2700K
 CRI90 [inclusa - included]

Materiali · Materials
 alluminio · aluminum

Rosone escluso
 Ceiling rose excluded

Finiture Finishes
 nero opaco · matte black ● F0413030

Colori Colors

CE  

p. 290



ARRANGEMENTS - SQUARE SMALL
 Michael Anastassiades, 2018
 Potenza · Power 20W
 Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
 FLEX STRIP LED 20W 883lm 2700K
 CRI90 [inclusa - included]

Materiali · Materials
 alluminio · aluminum

Rosone escluso
 Ceiling rose excluded

Finiture Finishes
 nero opaco · matte black ● F0410030

Colori Colors

CE  

p. 290



ARRANGEMENTS - SQUARE LARGE
 Michael Anastassiades, 2018
 Potenza · Power 34W
 Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
 FLEX STRIP LED 34W 1657lm 2700K
 CRI90 [inclusa - included]

Materiali · Materials
 alluminio · aluminum

Rosone escluso
 Ceiling rose excluded

Finiture Finishes
 nero opaco · matte black ● F0409030

Colori Colors

CE  

p. 290



ARRANGEMENTS - ROUND SMALL
 Michael Anastassiades, 2018
 Potenza · Power 21W
 Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
 FLEX STRIP LED 21W 1068lm 2700K
 CRI90 [inclusa - included]

Materiali · Materials
 alluminio · aluminum

Rosone escluso
 Ceiling rose excluded

Finiture Finishes
 nero opaco · matte black ● F0406030

Colori Colors

CE  

p. 290



ARRANGEMENTS - ROUND MEDIUM
 Michael Anastassiades, 2018
 Potenza · Power 35W
 Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
 FLEX STRIP LED 35W 1770lm 2700K
 CRI90 [inclusa - included]

Materiali · Materials
 alluminio · aluminum

Rosone escluso
 Ceiling rose excluded

Finiture Finishes
 nero opaco · matte black ● F0407030

Colori Colors

CE  

p. 290



ARRANGEMENTS - ROUND LARGE

Michael Anastassiades, 2018
Potenza · Power 54W
Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
FLEX STRIP LED 54W 2751lm 2700K
CRI90 [inclusa - included]

Materiali · Materials
alluminio · aluminum

p. 290

Rosone escluso
Ceiling rose excluded

Peso · Weight 1,3 Kg



Finiture Finishes
nero opaco · matte black ● F0408030

Colori Colors

ARRANGEMENTS SMALL ROSE

ACCESSORI · ACCESSORIES

Tensione · Voltage 120-270V

Descrizione · Description
Rosone dimmerabile piccolo da soffitto per
l'installazione di combinazioni fino a max 70W ·
Small dimmable ceiling rose for the installation of
combinations within max 70W

Peso · Weight 1 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



Finiture Finishes
nero · black ● F0416030

Colori Colors

ARRANGEMENTS BIG ROSE

ACCESSORI · ACCESSORIES

Tensione · Voltage 100-240V

Descrizione · Description
Rosone dimmerabile grande da soffitto per
l'installazione di combinazioni fino a max 190W ·
Big dimmable ceiling rose for the installation of
combinations within max 190W

Peso · Weight 2,8 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



Finiture Finishes
nero · black ● F0415030

Colori Colors

ARRANGEMENTS RECESSED ROSE

ACCESSORI · ACCESSORIES

Tensione · Voltage 48V

Descrizione · Description
Rosone da soffitto con alimentazione remota per
l'installazione di combinazioni fino a max 190W
· Ceiling rose with remote power supply for the
installation of combinations within max 190W


Peso · Weight 0,6 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



Finiture Finishes
nero · black ● F0418030

Colori Colors



BELLHOP BATTERY

E. Barber & J. Osgerby, 2018
Potenza · Power 2,5W
Tensione · Voltage 1N 5V

LED INCLUDED Fonte luminosa · Light source
84 LED 2,5W 109lm 2700K CRI90
[inclusa - included] 6/24 HOURS BATTERY
LIFE, RECHARGEABLE WITH MICRO-USB-C KIT

Materiali · Materials
policarbonato · polycarbonate

p. 84

Peso · Weight 1,30 Kg DIMMER INCLUDED



Finiture Finishes
bianco · white ● F1060009
cioko ● F1060026
grigio · grey ● F1060020
rosso mattone · brick red ● F1060075
giallo · yellow ● F1060019
grey blue ● F1060014

Colori Colors



BELLHOP FLOOR

E. Barber & J. Osgerby, 2021
Potenza · Power 26W
Tensione · Voltage 100-240/48V

LED INCLUDED Fonte luminosa · Light source
(white body)1 COB LED
26W 1232lm 2700K CRI90
[inclusa - included] DIMMABLE
(other colors body) 1 COB LED
26W 1023lm 2700K CRI90
[inclusa - included] DIMMABLE

Materiali · Materials
alluminio, vetro, cemento · aluminum, glass,
concrete


p. 160

Peso · Weight 6,90 Kg DIMMER INCLUDED



Finiture Finishes
grigio/bianco · grey/white ● F1070009
bianco/cioko · white/cioko ● F1070026
bianco/verde · whitegreen ● F1070039
bianco/rosso mattone · white/brick red ● F1070075

Colori Colors



BELT

Ronan & Erwan Bouroullec, 2020
Potenza · Power MAX 55,5W
Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
TOP LED 55,5W 1830lm UP -
4000lm DOWN 2700K CRI95
[inclusa - included] CASAMBI DIMMABLE

Materiali · Materials
alluminio estruso rivestito in pelle naturale, policarbonato opale ·
extruded aluminum covered in real leather, opal polycarbonate


p. 277

Peso · Weight 6,5 Kg REMOTE DRIVER INCLUDED



Finiture Finishes
nero · black ● 03.8530.14CB
verde · green ● 03.8530.GN.CB
pelle naturale · natural leather ● 03.8530.18.CB

Colori Colors



BIAGIO

Tobia Scarpa, 1968
Potenza · Power MAX 70W
Tensione · Voltage 220-250V

LED INCLUDED Fonte luminosa · Light source
LED 8W E27 740lm
[esclusa - excluded]

Materiali · Materials
marmo · marble

p. 142

Peso · Weight 7,5 Kg SWITCH INCLUDED



Finiture Finishes
marmo · marble ● F0700000

Colori Colors



BIBLIOTHEQUE NATIONALE
Philippe Starck, 2013
Potenza · Power MAX 150W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 21W E27 2452lm o · or
LED 21W E27 2200lm
[esclusa - excluded] +
CHARGER USB 5VDC


Materiali · Materials
PC, acciaio inox, metacrilato · PC, stainless steel,
methacrylate

Peso · Weight 10,3 Kg DIMMER INCLUDED

Finiture Finishes
trasparente · transparent
argento · silver
bronzo · bronze
tessuto · fabric
fumè · fumée

Colori Colors
F1011000
F1011004
F1011046
F1011007
F1011030

p. 208



BON JOUR
Philippe Starck, 2015
Potenza · Power 13W
Tensione · Voltage 100-240V/24V

LED INCLUDED Fonte luminosa · Light source
EDGE LIGHTING 13W 884lm 2700K
CRI90 [inclusa - included] DIMMABLE


Materiali · Materials
polimetilmetacrilato · polymethylmethacrylate

Peso · Weight 2,0 Kg DIMMER INCLUDED

Finiture Finishes
bianco · white
cromo · chrome
rame · copper
cromo opaco · matte
chrome

Colori Colors
F1032009
F1032057
F1032015
F1032046

p. 94



BON JOUR ACCESSORI · ACCESSORIES

Descrizione · Description
Corona in PMMA trasparente stampato ad iniezione
oppure in tessuto o rafia intrecciati a mano, per
versioni personalizzate · Crown in transparent
injection-printed PMMA or in hand-woven fabric or
rattan, for customised versions.

Finiture Finishes
giallo · yellow
ambra · amber
rafia · rattan
tessuto · fabric
trasparente · transparent
fumè · fumée

Colori Colors
F1033019
F1033070
F1033088
F1033007
F1033000
F1033030

p. 94



BON JOUR UNPLUGGED
Philippe Starck, 2015
Potenza · Power 2,5W
Tensione · Voltage 100-240V/5V

LED INCLUDED Fonte luminosa · Light source
EDGE LIGHTING 2,5W 114lm 2700K
CRI 90 [inclusa - included] DIMMABLE
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH
MICRO-USB KIT


Materiali · Materials
alluminio, ABS, PMMA · aluminum, ABS, PMMA

Peso · Weight 0,55 Kg DIMMER INCLUDED

Finiture Finishes
bianco · white
cromo · chrome
rame · copper
cromo opaco · matte
chrome

Colori Colors
F1037009
F1037057
F1037015
F1037046

p. 98



BON JOUR UNPLUGGED ACCESSORI · ACCESSORIES

Descrizione · Description
Corona in PMMA trasparente stampato ad iniezione
oppure in tessuto o rafia intrecciati a mano, per
versioni personalizzate · Crown in transparent
injection-printed PMMA or in hand-woven fabric or
rattan, for customised versions.

Finiture Finishes
giallo · yellow
ambra · amber
rafia · rattan
tessuto · fabric
trasparente · transparent
fumè · fumée
rosso · red

Colori Colors
F1036019
F1036070
F1036088
F1036007
F1036000
F1036030
F1036035

p. 98



BON JOUR VERSAILLES
Philippe Starck, 2017
Potenza · Power 13W
Tensione · Voltage 100-240V/24V

LED INCLUDED Fonte luminosa · Light source
EDGE LIGHTING 13W 811lm 2700K
CRI90 [inclusa - included] DIMMABLE


Materiali · Materials
polimetilmetacrilato · polymethylmethacrylate

Peso · Weight 1,54 Kg DIMMER INCLUDED

Finiture Finishes
cromo · chrome
rame · copper

Colori Colors
F1041057
F1041015

p. 91



BON JOUR VERSAILLES ACCESSORI · ACCESSORIES

Descrizione · Description
Corona in PMMA trasparente stampato ad iniezione
oppure in tessuto o rafia intrecciati a mano, per
versioni personalizzate · Crown in transparent
injection-printed PMMA or in hand-woven fabric or
rattan, for customised versions.

Finiture Finishes
giallo · yellow
ambra · amber
rafia · rattan
tessuto · fabric
trasparente · transparent
fumè · fumée

Colori Colors
F1033019
F1033070
F1033088
F1033007
F1033000
F1033030

p. 91



BON JOUR VERSAILLES SMALL
Philippe Starck, 2017
Potenza · Power 3,5W
Tensione · Voltage 100-240V/24V

LED INCLUDED Fonte luminosa · Light source
EDGE LIGHTING 2,5W 208lm 2700K
CRI 90 [inclusa - included] DIMMABLE


Materiali · Materials
polimetilmetacrilato · polymethylmethacrylate

Peso · Weight 0,28 Kg DIMMER INCLUDED

Finiture Finishes
cromo · chrome
rame · copper

Colori Colors
F1042057
F1042015

p. 90




BON JOUR VERSAILLES SMALL ACCESSORI · ACCESSORIES

Descrizione · *Description*
 Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · *Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.*

Finiture Finishes	Colori Colors
giallo · <i>yellow</i>	● F1036019
ambra · <i>amber</i>	● F1036070
rafia · <i>rattan</i>	● F1036088
tessuto · <i>fabric</i>	● F1036007
trasparente · <i>transparent</i>	● F1036000
fumè · <i>fumée</i>	● F1036030
rosso · <i>red</i>	● F1036035

p. 90



MINI BUTTON

Piero Lissoni, 2005

Potenza · *Power* MAX 25W


Tensione · *Voltage* 220-250V

Fonte luminosa · *Light source*
 LED 3W G9 290lm o · *or*
 LED 2W G9 240lm
 [esclusa - *excluded*]

Materiali · Materials
 policarbonato o vetro · *polycarbonate or glass*

p. 426

Finiture Finishes	Colori Colors
policarbonato · <i>polycarbonate</i>	○ F1491009
vetro · <i>glass</i>	■ F1490009



BUTTON FL

Piero Lissoni, 2004

Potenza · *Power* 22W + 40W


Tensione · *Voltage* 220-240V

Fonte luminosa · *Light source*
 22W 2GX13 T5 FSC 1800lm
 warm white [esclusa - *excluded*]
 + 40W 2GX13 T5 FSC 3400lm
 warm white [esclusa - *excluded*]
 Ballast elettronico · *Electronic Ballast*

Materiali · Materials
 policarbonato · *polycarbonate*

p. 427

Finiture Finishes	Colori Colors
bianco · <i>white</i>	○ F3180009



BUTTON

Piero Lissoni, 2005

Potenza · *Power* 5 x MAX 40W

Tensione · *Voltage* 220-250V

Fonte luminosa · *Light source*
 LED 3W G9 290lm o · *or*
 LED 2W G9 240lm
 [esclusa - *excluded*]


Materiali · Materials
 vetro · *glass*

p. 427

Finiture Finishes	Colori Colors
bianco · <i>white</i>	○ F3190009

Peso · *Weight* 13,5 Kg

CE, IP 40, RoHS



CAPTAIN FLINT

Michael Anastassiades, 2015

Potenza · *Power* 20W

Tensione · *Voltage* 100-240V/48V

Fonte luminosa · *Light source*
 1 COB LED 20W 557lm 2700K CRI93
 [inclusa - *included*] DIMMABLE

Materiali · Materials
 acciaio, policarbonato, marmo · *steel, polycarbonate, marble*

p. 197

Finiture Finishes	Colori Colors
ottone spazzolato · <i>brushed brass</i>	● F1530059
antracite · <i>anthracite</i>	● F1530030



CHASEN

Patricia Urquiola, 2007

Potenza · *Power* 120W


Tensione · *Voltage* 230V

Fonte luminosa · *Light source*
 120W E27 PAR38 872lm
 [inclusa - *included*]

Materiali · Materials
 acciaio inox, alluminio, vetro · *stainless steel, aluminum, glass*

p. 338

Finiture Finishes	Colori Colors
bianco · <i>white</i>	○ F1636009
nero · <i>black</i>	● F1636030



CHIARA F

Mario Bellini, 1969 -2020

Potenza · *Power* 15W

Tensione · *Voltage* 220-240V

Fonte luminosa · *Light source*
 LED 15W E27 2000lm
 [inclusa - *included*]

Materiali · Materials
 acciaio inox, tpu · *stainless steel, tpu*

p. 170

Finiture Finishes	Colori Colors
stainless steel with black edge	● F1590056



CHIARA T

Mario Bellini, 2020

Potenza · *Power* 1 x MAX 10W LED

Tensione · *Voltage* 220 -240V

Fonte luminosa · *Light source*
 LED 8W E14 900lm o · *or*
 LED 9W E14 900lm
 [esclusa - *excluded*]

Materiali · Materials
 alluminio, tpu · *aluminum, tpu*


p. 68

Finiture Finishes	Colori Colors
dark grey with olive green edge-	● F1595023
aluminum with anthracite edge	● F1595004
pink gold with oxide red edge	● F1595034

Peso · *Weight* 1,3 Kg

DIMMER INCLUDED

CE, IP 20, RoHS



CLARA
Piero Lissoni, 2014
Potenza · Power 57W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
TOP LED 57W 3141lm 2700K CRI>90
[inclusa - included] DIMMABLE

Materiali · Materials
polycarbonato · polycarbonate

Peso · Weight 3 Kg


Finiture Finishes
bianco · white
cromo · chrome
rame · copper
trasparente · transparent
fumè · fumée

Colori Colors
F1570009
F1571057
F1571015
F1571000
F1571030A

FINITURE FREGIO / FRIEZE FINISHES

CE IP 40

p. 414



CLESSIDRA OUTDOOR/INDOOR
Antonio Citterio, 2011
Potenza · Power 10W
Tensione · Voltage 100-240V

Fonte luminosa · Light source
2 LED 10W 637lm 3000K CRI80
[inclusa - included]

Materiali · Materials
alluminio, PMMA · aluminum, PMMA


Peso · Weight 1,1 Kg

Finiture Finishes
grigio · grey
deep brown
grigio · grey
deep brown

Colori Colors
F1583006 20°+20° OUTDOOR
F1583018 20°+20° OUTDOOR
F1584006 40°+40° OUTDOOR
F1584018 40°+40° OUTDOOR

CE IP 55

p. 401



CLESSIDRA INDOOR
Antonio Citterio, 2011
Potenza · Power 10W
Tensione · Voltage 100-240V

Fonte luminosa · Light source
2 LED 10W 637lm 3000K CRI80
[inclusa - included]

Materiali · Materials
alluminio, PMMA · aluminum, PMMA


Peso · Weight 1,1 Kg

Finiture Finishes
bianco · white
cromo · chrome
bianco · white
cromo · chrome

Colori Colors
F1583009 20°+20°
F1583057 20°+20°
F1584009 40°+40°
F1584057 40°+40°

CE IP 55

p. 401



COORDINATES C1
Michael Anastassiades, 2020
Potenza · Power 45W
Tensione · Voltage 100 - 240V

Fonte luminosa · Light source
STRIP LED 45W 2270lm 2700K CRI95 [inclusa - included]

Materiali · Materials
alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal

Peso · Weight 3,8 Kg


Finiture Finishes
champagne anodizzato · anodized champagne
argent

Colori Colors
F1852044
F1852033

DIMMER INCLUDED 1-10/PUSH/DALI

CE IP 20

p. 374



COORDINATES C1 CL III
Michael Anastassiades, 2020
Potenza · Power 38W
Tensione · Voltage 48V

Fonte luminosa · Light source
STRIP LED 38W 2270lm 2700K CRI95 [inclusa - included]

Materiali · Materials
alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal

Peso · Weight 1,3 Kg

Finiture Finishes
champagne anodizzato · anodized champagne
argent


Colori Colors
F1832044
F1832033

ALIMENTATORE / POWER SUPPLY RF29208

DIMMER LED / LED DIMMER RF26994

CE IP 20

p. 374



COORDINATES C1 LONG
Michael Anastassiades, 2020
Potenza · Power 52W
Tensione · Voltage 100 - 240V

Fonte luminosa · Light source
STRIP LED 52W 2670lm 2700K CRI95 [inclusa - included]

Materiali · Materials
alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal

Peso · Weight 4 Kg


Finiture Finishes
champagne anodizzato · anodized champagne
argent

Colori Colors
F1864044
F1864033

DIMMER INCLUDED 1-10/PUSH/DALI

CE IP 20

p. 374



COORDINATES C1 LONG CL III
Michael Anastassiades, 2020
Potenza · Power 45W
Tensione · Voltage 48V

Fonte luminosa · Light source
STRIP LED 45W 2670lm 2700K CRI95 [inclusa - included]

Materiali · Materials
alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal

Peso · Weight 1,5 Kg

Finiture Finishes
champagne anodizzato · anodized champagne
argent


Colori Colors
F1830044
F1830033

ALIMENTATORE / POWER SUPPLY RF29208

DIMMER LED / LED DIMMER RF26994

CE IP 20

p. 374



COORDINATES C2
Michael Anastassiades, 2020
Potenza · Power 69W
Tensione · Voltage 100 - 240V

Fonte luminosa · Light source
STRIP LED 69W 3660lm 2700K CRI95 [inclusa - included]

Materiali · Materials
alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal

Peso · Weight 4,6 Kg

Finiture Finishes
champagne anodizzato · anodized champagne
argent


Colori Colors
F1858044
F1858033

DIMMER INCLUDED 1-10/PUSH/DALI

CE IP 20

p. 374

COORDINATES C2 CL III
 Michael Anastassiades, 2020
 Potenza · Power 61W
 Tensione · Voltage 48V



LED INCLUDED Fonte luminosa · Light source
 STRIP LED 61W 3660lm 2700K
 CRI95 [inclusa - included]

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 2,1 Kg

Finiture Finishes champagne anodizzato · anodized champagne
 argent

Colori Colors F1836044
 F1836033


ALIMENTATORE / POWER SUPPLY RF29209

DIMMER LED / LED DIMMER RF26994

CE IP20

p. 374

COORDINATES C2 LONG
 Michael Anastassiades, 2020
 Potenza · Power 83W
 Tensione · Voltage 100 - 240V



LED INCLUDED Fonte luminosa · Light source
 STRIP LED 83W 4470lm 2700K
 CRI95 [inclusa - included]

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 5,1 Kg

DIMMER INCLUDED 1-10/PUSH/DALI


Finiture Finishes champagne anodizzato · anodized champagne
 argent

Colori Colors F1866044
 F1866033

CE IP20

p. 374

COORDINATES C2 LONG CL III
 Michael Anastassiades, 2020
 Potenza · Power 75W
 Tensione · Voltage 48V



LED INCLUDED Fonte luminosa · Light source
 STRIP LED 75W 4470lm 2700K
 CRI95 [inclusa - included]

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 2,6 Kg

Finiture Finishes champagne anodizzato · anodized champagne
 argent

Colori Colors F1834044
 F1834033


ALIMENTATORE / POWER SUPPLY RF29209

DIMMER LED / LED DIMMER RF26994

CE IP20

p. 374

COORDINATES C4
 Michael Anastassiades, 2020
 Potenza · Power 157W
 Tensione · Voltage 100 - 240V



LED INCLUDED Fonte luminosa · Light source
 STRIP LED 157W 8830lm 2700K
 CRI95 [inclusa - included]

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 8,1 Kg

DIMMER INCLUDED 1-10/PUSH/DALI


Finiture Finishes champagne anodizzato · anodized champagne
 argent

Colori Colors F1856044
 F1856033

CE IP20

p. 374

COORDINATES C4 CL III
 Michael Anastassiades, 2020
 Potenza · Power 147W
 Tensione · Voltage 48V



LED INCLUDED Fonte luminosa · Light source
 STRIP LED 147W 8830lm 2700K
 CRI95 [inclusa - included]

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 5,1 Kg

Finiture Finishes champagne anodizzato · anodized champagne
 argent

Colori Colors F1840044
 F1840033


ALIMENTATORE / POWER SUPPLY RF29209

DIMMER LED / LED DIMMER RF26994

CE IP20

p. 374

COORDINATES C4 LONG
 Michael Anastassiades, 2020
 Potenza · Power 185W
 Tensione · Voltage 100 - 240V



LED INCLUDED Fonte luminosa · Light source
 STRIP LED 185W 10450lm 2700K
 CRI95 [inclusa - included]

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 9,0 Kg

DIMMER INCLUDED 1-10/PUSH/DALI


Finiture Finishes champagne anodizzato · anodized champagne
 argent

Colori Colors F1868044
 F1868033

CE IP20

p. 374

COORDINATES C4 LONG CL III
 Michael Anastassiades, 2020
 Potenza · Power 174W
 Tensione · Voltage 48V



LED INCLUDED Fonte luminosa · Light source
 STRIP LED 174W 10450lm 2700K
 CRI95 [inclusa - included]

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 6,0 Kg

Finiture Finishes champagne anodizzato · anodized champagne
 argent

Colori Colors F1838044
 F1838033

ALIMENTATORE / POWER SUPPLY RF27617

DIMMER LED / LED DIMMER RF26994

CE IP20

p. 374

COORDINATES F
 Michael Anastassiades, 2020
 Potenza · Power 61W
 Tensione · Voltage 100 - 240/48V



LED INCLUDED Fonte luminosa · Light source
 STRIP LED 61W 3240lm 2700K
 CRI95 [inclusa - included] DIMMABLE

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 11,8 Kg


DIMMER INCLUDED

Finiture Finishes champagne anodizzato · anodized champagne
 argent

Colori Colors F1801044
 F1801033

CE IP20

p. 166



COORDINATES MODULE C
 Michael Anastassiades, 2020
 Potenza · Power 183W
 Tensione · Voltage 120 - 240V

LED INCLUDED Fonte luminosa · Light source
 STRIP LED 183W 10230lm 2700K
 CRI90 [inclusa - included]

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal


Peso · Weight 8,9 Kg DIMMER INCLUDED
 1-10/PUSH/DALI

Finiture Finishes champagne anodizzato ·
 anodized champagne argent

Colori Colors ● F1883044 ● F1883033

CE IP 20

p. 374



COORDINATES MODULE C CL III
 Michael Anastassiades, 2020
 Potenza · Power 170W
 Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
 STRIP LED 170W 10230lm 2700K
 CRI90 [inclusa - included]

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 5,9 Kg

Finiture Finishes champagne anodizzato ·
 anodized champagne argent


Colori Colors ● F1886044 ● F1886033

ALIMENTATORE / POWER SUPPLY
 RF27617

DIMMER LED / LED DIMMER
 RF26994

CE IP 20

p. 374



COORDINATES MODULE S
 Michael Anastassiades, 2020
 Potenza · Power 183W
 Tensione · Voltage 120 - 240V

LED INCLUDED Fonte luminosa · Light source
 STRIP LED 183W 10230lm 2700K
 CRI90 [inclusa - included]

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal


Peso · Weight 8,7 Kg DIMMER INCLUDED
 1-10/PUSH/DALI

Finiture Finishes champagne anodizzato ·
 anodized champagne argent

Colori Colors ● F1880044 ● F1880033

CE IP 20

p. 263



COORDINATES MODULE S CL III
 Michael Anastassiades, 2020
 Potenza · Power 170W
 Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
 STRIP LED 170W 10230lm 2700K
 CRI90 [inclusa - included]

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 5,9 Kg

Finiture Finishes champagne anodizzato ·
 anodized champagne argent


Colori Colors ● F1889044 ● F1889033

ALIMENTATORE / POWER SUPPLY
 RF27617

DIMMER LED / LED DIMMER
 RF26994

CE IP 20

p. 263



COORDINATES S1
 Michael Anastassiades, 2020
 Potenza · Power 37W
 Tensione · Voltage 120 - 277V

LED INCLUDED Fonte luminosa · Light source
 STRIP LED 37W 1920lm 2700K CRI95
 [inclusa - included]

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal


Peso · Weight 2,1 Kg DIMMER INCLUDED
 1-10/PUSH/DALI

Finiture Finishes champagne anodizzato ·
 anodized champagne argent

Colori Colors ● F1860044 ● F1860033

CE IP 20

p. 263



COORDINATES S1 CL III
 Michael Anastassiades, 2020
 Potenza · Power 32W
 Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
 STRIP LED 32W 1920lm 2700K
 CRI95 [inclusa - included]

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 1,1 Kg

Finiture Finishes champagne anodizzato ·
 anodized champagne argent


Colori Colors ● F1842044 ● F1842033

ALIMENTATORE / POWER SUPPLY
 RF29208

DIMMER LED / LED DIMMER
 RF26994

CE IP 20

p. 263



COORDINATES S2
 Michael Anastassiades, 2020
 Potenza · Power 55W
 Tensione · Voltage 120 - 277V

LED INCLUDED Fonte luminosa · Light source
 STRIP LED 55W 2960lm 2700K
 CRI95 [inclusa - included]

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal


Peso · Weight 2,7 Kg DIMMER INCLUDED
 1-10/PUSH/DALI

Finiture Finishes champagne anodizzato ·
 anodized champagne argent

Colori Colors ● F1862044 ● F1862033

CE IP 20

p. 263



COORDINATES S2 CL III
 Michael Anastassiades, 2020
 Potenza · Power 50W
 Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
 STRIP LED 55W 2960lm 2700K
 CRI95 [inclusa - included]

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 1,7 Kg

Finiture Finishes champagne anodizzato ·
 anodized champagne argent


Colori Colors ● F1844044 ● F1844033

ALIMENTATORE / POWER SUPPLY
 RF29208

DIMMER LED / LED DIMMER
 RF26994

CE IP 20

p. 263

**COORDINATES S3**

Michael Anastassiades, 2020

Potenza · Power 71W

Tensione · Voltage 120 - 277V

LED INCLUDED Fonte luminosa · Light source
STRIP LED 71W 3850lm 2700K CRI95
[inclusa - included]

Materiali · Materials
alluminio estruso, silicone platinico opale estruso ·
extruded aluminum, platinic silicone extruded opal


Peso · Weight 3,2 Kg DIMMER INCLUDED
1-10/PUSH/DALI

Finiture Finishes champagne anodizzato ·
anodized champagne argent

Colori Colors F1850044 F1850033



p. 263

**COORDINATES S3 CL III**

Michael Anastassiades, 2020

Potenza · Power 64W

Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
STRIP LED 64W 3850lm 2700K
CRI95 [inclusa - included]

Materiali · Materials
alluminio estruso, silicone platinico opale estruso ·
extruded aluminum, platinic silicone extruded opal

Peso · Weight 2,2 Kg

Finiture Finishes champagne anodizzato ·
anodized champagne argent


Colori Colors F1846044 F1846033

ALIMENTATORE / POWER SUPPLY
RF29209

DIMMER LED / LED DIMMER
RF26994



p. 263

**COORDINATES S4**

Michael Anastassiades, 2020

Potenza · Power 161W

Tensione · Voltage 120 - 240V

LED INCLUDED Fonte luminosa · Light source
STRIP LED 161W 8830lm 2700K
CRI95 [inclusa - included]

Materiali · Materials
alluminio estruso, silicone platinico opale estruso ·
extruded aluminum, platinic silicone extruded opal


Peso · Weight 7,9 Kg DIMMER INCLUDED
1-10/PUSH/DALI

Finiture Finishes champagne anodizzato ·
anodized champagne argent

Colori Colors F1854044 F1854033



p. 263

**COORDINATES S4 CLIII**

Michael Anastassiades, 2020

Potenza · Power 161W

Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
STRIP LED 161W 8830lm 2700K
CRI95 [inclusa - included]

Materiali · Materials
alluminio estruso, silicone platinico opale estruso ·
extruded aluminum, platinic silicone extruded opal

Peso · Weight 5,1 Kg

Finiture Finishes champagne anodizzato ·
anodized champagne argent

Colori Colors F1848044 F1848033

ALIMENTATORE / POWER SUPPLY
RF29209

DIMMER LED / LED DIMMER
RF26994



p. 263

**COORDINATES WALL 1**

Michael Anastassiades, 2020

Potenza · Power 15W

Tensione · Voltage 230V

LED INCLUDED Fonte luminosa · Light source
LED module 15W 962lm 2700K
CRI90 [inclusa - included]

Materiali · Materials
alluminio estruso, silicone platinico opale estruso ·
extruded aluminum, platinic silicone extruded opal


Peso · Weight 0,80 Kg

Finiture Finishes champagne anodizzato ·
anodized champagne argent

Colori Colors F1810044 F1810033



p. 368

**COORDINATES WALL 2**

Michael Anastassiades, 2020

Potenza · Power 24W

Tensione · Voltage 230V

LED INCLUDED Fonte luminosa · Light source
LED module 24W 1403lm 2700K
CRI90 [inclusa - included]

Materiali · Materials
alluminio estruso, silicone platinico opale estruso ·
extruded aluminum, platinic silicone extruded opal

Peso · Weight 1 Kg

Finiture Finishes champagne anodizzato ·
anodized champagne argent

Colori Colors F1811044 F1811033



p. 368

**COPYCAT**

Michael Anastassiades, 2015

Potenza · Power 16W

Tensione · Voltage 100-240V/24V

LED INCLUDED Fonte luminosa · Light source
1 COB LED 16W 900lm total 2700K
CRI83 [inclusa - included] DIMMABLE

Materiali · Materials
alluminio, vetro soffiato · aluminum, blown glass

Peso · Weight 3,6 Kg DIMMER INCLUDED

Finiture Finishes oro 24K · 24K gold
rame · copper
nero · black
alluminio · aluminum

Colori Colors F1952044 F1952015 F1952030 F1952050



p. 107

**DIABOLO**

Achille Castiglioni, 1998 - 2020

Potenza · Power max 70W - 21W LED

Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 21W E27 2452lm o · or
LED 21W E27 2200lm
[esclusa - excluded]

Materiali · Materials
alluminio · aluminum

Peso · Weight 2,9 Kg

Finiture Finishes beaver brown
cherry red
bianco · white

Colori Colors F2121026 F2121035 F2121009



p. 282



FANTASMA PICCOLO
Tobia Scarpa, 1961
Potenza · Power 3 x MAX 60W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 8W E27 740lm
[esclusa - excluded]

Materiali · Materials
Cocoon, acciaio · Cocoon, steel

Peso · Weight 10 Kg DIMMER INCLUDED

CE IP20

Finiture Finishes
bianco · white

Colori Colors
● F2101009

p. 206



FLAUTA H225 RIGA/INDOOR
Patricia Urquiola, 2020
Potenza · Power 12W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
2 LED 12W 493lm 2700K CRI95
[inclusa - included]

Materiali · Materials
alluminio · aluminum

Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

CE IP40

Finiture Finishes
nero-black
bianco · white
anodized blue steel
anodized copper
anodized ruby red

Colori Colors
● F2340030
○ F2340009
● F2340023
● F2340015
● F2340035

p. 381



FLAUTA H225 SPIGA/INDOOR
Patricia Urquiola, 2020
Potenza · Power 12W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
2 LED 12W 493lm 2700K CRI95
[inclusa - included]

Materiali · Materials
alluminio · aluminum

Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

CE IP40

Finiture Finishes
nero-black
bianco · white
anodized blue steel
anodized copper
anodized ruby red

Colori Colors
● F2341030
○ F2341009
● F2341023
● F2341015
● F2341035

p. 381



FLAUTA H500 RIGA/INDOOR
Patricia Urquiola, 2020
Potenza · Power 12W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
2 LED 12W 493lm 2700K CRI95
[inclusa - included]

Materiali · Materials
alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

CE IP40

Finiture Finishes
nero-black
bianco · white
anodized blue steel
anodized copper
anodized ruby red

Colori Colors
● F2342030
○ F2342009
● F2342023
● F2342015
● F2342035

p. 381



FLAUTA H500 SPIGA/INDOOR
Patricia Urquiola, 2020
Potenza · Power 12W
Tensione · Voltage 220-240V

LED INCLUDED Fonte luminosa · Light source
2 LED 12W 493lm 2700K CRI95
[inclusa - included]

Materiali · Materials
alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

CE IP40

Finiture Finishes
nero-black
bianco · white
anodized blue steel
anodized copper
anodized ruby red

Colori Colors
● F2343030
○ F2343009
● F2343023
● F2343015
● F2343035

p. 381



FLAUTA H1000 RIGA/INDOOR
Patricia Urquiola, 2020
Potenza · Power 12W
Tensione · Voltage 220-240V

LED INCLUDED Fonte luminosa · Light source
2 LED 12W 493lm 2700K CRI95
[inclusa - included]

Materiali · Materials
alluminio · aluminum

Peso · Weight 2,7 Kg DIMMER INCLUDED PUSH/DALI

CE IP40

Finiture Finishes
nero-black
bianco · white
anodized blue steel
anodized copper
anodized ruby red

Colori Colors
● F2344030
○ F2344009
● F2344023
● F2344015
● F2344035

p. 381



FLAUTA H1000 SPIGA/INDOOR
Patricia Urquiola, 2020
Potenza · Power 12W
Tensione · Voltage 220-240V

LED INCLUDED Fonte luminosa · Light source
2 LED 12W 493lm 2700K CRI95
[inclusa - included]

Materiali · Materials
alluminio · aluminum

Peso · Weight 2,7 Kg DIMMER INCLUDED PUSH/DALI

CE IP40

Finiture Finishes
nero-black
bianco · white
anodized blue steel
anodized copper
anodized ruby red

Colori Colors
● F2345030
○ F2345009
● F2345023
● F2345015
● F2345035

p. 381



FOGLIO
Tobia Scarpa, 1966
Potenza · Power 2 x MAX 100W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 11,5W E27 1100lm
[esclusa - excluded]

Materiali · Materials
acciaio · steel


Peso · Weight 3,7 Kg

CE IP20

Finiture Finishes
bianco · white
nero · black
cromo · chrome
black nickel
oro 22K · gold 22K

Colori Colors
○ F2400009
● F2400030
|| F2400057
● F2400063
|| F2400044

p. 428

**FORT KNOX WALL LED MINI**

Philippe Starck, 2008

Potenza · Power 25W

Tensione · Voltage 220-240V

LED INCLUDED

Fonte luminosa · Light source
Power LED 25W 1885lm 2700K
CRI90 [inclusa - included]
MAINS DIMMING

Materiali · Materials
alluminio pressofuso · die-cast aluminum

Peso · Weight 0,6 Kg


Finiture
Finishes

bianco · white
nero · black
alluminio lucido · pol-
ished aluminum

Colori
Colors

○ 09.2126.40.DM
● 09.2126.14.DM
|| 09.2126.05.DM

p. 404

**FORT KNOX WALL LED MINI**

Philippe Starck, 2008

Potenza · Power 25W

Tensione · Voltage 220-240V

LED INCLUDED

Fonte luminosa · Light source
Power LED 25W 2700lm 3000K
CRI90 [inclusa - included]
MAINS DIMMING

Materiali · Materials
alluminio pressofuso · die-cast aluminum

Peso · Weight 0,6 Kg


Finiture
Finishes

bianco · white
nero · black
alluminio lucido · pol-
ished aluminum

Colori
Colors

○ 09.2125.40BDM
● 09.2125.14BDM
|| 09.2125.05BDM

p. 404

**FORT KNOX WALL LED**

Philippe Starck, 2008

Potenza · Power 32W

Tensione · Voltage 220-240V

LED INCLUDED

Fonte luminosa · Light source
Power LED 35W 2930lm 2700K
CRI90 [inclusa - included]
DIMMABLE 1-10V

Materiali · Materials
alluminio pressofuso · die-cast aluminum

Peso · Weight 1,4 Kg


Finiture
Finishes

bianco · white
nero · black
alluminio lucido · pol-
ished aluminum

Colori
Colors

○ 09.2111.40A
● 09.2111.14A
|| 09.2111.05A

p. 404

**FORT KNOX WALL LED**

Philippe Starck, 2008

Potenza · Power 32W

Tensione · Voltage 220-240V

LED INCLUDED

Fonte luminosa · Light source
Power LED 35W 3900lm 3000K
CRI90 [inclusa - included]
DIMMABLE 1-10V

Materiali · Materials
alluminio pressofuso · die-cast aluminum

Peso · Weight 1,4 Kg

Finiture
Finishes

bianco · white
nero · black
alluminio lucido · pol-
ished aluminum

Colori
Colors

○ 09.2110.40C
● 09.2110.14C
|| 09.2110.05C

p. 404

**FRISBI**

Achille Castiglioni, 1978

Potenza · Power 1 x MAX 105W

Tensione · Voltage 220-250V

LED INCLUDED

Fonte luminosa · Light source
LED 13W E27 1300lm
[esclusa - excluded]

Materiali · Materials
polimetilmetacrilato, acciaio ·
polymethylmethacrylate, steel

Peso · Weight 2,7 Kg

Finiture
Finishes

cromo · chrome

Colori
Colors

○ F2500000

p. 328

**GATTO**

Achille and Pier Giacomo Castiglioni, 1960

Potenza · Power MAX 60W

Tensione · Voltage 220-240V

LED INCLUDED

Fonte luminosa · Light source
LED 11,5W E27 1100lm
[esclusa - excluded]

Materiali · Materials
cocoon, acciaio · cocoon, steel

Peso · Weight 2,3 Kg

DIMMER INCLUDED

Finiture
Finishes

bianco · white

Colori
Colors

○ F2601009

p. 116

**GATTO PICCOLO**

Achille and Pier Giacomo Castiglioni, 1960

Potenza · Power MAX 60W

Tensione · Voltage 220-240V

LED INCLUDED

Fonte luminosa · Light source
LED 8W E14 900lm o · or
LED 9W E14 900lm
[esclusa - excluded]

Materiali · Materials
cocoon, acciaio · cocoon, steel

Peso · Weight 0,9 Kg

DIMMER INCLUDED


Finiture
Finishes

bianco · white

Colori
Colors

○ F2701009

p. 116

**GLO-BALL BASIC ZERO**

Jasper Morrison, 2009

Potenza · Power MAX 60W

Tensione · Voltage 220-240V

LED INCLUDED

Fonte luminosa · Light source
LED 8W E14 900lm o · or
LED 9W E14 900lm
[escluse - excluded]

Materiali · Materials
vetro · glass

Peso · Weight 1 Kg

DIMMER INCLUDED

Finiture
Finishes


bianco · white

Colori
Colors

○ F3330009

p. 138





GLO-BALL BASIC ZERO SWITCH
 Jasper Morrison, 2009
 Potenza · Power MAX 60W
 Tensione · Voltage 220-240V

Fonte luminosa · Light source
 LED 8W E14 900lm o · or
 LED 9W E14 900lm
 [escluse - excluded]


Materiali · Materials
 vetro · glass

Peso · Weight 1 Kg

Finiture Finishes bianco · white
 Colori Colors ○ F3331009 SWITCH

CE IP40

p. 138



GLO-BALL BASIC 1
 Jasper Morrison, 1998
 Potenza · Power MAX 150W
 Tensione · Voltage 220-240V

Fonte luminosa · Light source
 LED 15W E27 2000lm
 [esclusa - excluded]

Materiali · Materials
 vetro · glass

Peso · Weight 2,6 Kg DIMMER INCLUDED

Finiture Finishes bianco · white
 Colori Colors ○ F3021000

CE IP20

p. 138



GLO-BALL BASIC 2
 Jasper Morrison, 1998
 Potenza · Power MAX 150W
 Tensione · Voltage 220-240V

Fonte luminosa · Light source
 LED 15W E27 2000lm o · or
 LED 18W E27 2000lm o · or
 LED 18W E27 1900lm
 [escluse - excluded]

Materiali · Materials
 vetro · glass

Peso · Weight 5,3 Kg DIMMER INCLUDED

Finiture Finishes bianco · white
 Colori Colors ○ F3026000

CE IP20

p. 138



GLO-BALL WALL MINI
 Jasper Morrison, 2002
 Potenza · Power MAX 25W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 3W G9 290lm o · or
 LED 2W G9 240lm
 [esclusa - excluded]

Materiali · Materials
 vetro · glass

Peso · Weight 5,3 Kg

Finiture Finishes bianco · white
 Colori Colors ○ F4190009 MIRROR
 ○ F4194009 CW

CW CE IP40 MIRROR MOUNTING CE IP44

p. 410



GLO-BALL C/W ZERO
 Jasper Morrison, 2009
 Potenza · Power MAX 60W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 8W E14 900lm o · or
 LED 9W E14 900lm
 [escluse - excluded]


Materiali · Materials
 vetro · glass

Peso · Weight 1 Kg

Finiture Finishes bianco · white
 Colori Colors ○ F3335009

CE IP40

p. 410



GLO-BALL C1
 Jasper Morrison, 1999
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 15W E27 2000lm
 [esclusa - excluded]


Materiali · Materials
 vetro · glass

Peso · Weight 2,5 Kg

Finiture Finishes bianco · white
 Colori Colors ○ F3023000

CE IP40

p. 410



GLO-BALL C2
 Jasper Morrison, 1999
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 15W E27 2000lm o · or
 LED 18W E27 2000lm o · or
 LED 18W E27 1900lm
 [escluse - excluded]


Materiali · Materials
 vetro · glass

Peso · Weight 5,1 Kg

Finiture Finishes bianco · white
 Colori Colors ○ F3028000

CE IP40

p. 410



GLO-BALL W
 Jasper Morrison, 1999
 Potenza · Power MAX 100W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 11,5 E27 1100lm
 [escluse - excluded]

Materiali · Materials
 vetro · glass

Peso · Weight 1,8 Kg

Finiture Finishes bianco · white
 Colori Colors ○ F3022000

CE IP40

p. 410



GLO-BALL F1
 Jasper Morrison, 1998
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 15W E27 2000lm
 [esclusa - excluded]


Materiali · Materials
 vetro, acciaio · glass, steel

Peso · Weight 12 Kg DIMMER INCLUDED

Finiture Finishes: argento · silver, nero opaco · matte black
 Colori Colors: F3031020, F3031031

CE IP20

p. 204



GLO-BALL F2
 Jasper Morrison, 1998
 Potenza · Power MAX 250W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 15W E27 2000lm
 [esclusa - excluded]

Materiali · Materials
 vetro, acciaio · glass, steel

Peso · Weight 12,5 Kg DIMMER INCLUDED

Finiture Finishes: argento · silver, nero opaco · matte black
 Colori Colors: F3032020, F3032031

CE IP20

p. 204



GLO-BALL F3
 Jasper Morrison, 1998
 Potenza · Power MAX 250W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 15W E27 2000lm o · or
 LED 18W E27 2000lm o · or
 LED 18W E27 1900lm
 [escluse - excluded]

Materiali · Materials
 vetro, acciaio · glass, steel

Peso · Weight 18,9 Kg DIMMER INCLUDED

Finiture Finishes: argento · silver, nero opaco · matte black
 Colori Colors: F3030000, F3030031

CE IP20

p. 204



MINI GLO-BALL S
 Jasper Morrison, 1998
 Potenza · Power MAX 25W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 3W G9 290lm o · or
 LED 2W G9 240lm
 [esclusa - excluded]


Materiali · Materials
 vetro · glass

Peso · Weight 0,7 Kg

Finiture Finishes: bianco · white
 Colori Colors: F4195009

CE IP20

p. 348



GLO-BALL S1
 Jasper Morrison, 1998
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 15W E27 2700lm
 [esclusa - excluded]

Materiali · Materials
 vetro · glass

Peso · Weight 2,7 Kg

Finiture Finishes: bianco · white
 Colori Colors: F3005061

CE IP20

p. 348



GLO-BALL S2
 Jasper Morrison, 1998
 Potenza · Power MAX 250W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 15W E27 2000lm o · or
 LED 18W E27 1900lm o · or
 LED 18W E27 2000lm
 [escluse - excluded]

Materiali · Materials
 vetro · glass

Peso · Weight 5,6 Kg

Finiture Finishes: bianco · white
 Colori Colors: F3010061

CE IP20

p. 348



MINI GLO-BALL T
 Jasper Morrison, 2003
 Potenza · Power MAX 25W
 Tensione · Voltage 220-240V

Fonte luminosa · Light source
 LED 3W G9 290lm o · or
 LED 2W G9 240lm
 [esclusa - excluded]

Materiali · Materials
 vetro · glass

Peso · Weight 0,4 Kg SWITCH INCLUDED

Finiture Finishes: bianco · white
 Colori Colors: F4191009

CE IP20

p. 138



GLO-BALL T1
 Jasper Morrison, 1998
 Potenza · Power MAX 150W
 Tensione · Voltage 220-240V

Fonte luminosa · Light source
 LED 15W E27 2000lm
 [esclusa - excluded]


Materiali · Materials
 vetro, acciaio · glass, steel

Peso · Weight 7 Kg DIMMER INCLUDED

Finiture Finishes: argento · silver, nero opaco · matte black
 Colori Colors: F3020000, F3020031

CE IP20

p. 138



GOLDMAN
Ron Gilad, 2013
Potenza · Power 8W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED INCLUDED 42 LED 8W 248lm total 2700K CRI 85 + CHARGER USB 5VDC 1,5A [inclusa - included] DIMMABLE

Materiali · Materials
alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 0,9 Kg DIMMER INCLUDED

Finiture Finishes
ottone/verde · brass/green
nero/fumè · black/fumée

Colori Colors
F3440044
F3440030

CE IP20

p. 120



GUNS - BEDSIDE GUN
Philippe Starck, 2005
Potenza · Power MAX 75W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 11,5W E27 1100lm [esclusa - excluded]

Materiali · Materials
alluminio, carta plastificata · aluminum, plasticized paper

Peso · Weight 1,7 Kg DIMMER INCLUDED

Finiture Finishes
oro 18K · 18K gold
bianco opaco · matte white
nero opaco · matte black

Colori Colors
F2953000
F2953009
F2953030

CE IP20

p. 140



GUNS - LOUNGE GUN
Philippe Starck, 2005
Potenza · Power MAX 250W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 21W E27 2452lm o · or
LED 21W E27 2200lm [esclusa - excluded]

Materiali · Materials
alluminio, carta plastificata · aluminum, plasticized paper

Peso · Weight 19,5 Kg DIMMER INCLUDED

Finiture Finishes
oro 18K · 18K gold
bianco opaco · matte white
nero opaco · matte black

Colori Colors
F2955000
F2955009
F2955030

CE IP20

p. 198



GUNS - TABLE GUN
Philippe Starck, 2005
Potenza · Power MAX 150W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 11,5W E27 1100lm [esclusa - excluded]

Materiali · Materials
alluminio, carta plastificata · aluminum, plasticized paper

Peso · Weight 6,2 Kg DIMMER INCLUDED

Finiture Finishes
oro 18K · 18K gold
bianco opaco · matte white
nero opaco · matte black

Colori Colors
F2954000
F2954009
F2954030

CE IP20

p. 140



IC C/W1
Michael Anastassiades, 2014
Potenza · Power MAX 60W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 8W E14 900lm o · or
LED 9W E14 900lm [esclusa - excluded]

Materiali · Materials
acciaio, ottone, vetro soffiato · steel, brass, blown glass


Peso · Weight 2 Kg

Finiture Finishes
cromo · chrome
ottone · brass
nero · black
rosso burgundy · red burgundy

Colori Colors
F3178057
F3178059
F3178030
F3178035

CE IP20

p. 386



IC C/W1 DOUBLE
Michael Anastassiades, 2020
Potenza · Power MAX 60W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 8W E14 900lm o · or
LED 9W E14 900lm [esclusa - excluded]

Materiali · Materials
acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 2,7 Kg

Finiture Finishes
cromo · chrome
ottone · brass
nero · black
rosso burgundy · red burgundy

Colori Colors
F3157057
F3157059
F3157030
F3157035

CE IP20

p. 385



IC C/W2
Michael Anastassiades, 2014
Potenza · Power MAX 205W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 15W E27 200lm o · or
LED 18W E27 2000lm o · or
LED 18W E27 1900lm [esclusa - excluded]

Materiali · Materials
acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 3,7 Kg

Finiture Finishes
cromo · chrome
ottone · brass
nero · black
rosso burgundy · red burgundy

Colori Colors
F3179057
F3179059
F3179030
F3179035

CE IP20

p. 272386



IC C/W2 DOUBLE
Michael Anastassiades, 2020
Potenza · Power MAX 205W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 15W E27 200lm o · or
LED 18W E27 2000lm o · or
LED 18W E27 1900lm [esclusa - excluded]

Materiali · Materials
acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 4,3 Kg

Finiture Finishes
cromo · chrome
ottone · brass
nero · black
rosso burgundy · red burgundy

Colori Colors
F3159057
F3159059
F3159030
F3159035

CE IP20

p. 385

**IC F1**

Michael Anastassiades, 2014
Potenza · Power MAX 60W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 8W E14 900lm o · or
LED 9W E14 900lm
[esclusa - excluded]

Materiali · Materials
acciaio, ottone, vetro soffiato · steel, brass,
blown glass

Peso · Weight 5 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
cromo · chrome	F3173057
ottone · brass	● F3173059
nero · black	● F3173030
rosso burgundy · red burgundy	● F3173035

p. 188

**IC F2**

Michael Anastassiades, 2014
Potenza · Power MAX 205W
Tensione · Voltage 220-240V


Fonte luminosa · Light source
LED 15W E27 200lm o · or
LED 18W E27 2000lm o · or
LED 18W E27 1900lm
[esclusa - excluded]

Materiali · Materials
acciaio, ottone, vetro soffiato · steel, brass,
blown glass

Peso · Weight 10 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
cromo · chrome	F3174057
ottone · brass	● F3174059
nero · black	● F3174030
rosso burgundy · red burgundy	● F3174035

p. 188

**IC S1**

Michael Anastassiades, 2014
Potenza · Power MAX 60W
Tensione · Voltage 220-250V


Fonte luminosa · Light source
LED 8W E14 900lm o · or
LED 9W E14 900lm
[esclusa - excluded]

Materiali · Materials
acciaio, ottone, vetro soffiato · steel, brass,
blown glass

Peso · Weight 2,2 Kg

Finiture Finishes	Colori Colors
cromo · chrome	F3175057
ottone · brass	● F3175059
nero · black	● F3175030
rosso burgundy · red burgundy	● F3175035

p. 312

**IC S2**

Michael Anastassiades, 2014
Potenza · Power MAX 205W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 15W E27 2000lm o · or
LED 18W E27 1900lm o · or
LED 18W E27 2000lm
[esclusa - excluded]

Materiali · Materials
acciaio, ottone, vetro soffiato · steel, brass,
blown glass

Peso · Weight 3,9 Kg

Finiture Finishes	Colori Colors
cromo · chrome	F3176057
ottone · brass	● F3176059
nero · black	● F3176030
rosso burgundy · red burgundy	● F3176035

p. 312

**IC T1 HIGH**

Michael Anastassiades, 2014
Potenza · Power MAX 60W
Tensione · Voltage 220-240V


Fonte luminosa · Light source
LED 8W E14 900lm o · or
LED 9W E14 900lm
[esclusa - excluded]

Materiali · Materials
acciaio, ottone, vetro soffiato · steel, brass,
blown glass

Peso · Weight 1,7 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
cromo · chrome	F3170057
ottone · brass	● F3170059
nero · black	● F3170030
rosso burgundy · red burgundy	● F3170035

p. 103

**IC T1 LOW**

Michael Anastassiades, 2014
Potenza · Power MAX 60W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 8W E14 900lm o · or
LED 9W E14 900lm
[esclusa - excluded]

Materiali · Materials
acciaio, ottone, vetro soffiato · steel, brass,
blown glass

Peso · Weight 1,6 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
cromo · chrome	F3171057
ottone · brass	● F3171059
nero · black	● F3171030
rosso burgundy · red burgundy	● F3171035

p. 103

**IC T2**

Michael Anastassiades, 2014
Potenza · Power MAX 205W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 15W E27 200lm o · or
LED 18W E27 2000lm o · or
LED 18W E27 1900lm
[esclusa - excluded]

Materiali · Materials
acciaio, ottone, vetro soffiato · steel, brass,
blown glass

Peso · Weight 3,6 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
cromo · chrome	F3172057
ottone · brass	● F3172059
nero · black	● F3172030
rosso burgundy · red burgundy	● F3172035

p. 103

**IN VITRO UNPLUGGED**

Philippe Starck, 2020
Potenza · Power 2,5W
Tensione · Voltage IN 5V

Fonte luminosa · Light source
LED EDGE LIGHTING 2,5W
182lm ≠ FIXT 103lm 2700K CRI
90 [inclusa - included] DIMMABLE
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH
MICRO-USB KIT

Materiali · Materials
alluminio, vetro, silicone · aluminum, glass, silicone

Peso · Weight 1,10 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
bianco · white	○ F018E21K001
nero · black	● F018E21K030
antracite · anthracite	● F018E21K033
deep brown	● F018E21K018
forest green	● F018E21K012
pale green	● F018E21K013
terracotta	● F018E21K025

p. 62

per gamma completa e accessori
consultare flos.com - for full range
and accessories consult flos.com



IN VITRO UNPLUGGED



Philippe Starck, 2020
Potenza · Power 2,5W
Tensione · Voltage IN 5V

Fonte luminosa · Light source
LED EDGE LIGHTING 2,5W
195lm ≠ FIXT 110lm 3000K CRI
90 [inclusa - included] DIMMABLE
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH
MICRO-USB KIT

Materiali · Materials
alluminio, vetro, silicone · aluminum, glass, silicone

Peso · Weight 1,10 Kg DIMMER INCLUDED


Finiture Finishes	Colori Colors
bianco · white	○ F018E31K001
nero · black	● F018E31K030
antracite · anthracite	● F018E31K033
deep brown	● F018E31K018
forest green	● F018E31K012
pale green	● F018E31K013
terracotta	● F018E31K025

p. 62

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



IPNOS OUTDOOR



Nicoletta Rossi and Guido Bianchi, 2014
Potenza · Power 15W
Tensione · Voltage 100-240V/24

Fonte luminosa · Light source
LED INCLUDED 196 TOP LED 15W 665lm 3500K CRI
85 [inclusa - included]

Materiali · Materials
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,8 Kg ON/OFF


Finiture Finishes	Colori Colors
nero · black	● F3150030
naturale · natural	● F3150054
bronzo · bronze	● F3150046
trasparente · transparent	○ F3125000 TOP PLATE OPTIONAL

p. 228

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



KELVIN EDGE BASE



Antonio Citterio, 2015
Potenza · Power 7W
Tensione · Voltage 100-240V/24

Fonte luminosa · Light source
LED INCLUDED EDGE LIGHTING 7W 306lm
2700/3200K CRI 90
[inclusa - included] DIMMABLE K SELECTION

Materiali · Materials
alluminio · aluminum

Peso · Weight 3 Kg DIMMER INCLUDED


Finiture Finishes	Colori Colors
bianco · white	○ F3452009
nero · black	● F3452030
titanio · titanium	● F3452033
cromo · chrome	F3452057

p. 134

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



KELVIN EDGE MORSETTO · CLAMP



Antonio Citterio, 2015
Potenza · Power 7W
Tensione · Voltage 100-240V/24

Fonte luminosa · Light source
LED INCLUDED EDGE LIGHTING 7W 306lm
2700/3200K CRI 90
[inclusa - included] DIMMABLE K SELECTION

Materiali · Materials
alluminio · aluminum

Peso · Weight 0,7 Kg DIMMER INCLUDED


Finiture Finishes	Colori Colors
bianco · white	○ F3460009
nero · black	● F3460030
titanio · titanium	● F3460033
cromo · chrome	F3460057

p. 134

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



KELVIN EDGE SUPP. SCRIVANIA · DESK SUPP.



Antonio Citterio, 2015
Potenza · Power 7W
Tensione · Voltage 100-240V/24

Fonte luminosa · Light source
LED INCLUDED EDGE LIGHTING 7W 306lm
2700/3200K CRI 90
[inclusa - included] DIMMABLE K SELECTION

Materiali · Materials
alluminio · aluminum

Peso · Weight 0,6 Kg DIMMER INCLUDED


Finiture Finishes	Colori Colors
bianco · white	○ F3458009 CV-VC
bianco · white	○ F3456009 CN-HC
nero · black	● F3458030 CV-VC
nero · black	● F3456030 CN-HC
titanio · titanium	● F3458033 CV-VC
titanio · titanium	● F3456033 CN-HC
cromo · chrome	F3458057 CV-VC
cromo · chrome	F3456057 CN-HC

p. 134

CV: cavo a vista CN: cavo nascosto · VC: visible cable HC: hidden cable



KELVIN EDGE ATTACCO A PARETE · WALL



Antonio Citterio, 2015
Potenza · Power 7W
Tensione · Voltage 100-240V/24

Fonte luminosa · Light source
LED INCLUDED EDGE LIGHTING 7W 306lm
2700/3200K CRI 90
[inclusa - included] DIMMABLE K SELECTION

Materiali · Materials
alluminio · aluminum

Peso · Weight 0,6 Kg DIMMER INCLUDED


Finiture Finishes	Colori Colors
bianco · white	○ F3454009
nero · black	● F3454030
titanio · titanium	● F3454033
cromo · chrome	F3454057

p. 134

CV: cavo a vista CN: cavo nascosto · VC: visible cable HC: hidden cable



KELVIN LED BASE



Antonio Citterio assistant Toan Nguyen, 2009
Potenza · Power 8W
Tensione · Voltage 100-240V/24

Fonte luminosa · Light source
LED INCLUDED 30 TOP LED 7,5W 568lm total 3000K
CRI 95 [inclusa - included] DIMMABLE GREEN MODE


Materiali · Materials
alluminio · aluminum

Peso · Weight 4,8 Kg DIMMER INCLUDED


Finiture Finishes	Colori Colors
bianco · white	○ F3311009
nero · black	● F3311030
antracite · anthracite	● F3311033
cromo · chrome	F3311057

p. 133

CV: cavo a vista CN: cavo nascosto · VC: visible cable HC: hidden cable



KELVIN LED MORSETTO · CLAMP



Antonio Citterio assistant Toan Nguyen, 2009
Potenza · Power 8W
Tensione · Voltage 100-240V/24

Fonte luminosa · Light source
LED INCLUDED 30 TOP LED 7,5W 568lm total
3000K CRI 95 [inclusa - included] DIMMABLE GREEN MODE

Materiali · Materials
alluminio · aluminum


Peso · Weight 1,6 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
bianco · white	○ F3301009
nero · black	● F3301030
antracite · anthracite	● F3301033
cromo · chrome	F3313057

p. 133

CV: cavo a vista CN: cavo nascosto · VC: visible cable HC: hidden cable





KELVIN LED SUPP. SCRIVANIA · DESK SUPP.
Antonio Citterio assistant Toan Nguyen, 2009
Potenza · Power 8W
Tensione · Voltage 100-240V/24

Fonte luminosa · Light source
LED INCLUDED 30 TOP LED 7,5W 568lm total 3000K
CRI 95 [inclusa - included] DIMMABLE GREEN MODE

Finiture Finishes
bianco · white
nero · black
antracite · anthracite
cromo · chrome

Colori Colors
F3308009 CV · VC
F3309009 CN · HC
F3308030 CV · VC
F3309030 CN · HC
F3308033 CV · VC
F3309033 CN · HC
F3308057 CV · VC
F3309057 CN · HC

Materiali · Materials
alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED

CE IP20

p. 133

CV: cavo a vista CN: cavo nascosto · VC: visible cable HC: hidden cable



KELVIN LED ATTACCO A PARETE · WALL
Antonio Citterio assistant Toan Nguyen, 2009
Potenza · Power 8W
Tensione · Voltage 100-240V/24

Fonte luminosa · Light source
LED INCLUDED 30 TOP LED 7,5W 568lm total 3000K
CRI 95 [inclusa - included] DIMMABLE GREEN MODE

Finiture Finishes
bianco · white
nero · black
antracite · anthracite
cromo · chrome

Colori Colors
F3302009
F3302030
F3302033
F3314057

Materiali · Materials
alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED

CE IP20

p. 133



KELVIN LED F
Antonio Citterio, 2011
Potenza · Power 8W
Tensione · Voltage 100-240V/24

Fonte luminosa · Light source
LED INCLUDED 30 TOP LED 8W 568lm total 2700K
CRI 95 [inclusa - included]

Finiture Finishes
bianco · white
nero · black
antracite · anthracite


Colori Colors
F3305009
F3305030
F3305033

Materiali · Materials
alluminio · aluminum

Peso · Weight 3,8 Kg DIMMER INCLUDED

CE IP20

p. 215



KTRIBE F1
Philippe Starck, 2007
Potenza · Power MAX 100W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 11,5W E27 1100lm [esclusa - excluded]

Finiture Finishes
trasparente · transparent
argento alluminizzato · aluminized silver
bronzo alluminizzato · aluminized bronze
tessuto · fabric
fumè · fumée


Colori Colors
F6265000
F6265004
F6265046
F6265007
F6265030

Materiali · Materials
alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric

Peso · Weight 4,3 Kg DIMMER INCLUDED

CE IP20

p. 210



KTRIBE F2
Philippe Starck, 2007
Potenza · Power MAX 150W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 21W E27 2452lm o · or LED 21W E27 2200lm [esclusa - excluded]

Finiture Finishes
trasparente · transparent
argento alluminizzato · aluminized silver
bronzo alluminizzato · aluminized bronze
tessuto · fabric
fumè · fumée

Colori Colors
F6305000
F6305004
F6305046
F6305007
F6305030

Materiali · Materials
alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric

Peso · Weight 6,7 Kg DIMMER INCLUDED

CE IP20

p. 210



KTRIBE F3
Philippe Starck, 2007
Potenza · Power MAX 250W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 21W E27 2452lm o · or LED 21W E27 2200lm [esclusa - excluded]

Finiture Finishes
trasparente · transparent
argento alluminizzato · aluminized silver
bronzo alluminizzato · aluminized bronze
tessuto · fabric
fumè · fumée

Colori Colors
F6301000
F6301004
F6301046
F6301007
F6301030

Materiali · Materials
alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric

Peso · Weight 14,0 Kg DIMMER INCLUDED

CE IP20

p. 210



KTRIBE S1
Philippe Starck, 2005
Potenza · Power MAX 75W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 3W G9 290lm o · or LED 2W G9 240lm [esclusa - excluded]

Finiture Finishes
argento alluminizzato · aluminized silver
fumè · fumée


Colori Colors
F6256000
F6256030

Materiali · Materials
policarbonato, PMMA · polycarbonate, PMMA

Peso · Weight 1 Kg

CE IP20

p. 359



KTRIBE S2
Philippe Starck, 2005
Potenza · Power MAX 150W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 21W E27 2452lm o · or LED 21W E27 2200lm [esclusa - excluded]

Finiture Finishes
trasparente · transparent
argento alluminizzato · aluminized silver
bronzo alluminizzato · aluminized bronze
fumè · fumée


Colori Colors
F6257000A
F6257000
F6257046
F6257030

Materiali · Materials
policarbonato, PMMA · polycarbonate, PMMA

Peso · Weight 2,5 Kg

CE IP20

p. 359



KTRIBE S3
Philippe Starck, 2005
Potenza · Power MAX 250W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 21W E27 2452lm o. or
LED 21W E27 2200lm
[esclusa - excluded]

Materiali · Materials
policarbonato, PMMA · polycarbonate, PMMA

Peso · Weight 4,5 Kg

Finiture Finishes
trasparente · transparent
argento alluminizzato · aluminized silver
bronzo alluminizzato · aluminized bronze
fumè · fumée

Colori Colors
F6258000A
F6258000
F6258046
F6258030

CE IP20

p. 359



KTRIBE T1
Philippe Starck, 2007
Potenza · Power MAX 100W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 11,5W E27 1100lm
[esclusa - excluded]

Materiali · Materials
alluminio, metacrilato, policarbonato · aluminum, methacrylate, polycarbonate

Peso · Weight 3,1 Kg DIMMER INCLUDED

Finiture Finishes
trasparente · transparent
fumè · fumée

Colori Colors
F6263000
F6263030

CE IP20

p. 126



KTRIBE T1 GLASS
Philippe Starck, 2007
Potenza · Power MAX 100W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 11,5W E27 1100lm
[esclusa - excluded]

Materiali · Materials
alluminio, vetro, policarbonato · aluminum, glass, polycarbonate


Peso · Weight 4,6 Kg DIMMER INCLUDED

Finiture Finishes
trasparente · transparent

Colori Colors
F6281000

CE IP20

p. 126



KTRIBE T2
Philippe Starck, 2007
Potenza · Power MAX 150W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 15W E27 2000lm
[esclusa - excluded]

Materiali · Materials
alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric


Peso · Weight 5,9 Kg DIMMER INCLUDED

Finiture Finishes
trasparente · transparent
argento alluminizzato · aluminized silver
bronzo alluminizzato · aluminized bronze
tessuto · fabric
fumè · fumée

Colori Colors
F6303000
F6303004
F6303046
F6303007
F6303030

CE IP20

p. 126



KTRIBE W
Philippe Starck, 2007
Potenza · Power MAX 100W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 11,5W E27 1100lm
[esclusa - excluded]

Materiali · Materials
alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric


Peso · Weight 1,7 Kg DIMMER INCLUDED

Finiture Finishes
trasparente · transparent
argento alluminizzato · aluminized silver
bronzo alluminizzato · aluminized bronze
tessuto · fabric
fumè · fumée

Colori Colors
F6307000
F6307004
F6307046
F6307007
F6307030

CE IP20

p. 424



LAMPADINA
Achille Castiglioni, 1972
Potenza · Power MAX 5W
Tensione · Voltage 230V

Fonte luminosa · Light source
LED 2W E27 200lm
[inclusa - included]

Materiali · Materials
alluminio · aluminum

Peso · Weight 0,3 Kg SWITCH INCLUDED

Finiture Finishes
nero · black
arancio · orange
bianco · white
verde · green
turchese · turquoise
viola · violet

Colori Colors
F3300000
F3299075
F3299009
F3299039
F3299074
F3299042

CE IP20

p. 108



LA PLUS BELLE
Philippe Starck, 2019
Potenza · Power 57W
Tensione · Voltage 120 - 277V

LED INCLUDED Fonte luminosa · Light source
560 TOP LED 58W 5300lm 2700K CRI 95

Materiali · Materials
alluminio · aluminum

Peso · Weight 32,8 Kg DIMMER INCLUDED

Finiture Finishes
bronzo lucido · polished bronze
rame spazzolato · brushed copper
oro spazzolato · brushed gold
brill · brill

Colori Colors
F3680046
F3680015
F3680044
F3680064

CE IP20

p. 390



LAST ORDER CLEAR
Michael Anastassiades, 2020
Potenza · Power 2,5W
Tensione · Voltage 1N 5V

LED INCLUDED Fonte luminosa · Light source
LED 2,5W 200lm 2700K CRI90
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT

Materiali · Materials
cristallo, ottone, policarbonato · crystal, brass, polycarbonate

Peso · Weight 2,14 Kg DIMMER INCLUDED

Finiture Finishes
ottone lucido · polished brass (INDOOR)
rame satinato · satin copper (INDOOR)
verde opaco · matte green (OUTDOOR)
acciaio lucido · polished inox (OUTDOOR)

Colori Colors
F3693059
F3693015
F3693039
F3693056

CE IP55

p. 72



LAST ORDER FLUTED

Michael Anastassiades, 2020
Potenza · Power 2,5W
Tensione · Voltage IN 5V

Fonte luminosa · Light source
LED INCLUDED LED 2,5W 200lm 2700K CRI90
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT

Materiali · Materials
cristallo, ottone, policarbonato · crystal, brass, polycarbonate

Peso · Weight 2,04 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
ottone lucido · polished brass (INDOOR)	F3694059
rame satinato · satin copper (INDOOR)	F3694015
verde opaco · matte green (OUTDOOR)	F3694039
acciaio lucido · polished inox (OUTDOOR)	F3694056

p. 72



LUMINATOR

Achille and Pier Giacomo Castiglioni, 1954
Potenza · Power 150W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 12W E27 1100lm [esclusa - excluded]

Materiali · Materials
metallo · metal

Peso · Weight 3,7 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
antracite · anthracite	F3772033
lite blue	F3772003
bianco · white	F3772009
rosso · red	F3772035
giallo · yellow	F3772019

p. 222



MAYDAY

Konstantin Grcic, 2000
Potenza · Power MAX 60W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 11,5W E27 1100lm [esclusa - excluded]

Materiali · Materials
polipropilene riciclato · recycled polypropylene

Peso · Weight 0,7 Kg SWITCH INCLUDED

Finiture Finishes	Colori Colors
nero · black	F3780030
arancio · orange	F3780002
lilla · lilac	F3780042

p. 55



MAYDAY OUTDOOR

Konstantin Grcic, 2022
Potenza · Power MAX 15W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 8W E14 900lm [esclusa - excluded]

Materiali · Materials
polipropilene riciclato · recycled polypropylene

Peso · Weight 0,7 Kg SWITCH INCLUDED

Finiture Finishes	Colori Colors
nero · black	F038AAAAOZZ
leaf green	F038AACA0ZZ
mustard yellow	F038AABA0ZZ

p. 55



MISS K

Philippe Starck, 2003
Potenza · Power MAX 100W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 11,5W E27 1100lm [esclusa - excluded]

Materiali · Materials
PMMA, policarbonato, tessuto · PMMA, polycarbonate, fabric

Peso · Weight 1,2 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
argento · silver	F6255000
nero · black	F6255030
tessuto · fabric	F6255007
trasparente · transparent	F6255078
fumè · fumée	F6255031

p. 148



NEBULA

Joris Laarman, 2007
Potenza · Power 8 x MAX 70W + 4 x MAX 70W
Tensione · Voltage 220-250V


Fonte luminosa · Light source
LED 11,5W E27 1100lm (up) + LED 7W E27 650lm (down) [esclusa - excluded]

Materiali · Materials
alluminio, vetro · aluminum, glass

Peso · Weight 38 Kg

Finiture Finishes	Colori Colors
bianco · white	F4550009

p. 336



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019
Potenza · Power 36W
Tensione · Voltage 100-240V


LED INCLUDED Fonte luminosa · Light source
2 STRIP LED 9W + 1 COB LED 18W 973lm 2700K CRI 90

Materiali · Materials
vetro soffiato · blown glass

Peso · Weight 10,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes	Colori Colors
nero · black	F0268000

p. 299



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019
Potenza · Power 45W
Tensione · Voltage 100-240V

LED INCLUDED Fonte luminosa · Light source
3 STRIP LED x 9W + 1 COB LED 18W 1259lm 2700K CRI 90

Materiali · Materials
vetro soffiato · blown glass

Peso · Weight 14,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes	Colori Colors
nero · black	F0270000

p. 299



NOCTAMBULE SUSPENSION
 Konstantin Grcic, 2019
 Potenza · Power 54W
 Tensione · Voltage 100-240V

LED INCLUDED Fonte luminosa · Light source
 4 STRIP LED x 9W + 1 COB LED 18W
 1545lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes: nero · black
 Colori Colors: ● F0271000

3 Low Cylinders & Cone
 Peso · Weight 18,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 299

NOCTAMBULE SUSPENSION
 Konstantin Grcic, 2019
 Potenza · Power 63W
 Tensione · Voltage 100-240V

LED INCLUDED Fonte luminosa · Light source
 5 STRIP LED x 9W + 1 COB LED 18W
 1831lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes: nero · black
 Colori Colors: ● F0272000

4 Low Cylinders & Cone
 Peso · Weight 22,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 299

NOCTAMBULE SUSPENSION
 Konstantin Grcic, 2019
 Potenza · Power 36W
 Tensione · Voltage 100-240V

LED INCLUDED Fonte luminosa · Light source
 2 STRIP LED x 9W + 1 COB LED 18W
 1007lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes: nero · black
 Colori Colors: ● F0263000

1 Low Cylinder & Bowl
 Peso · Weight 11,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 299

NOCTAMBULE SUSPENSION
 Konstantin Grcic, 2019
 Potenza · Power 45W
 Tensione · Voltage 100-240V

LED INCLUDED Fonte luminosa · Light source
 3 STRIP LED x 9W + 1 COB LED 18W
 1293lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes: nero · black
 Colori Colors: ● F0273000

2 Low Cylinders & Bowl
 Peso · Weight 15,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 299

NOCTAMBULE SUSPENSION
 Konstantin Grcic, 2019
 Potenza · Power 54W
 Tensione · Voltage 100-240V

LED INCLUDED Fonte luminosa · Light source
 4 STRIP LED x 9W + 1 COB LED 18W
 1579lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes: nero · black
 Colori Colors: ● F0274000

3 Low Cylinders & Bowl
 Peso · Weight 19,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 299

NOCTAMBULE SUSPENSION
 Konstantin Grcic, 2019
 Potenza · Power 63W
 Tensione · Voltage 100-240V

LED INCLUDED Fonte luminosa · Light source
 5 STRIP LED x 9W + 1 COB LED 18W
 1865lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes: nero · black
 Colori Colors: ● F0275000

4 Low Cylinders & Bowl
 Peso · Weight 23,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 299

NOCTAMBULE SUSPENSION
 Konstantin Grcic, 2019
 Potenza · Power 36W
 Tensione · Voltage 100-240V

LED INCLUDED Fonte luminosa · Light source
 4 STRIP LED x 9W 1166lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes: nero · black
 Colori Colors: ● F0276000

3 Low Cylinders
 Peso · Weight 14,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 299

NOCTAMBULE SUSPENSION
 Konstantin Grcic, 2019
 Potenza · Power 45W
 Tensione · Voltage 100-240V

LED INCLUDED Fonte luminosa · Light source
 5 STRIP LED x 9W 1452lm 2700K CRI 90


Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes: nero · black
 Colori Colors: ● F0277000

4 Low Cylinders
 Peso · Weight 18,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 299



NOCTAMBULE SUSPENSION
 Konstantin Grcic, 2019
 Potenza · Power 54W
 Tensione · Voltage 100-240V

LED INCLUDED Fonte luminosa · Light source
 6 STRIP LED x 9W 1738lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes nero · black Colori Colors ● F0278000

5 Low Cylinders

Peso · Weight 22,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 299



NOCTAMBULE SUSPENSION
 Konstantin Grcic, 2019
 Potenza · Power 63W
 Tensione · Voltage 100-240V

LED INCLUDED Fonte luminosa · Light source
 7 STRIP LED x 9W 2024lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass


Finiture Finishes nero · black Colori Colors ● F0279000

6 Low Cylinders

Peso · Weight 26,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 299



NOCTAMBULE SUSPENSION
 Konstantin Grcic, 2019
 Potenza · Power 36W
 Tensione · Voltage 100-240V

LED INCLUDED Fonte luminosa · Light source
 4 STRIP LED x 9W 1202lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass


Finiture Finishes nero · black Colori Colors ● F0264000

3 High Cylinders

Peso · Weight 16,2 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 299



NOCTAMBULE SUSPENSION
 Konstantin Grcic, 2019
 Potenza · Power 45W
 Tensione · Voltage 100-240V

LED INCLUDED Fonte luminosa · Light source
 5 STRIP LED x 9W 1500lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass


Finiture Finishes nero · black Colori Colors ● F0280000

4 High Cylinders

Peso · Weight 20,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 299



NOCTAMBULE SUSPENSION
 Konstantin Grcic, 2019
 Potenza · Power 54W
 Tensione · Voltage 100-240V

LED INCLUDED Fonte luminosa · Light source
 6 STRIP LED x 9W 1798lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes nero · black Colori Colors ● F0281000

5 High Cylinders

Peso · Weight 25,2 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 299



NOCTAMBULE SUSPENSION
 Konstantin Grcic, 2019
 Potenza · Power 63W
 Tensione · Voltage 100-240V

LED INCLUDED Fonte luminosa · Light source
 7 STRIP LED x 9W 6930lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes nero · black Colori Colors ● F0282000

6 High Cylinders

Peso · Weight 29,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 299



NOCTAMBULE FLOOR
 Konstantin Grcic, 2019
 Potenza · Power 18W
 Tensione · Voltage 100-240/48V

LED INCLUDED Fonte luminosa · Light source
 2 STRIP LED x 9W 485lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes nero · black Colori Colors ● F0288000

1 Low Cylinder Small Base

Peso · Weight 10 Kg DIMMER INCLUDED

CE IP20

p. 178



NOCTAMBULE FLOOR
 Konstantin Grcic, 2019
 Potenza · Power 27W
 Tensione · Voltage 100-240/48V

LED INCLUDED Fonte luminosa · Light source
 3 STRIP LED x 9W 771lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes nero · black Colori Colors ● F0289000

2 Low Cylinders Small Base

Peso · Weight 14 Kg DIMMER INCLUDED

CE IP20

p. 178



NOCTAMBULE FLOOR
 Konstantin Grcic, 2019
 Potenza · Power 36W
 Tensione · Voltage 100-240/48V

LED INCLUDED Fonte luminosa · Light source
 4 STRIP LED x 9W 1057lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes nero · black Colori Colors ● F0290000

Peso · Weight 18 Kg DIMMER INCLUDED

CE IP20

p. 178



NOCTAMBULE FLOOR
 Konstantin Grcic, 2019
 Potenza · Power 45W
 Tensione · Voltage 100-240/48V

LED INCLUDED Fonte luminosa · Light source
 5 STRIP LED x 9W 1343lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes nero · black Colori Colors ● F0291000

Peso · Weight 22 Kg DIMMER INCLUDED

CE IP20

p. 178



NOCTAMBULE FLOOR
 Konstantin Grcic, 2019
 Potenza · Power 18W
 Tensione · Voltage 100-240/48V

LED INCLUDED Fonte luminosa · Light source
 2 STRIP LED x 9W 497lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes nero · black Colori Colors ● F0285000

Peso · Weight 10,5 Kg DIMMER INCLUDED

CE IP20

p. 178



NOCTAMBULE FLOOR
 Konstantin Grcic, 2019
 Potenza · Power 27W
 Tensione · Voltage 100-240/48V

LED INCLUDED Fonte luminosa · Light source
 3 STRIP LED x 9W 795lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes nero · black Colori Colors ● F0286000

Peso · Weight 15 Kg DIMMER INCLUDED

CE IP20

p. 178

2 High Cylinders Small Base Peso · Weight 15 Kg DIMMER INCLUDED

CE IP20



NOCTAMBULE FLOOR
 Konstantin Grcic, 2019
 Potenza · Power 36W
 Tensione · Voltage 100-240/48V

LED INCLUDED Fonte luminosa · Light source
 4 STRIP LED x 9W 1093lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes nero · black Colori Colors ● F0287000

Peso · Weight 19,5 Kg DIMMER INCLUDED

CE IP20

p. 178



NOCTAMBULE FLOOR
 Konstantin Grcic, 2019
 Potenza · Power 36W
 Tensione · Voltage 100-240/48V

LED INCLUDED Fonte luminosa · Light source
 2 STRIP LED x 9W + 1 COB LED 18W 876lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes nero · black Colori Colors ● F0265000

Peso · Weight 14,5 Kg DIMMER INCLUDED

CE IP20

p. 178



NOCTAMBULE FLOOR
 Konstantin Grcic, 2019
 Potenza · Power 45W
 Tensione · Voltage 100-240/48V

LED INCLUDED Fonte luminosa · Light source
 3 STRIP LED x 9W + 1 COB LED 18W 1174lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes nero · black Colori Colors ● F0269000

Peso · Weight 19 Kg DIMMER INCLUDED

CE IP20

p. 178



NOCTAMBULE FLOOR
 Konstantin Grcic, 2019
 Potenza · Power 45W
 Tensione · Voltage 100-240/48V

LED INCLUDED Fonte luminosa · Light source
 5 STRIP LED x 9W 1378lm 2700K CRI 90

Materiali · Materials
 vetro soffiato · blown glass

Finiture Finishes nero · black Colori Colors ● F0292000

Peso · Weight 28,5 Kg DIMMER INCLUDED

CE IP20

p. 178

4 High Cylinders Big Base Peso · Weight 28,5 Kg DIMMER INCLUDED

CE IP20



NOCTAMBULE FLOOR
Konstantin Grcic, 2019
Potenza · Power 54W
Tensione · Voltage 100-240/48V

LED INCLUDED Fonte luminosa · Light source
4 STRIP LED x 9W + 1 COB LED 18W
1459lm 2700K CRI 90

Materiali · Materials
vetro soffiato · blown glass

Finiture Finishes: nero · black
Colori Colors: ● F0267000

Peso · Weight 28 Kg DIMMER INCLUDED

CE  

p. 178



NOCTAMBULE FLOOR
Konstantin Grcic, 2019
Potenza · Power 54W
Tensione · Voltage 100-240/48V

LED INCLUDED Fonte luminosa · Light source
4 STRIP LED x 9W + 1 COB LED 18W
1493lm 2700K CRI 90


Materiali · Materials
vetro soffiato · blown glass

Finiture Finishes: nero · black
Colori Colors: ● F0266000

Peso · Weight 29 Kg DIMMER INCLUDED

CE  

p. 178




OBLIQUE
Vincent van Duysen, 2020
Potenza · Power 8W
Tensione · Voltage 24V

LED INCLUDED Fonte luminosa · Light source
TOP LED x 8W 750lm 2700K · CRI 90
USB-C CONNECT INTEGRATED

Materiali · Materials
alluminio estruso, metacrilato · die cast aluminum, methacrylate

Finiture Finishes: antracite opaco · matte anthracite, marrone opaco · matte brown, grigio lucido · glossy grey, ruggine opaco · matte rust, salvia lucido · glossy sage, bianco opaco · matte white
Colori Colors: ● 09.8300.DR, ● 09.8300.DW, ● 09.8300.AH, ● 09.8300.DX, ● 09.8300.DV, ○ 09.8300.DY

Peso · Weight 0,75 Kg DIMMER INCLUDED

CE  

p. 78




OBLIQUE Qi
Vincent van Duysen, 2020
Potenza · Power 8W
Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
TOP LED x 8W 750lm 2700K · CRI 90
USB CONNECT INTEGRATED Qi COMPATIBLE
RECHARGE BASE

Materiali · Materials
alluminio estruso, metacrilato, gomma · die cast aluminum, methacrylate, rubber

Finiture Finishes: antracite opaco · matte anthracite, marrone opaco · matte brown, grigio lucido · glossy grey, ruggine opaco · matte rust, salvia lucido · glossy sage, bianco opaco · matte white
Colori Colors: ● 09.8310.DR, ● 09.8310.DW, ● 09.8310.AH, ● 09.8310.DX, ● 09.8310.DV, ○ 09.8310.DY

Peso · Weight 0,75 Kg DIMMER INCLUDED

CE  

p. 78



OBLIQUE FLOOR
Vincent van Duysen, 2022
Potenza · Power 8W
Tensione · Voltage 24V

LED INCLUDED Fonte luminosa · Light source
TOP LED x 8W 750lm 2700K · CRI 90

Materiali · Materials
alluminio estruso, metacrilato · die cast aluminum, methacrylate

Finiture Finishes: antracite opaco · matte anthracite, marrone opaco · matte brown, grigio lucido · glossy grey, ruggine opaco · matte rust, salvia lucido · glossy sage, bianco opaco · matte white
Colori Colors: ● 09.8220.DR, ● 09.8220.DW, ● 09.8220.AH, ● 09.8220.DX, ● 09.8220.DV, ○ 09.8220.DY

Peso · Weight 3,25 Kg DIMMER INCLUDED

CE  

p. 154



OBLIQUE FLOOR USB-C
Vincent van Duysen, 2022
Potenza · Power 8W
Tensione · Voltage 24V

LED INCLUDED Fonte luminosa · Light source
TOP LED x 8W 750lm 2700K · CRI 90
USB-C CONNECT INTEGRATED

Materiali · Materials
alluminio estruso, metacrilato · die cast aluminum, methacrylate

Finiture Finishes: antracite opaco · matte anthracite, marrone opaco · matte brown, grigio lucido · glossy grey, ruggine opaco · matte rust, salvia lucido · glossy sage, bianco opaco · matte white
Colori Colors: ● 09.8230.DR, ● 09.8230.DW, ● 09.8230.AH, ● 09.8230.DX, ● 09.8230.DV, ○ 09.8230.DY

Peso · Weight 3,25 Kg DIMMER INCLUDED

CE  

p. 154




OK
Konstantin Grcic, 2014
Potenza · Power 18W
Tensione · Voltage 100-240V/24V

LED INCLUDED Fonte luminosa · Light source
Edge Lighting Technology 18W 1550lm 2700K CRI85
[inclusa - included] DIMMABLE


Materiali · Materials
alluminio, acciaio, PA · aluminum, steel, PA

Finiture Finishes: bianco · white, nero · black, giallo · yellow
Colori Colors: ○ F4640009, ● F4640030, ● F4640019

Peso · Weight 2,9 Kg DIMMER INCLUDED

CE  

p. 320





ONTHEROCKS
Antonio Citterio assistant Toan Nguyen, 2003
Potenza · Power MAX 200W
Tensione · Voltage 220V-250V

LED INCLUDED Fonte luminosa · Light source
MAX 160W R7s 872lm
[esclusa - excluded]


Materiali · Materials
vetro · glass

Finiture Finishes: trasparente · transparent
Colori Colors: ● F4651000

Peso · Weight 2,5 Kg

CE  

p. 413



OPLIGHT W1

Jasper Morrison, 2021
 Potenza · Power 16W
 Tensione · Voltage 220-240V


Finiture Finishes	Colori Colors
textured white	○ F4681009
textured anthracite	● F4681033
satin black	● F4681030
textured metallic grey	● F4681032

LED INCLUDED Fonte luminosa · Light source
 LED 16W 1290lm
 [inclusa - included] DIMMABLE TRIAC

Materiali · Materials
 alluminio, policarbonato · aluminum, polycarbonate

p. 364

Peso · Weight 0,9 Kg



OPLIGHT W2

Jasper Morrison, 2021
 Potenza · Power 25W
 Tensione · Voltage 220-240V

Finiture Finishes	Colori Colors
textured white	○ F4682009
textured anthracite	● F4682033
satin black	● F4682030
textured metallic grey	● F4682032

LED INCLUDED Fonte luminosa · Light source
 LED 25W 1919lm
 [inclusa - included] DIMMABLE TRIAC

Materiali · Materials
 alluminio, policarbonato · aluminum, polycarbonate

p. 364

Peso · Weight 1,7 Kg



OVERLAP S1

Michael Anastassiades, 2018
 Potenza · Power MAX 105W
 Tensione · Voltage 220-250V

Finiture Finishes	Colori Colors
bianco · white	○ F4633009

Fonte luminosa · Light source
 LED 15W E27 2000lm
 [esclusa - excluded]

Materiali · Materials
 cocoon, acciaio · cocoon, steel

p. 296

Peso · Weight 5,6 Kg



OVERLAP S2

Michael Anastassiades, 2018
 Potenza · Power Max 105
 Tensione · Voltage 220-250V

Finiture Finishes	Colori Colors
bianco · white	○ F4634009

Fonte luminosa · Light source
 LED 15W E27 2000lm
 [esclusa - excluded]

Materiali · Materials
 cocoon, acciaio · cocoon, steel

p. 296

Peso · Weight 8,8 Kg



PARENTESI

Achille Castiglioni and Pio Manzù, 1971
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V


Finiture Finishes	Colori Colors
bianco · white	○ F5400009
nero · black	● F5400030
rosso · red	● F5400035
nicel · nickel	▨ F5400058

Fonte luminosa · Light source
 LED 12W E27 1100lm o · or
 LED 13W E27 1300lm
 [esclusa - excluded]

Materiali · Materials
 acciaio, elastomero · steel, elastomer

p. 248

Peso · Weight 3,6 Kg SWITCH INCLUDED



PARENTESI COMPL. ELEMENT

Achille Castiglioni and Pio Manzù, 1971
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V


Finiture Finishes	Colori Colors
bianco · white	○ F5500009
nero · black	● F5500030
rosso · red	● F5500035
nicel · nickel	▨ F5500058

Fonte luminosa · Light source
 LED 12W E27 1100lm o · or
 LED 13W E27 1300lm
 [esclusa - excluded]

Materiali · Materials
 elastomero · elastomer

p. 248

Peso · Weight 0,5 Kg SWITCH INCLUDED



PARENTESI D

Achille Castiglioni and Pio Manzù, 1971
 Potenza · Power MAX 150W
 Tensione · Voltage 220-240V


Finiture Finishes	Colori Colors
bianco · white	○ F5600009
nero · black	● F5600030
rosso · red	● F5600035
nicel · nickel	▨ F5600058

Fonte luminosa · Light source
 LED 12W E27 1100lm o · or
 LED 13W E27 1300lm
 [esclusa - excluded]

Materiali · Materials
 acciaio, elastomero · steel, elastomer

p. 248

Peso · Weight 3,6 Kg DIMMER INCLUDED



PARENTESI D COMPL. ELEMENT

Achille Castiglioni and Pio Manzù, 1971
 Potenza · Power MAX 150W
 Tensione · Voltage 220-240V

Finiture Finishes	Colori Colors
bianco · white	○ F5700009
nero · black	● F5700030
rosso · red	● F5700035
nicel · nickel	▨ F5700058


Fonte luminosa · Light source
 LED 12W E27 1100lm o · or
 LED 13W E27 1300lm
 [esclusa - excluded]

Materiali · Materials
 elastomero · elastomer

p. 248

Peso · Weight 0,5 Kg





PARENTESI D 50

Achille Castiglioni and Pio Manzù, 1971
 Potenza · Power MAX 150W
 Tensione · Voltage 220-240V


Fonte luminosa · Light source
 LED 12W E27 1100lm o · or
 LED 13W E27 1300lm
 [esclusa - excluded]

Materiali · Materials
 acciaio, elastomero · steel, elastomer


Peso · Weight 3,6 Kg DIMMER INCLUDED

Finiture Finishes
 turchese · turquoise
 orange signal

Colori Colors
 ● F5601074
 ● F5601075



p. 242



PARENTESI D 50 COMPL. ELEMENT

Achille Castiglioni and Pio Manzù, 1971
 Potenza · Power MAX 150W
 Tensione · Voltage 220-240V

Fonte luminosa · Light source
 LED 12W E27 1100lm o · or
 LED 13W E27 1300lm
 [esclusa - excluded]

Materiali · Materials
 elastomero · elastomer


Peso · Weight 0,5 Kg

Finiture Finishes
 turchese · turquoise
 orange signal

Colori Colors
 ● F5699074
 ● F5699075



p. 242



POCHETTE UP/DOWN LED

Rodolfo Dordoni, 2003
 Potenza · Power MAX 21,5W
 Tensione · Voltage 220-240V

Fonte luminosa · Light source
 144 LED 20W 2700K 1707lm
 CRI90 [inclusa - included] +
 36 LED 1,5W 2700K 37lm CRI90
 [inclusa - included]

Materiali · Materials
 zama · zamak


Peso · Weight 1,7 Kg DIMMER INCLUDED
 1-10/TRIAC

Finiture Finishes
 grigio · grey
 bianco · white
 cromo · chrome

Colori Colors
 ● F9705020
 ● F9705009
 ● F9705057



p. 423



RAY F1

Rodolfo Dordoni, 2007
 Potenza · Power MAX 150W
 Tensione · Voltage 220-240V

Fonte luminosa · Light source
 LED 11,5W E27 1100lm
 [esclusa - excluded]

Materiali · Materials
 acciaio, alluminio, vetro · steel, aluminum, glass


Peso · Weight 5,0 Kg (alluminio · aluminum) - 8,0 Kg (vetro · glass)

Finiture Finishes
 nero · black
 bianco · white
 vetro · glass

Colori Colors
 ● F5916030
 ● F5916009
 ● F5915020



p. 200



RAY F2

Rodolfo Dordoni, 2007
 Potenza · Power MAX 250W
 Tensione · Voltage 220-240V

Fonte luminosa · Light source
 LED 21W E27 2452lm o · or
 LED 21W E27 2200lm
 [esclusa - excluded]

Materiali · Materials
 acciaio, alluminio, vetro · steel, aluminum, glass


Peso · Weight 6,2 Kg (alluminio · aluminum) - 9,2 Kg (vetro · glass)

Finiture Finishes
 nero · black
 bianco · white
 vetro · glass

Colori Colors
 ● F5921030
 ● F5921009
 ● F5920020



p. 200



RAY S

Rodolfo Dordoni, 2007
 Potenza · Power MAX 250W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 21W E27 2452lm o · or
 LED 21W E27 2200lm
 [esclusa - excluded]

Materiali · Materials
 acciaio, alluminio, vetro · steel, aluminum, glass


Peso · Weight 3,8 Kg (alluminio · aluminum) - 6,8 Kg (vetro · glass)

Finiture Finishes
 nero · black
 bianco · white
 vetro · glass

Colori Colors
 ● F5931030
 ● F5931009
 ● F5930020



p. 324



RAY T

Rodolfo Dordoni, 2007
 Potenza · Power MAX 150W
 Tensione · Voltage 220-240V

Fonte luminosa · Light source
 LED 11,5W E27 1100lm
 [esclusa - excluded]

Materiali · Materials
 acciaio, alluminio, vetro · steel, aluminum, glass


Peso · Weight 4,2 Kg (alluminio · aluminum) - 6,5 Kg (vetro · glass)

Finiture Finishes
 nero · black
 bianco · white
 vetro · glass

Colori Colors
 ● F5911030
 ● F5911009
 ● F5910020



p. 124



ROMEO BABE S

Philippe Starck, 1997
 Potenza · Power MAX 40W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 33W HSGS G9 460lm
 [esclusa - excluded]

Materiali · Materials
 vetro · glass


Peso · Weight 0,4 Kg

Finiture Finishes
 vetro · glass

Colori Colors
 ● F6124000



p. 330



ROMEO BABE W

Philippe Starck, 1996
 Potenza · Power MAX 40W
 Tensione · Voltage 220-250V

Finiture Finishes vetro · glass
 Colori Colors F6260000A

Fonte luminosa · Light source
 33W HSGS G9 460lm
 [esclusa - excluded]

Materiali · Materials
 vetro, acciaio inox · glass, stainless steel

p. 425

Peso · Weight 0,5 Kg



ROMEO BABE SOFT S

Philippe Starck, 1997
 Potenza · Power MAX 40W
 Tensione · Voltage 220-250V


Finiture Finishes tessuto · fabric
 Colori Colors F6124007

Fonte luminosa · Light source
 33W HSGS G9 460lm
 [esclusa - excluded]

Materiali · Materials
 tessuto, vetro · fabric, glass

p. 330

Peso · Weight 0,4 Kg



ROMEO BABE SOFT W

Philippe Starck, 1997
 Potenza · Power MAX 40W
 Tensione · Voltage 220-250V


Finiture Finishes tessuto · fabric
 Colori Colors F6260007A

Fonte luminosa · Light source
 33W HSGS G9 460lm
 [esclusa - excluded]

Materiali · Materials
 tessuto, vetro · fabric, glass

p. 425

Peso · Weight 0,4 Kg



ROMEO MOON F

Philippe Starck, 1996
 Potenza · Power MAX 250W
 Tensione · Voltage 220-240V

Finiture Finishes vetro · glass
 Colori Colors F6109000

Fonte luminosa · Light source
 LED 11,5W E27 1100lm
 [esclusa - excluded]

Materiali · Materials
 vetro, acciaio, alluminio · glass, steel, aluminum

p. 218

Peso · Weight 23,8 Kg DIMMER INCLUDED



ROMEO MOON S1

Philippe Starck, 1996
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V

Finiture Finishes vetro · glass
 Colori Colors F6105000

Fonte luminosa · Light source
 LED 11,5W E27 1100lm
 [esclusa - excluded]

Materiali · Materials
 vetro · glass

p. 331

Peso · Weight 4,5 Kg



ROMEO MOON S2

Philippe Starck, 1996
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V

Finiture Finishes vetro · glass
 Colori Colors F0003000

Fonte luminosa · Light source
 LED 11,5W E27 1100lm
 [esclusa - excluded]

Materiali · Materials
 vetro · glass

p. 331

Peso · Weight 7,6 Kg



ROMEO MOON T1

Philippe Starck, 1998
 Potenza · Power MAX 150W
 Tensione · Voltage 220-240V

Finiture Finishes vetro · glass
 Colori Colors F6107000

Fonte luminosa · Light source
 LED 11,5W E27 1100lm
 [esclusa - excluded]

Materiali · Materials
 vetro, acciaio, alluminio · glass, steel, aluminum

p. 127

Peso · Weight 7,7 Kg DIMMER INCLUDED



ROMEO SOFT F

Philippe Starck, 1998
 Potenza · Power MAX 250W
 Tensione · Voltage 220-240V

Finiture Finishes tessuto · fabric
 Colori Colors F6109007

Fonte luminosa · Light source
 LED 11,5W E27 1100lm
 [esclusa - excluded]

Materiali · Materials
 tessuto, vetro, acciaio, alluminio · fabric, glass, steel, aluminum

p. 218

Peso · Weight 16,8 Kg DIMMER INCLUDED



ROMEO SOFT T1
Philippe Starck, 1998
Potenza · Power MAX 150W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 11,5W E27 1100lm
[esclusa - excluded]

Materiali · Materials
tessuto, vetro, acciaio, alluminio · fabric, glass, steel, aluminum

Peso · Weight 5,3 Kg DIMMER INCLUDED

Finiture Finishes tessuto · fabric
Colori Colors F6107007

CE I P 20

p. 127

ROSY ANGELIS
Philippe Starck, 1994
Potenza · Power MAX 150W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 11,5W E27 1100lm
[esclusa - excluded]

Materiali · Materials
tessuto, alluminio · fabric, aluminum

Peso · Weight 1,6 Kg DIMMER INCLUDED

Finiture Finishes grigio · grey
Colori Colors F6160020

CE I P 20

p. 217

SAWARU
Nendo, 2018
Potenza · Power 45W

Fonte luminosa · Light source
LED Array 45W -2 channels: warm 835-1236lm; cold 1239-1783m; 1800-4000K CRI 90 [inclusa - included]
DIMMABLE

Materiali · Materials
alluminio estruso · extruded aluminum

Peso · Weight 4 Kg DIMMER INCLUDED

Finiture Finishes bianco · white, nero · black, oro · gold
Colori Colors F6640009, F6640030, F6640044

CE I P 20

p. 175

SERENA
Patricia Urquiola, 2015
Potenza · Power 13W
Tensione · Voltage 100-240V/24V

Fonte luminosa · Light source
1 LED 13W 643lm 2700K CRI 90
[inclusa - included] DIMMABLE

Materiali · Materials
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 1,25 Kg DIMMER INCLUDED

Finiture Finishes rame · copper, alluminio · aluminum, nero · black
Colori Colors F6582015, F6582054, F6582030

CE I P 20

p. 88

SKYGARDEN SMALL
Marcel Wanders, 2021
Potenza · Power MAX 10W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED retrofit 8W E14 T28 900lm o-or LED retrofit 9W E14 T28 900lm
[inclusa - included]

Materiali · Materials
gesso, vetro, acciaio inox · plaster, glass, stainless steel

Peso · Weight 5 Kg

Finiture Finishes oro · gold, ruggine · rusty brown, bianco · white, nero · black, nero opaco · matte black
Colori Colors F6405044, F6405047, F6405009, F6405030, F6405031

CE I P 20

p. 259

SKYGARDEN 1
Marcel Wanders, 2007
Potenza · Power MAX 150W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 20W E27 2300lm
[esclusa - excluded]

Materiali · Materials
gesso, vetro, acciaio inox · plaster, glass, stainless steel

Peso · Weight 13 Kg

Finiture Finishes oro · gold, ruggine · rusty brown, bianco · white, nero · black, nero opaco · matte black
Colori Colors F0001044, F0001047, F0001009, F0001030, F0001031

CE I P 20

p. 326

SKYGARDEN 2
Marcel Wanders, 2007
Potenza · Power MAX 230W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 20W E27 2300lm
[esclusa - excluded]

Materiali · Materials
gesso, vetro, acciaio inox · plaster, glass, stainless steel

Peso · Weight 29 Kg

Finiture Finishes oro · gold, ruggine · rusty brown, bianco · white, nero · black, nero opaco · matte black
Colori Colors F0002044, F0002047, F0002009, F0002030, F0002031

CE I P 20

p. 326

SKYGARDEN RECESSED
Marcel Wanders, 2009
Potenza · Power MAX 60W
Tensione · Voltage 230-240V

Fonte luminosa · Light source
60W GY 6.35 12V HSGS 1650lm
Trasformatore incluso · Transformer included

Materiali · Materials
gesso, vetro, acciaio inox · plaster, glass, stainless steel


Peso · Weight 4,0 Kg

Finiture Finishes bianco · white
Colori Colors F6430009

CE I P 20

p. 421

SKYGARDEN RECESSED
 Marcel Wanders, 2009
 Potenza · Power MAX 40W
 Tensione · Voltage 220-250V



Fonte luminosa · Light source
 LED 3W G9 290lm o · or
 LED 2W G9 240lm
 [esclusa - excluded]

Materiali · Materials
 gesso, vetro, acciaio inox · plaster, glass,
 stainless steel


Peso · Weight 4,0 Kg

Finiture Finishes: bianco · white
 Colori Colors: F6433009

CE I P 20

p. 421

SMITHFIELD C
 Jasper Morrison, 2009
 Potenza · Power 4xMAX 70W
 Tensione · Voltage 220-250V



Fonte luminosa · Light source
 LED retrofit 11,5W E27 1100lm o-or
 LED retrofit 15W E27 2000lm o-or
 LED retrofit 18W E27 1900lm o-or
 LED retrofit 18W E27 2000lm
 [esclusa - excluded]

Materiali · Materials
 alluminio, metacrilato · aluminum, methacrylate


Peso · Weight 4,5 Kg

Finiture Finishes: nero · black, nero opaco · matte black, bianco · white, mud, verde · green, rosso · red
 Colori Colors: F1370030, F1370031, F1370009, F1370021, F1370039, F1370035

CE I P 20

p. 398

SMITHFIELD C PRO
 Jasper Morrison, 2009
 Potenza · Power 45W
 Tensione · Voltage 220-240V



Fonte luminosa · Light source
 LED module 45W 2700K 2623lm
 CRI95 [inclusa - included]

Materiali · Materials
 alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 5,8 Kg

Finiture Finishes: nero · black, nero opaco · matte black, bianco · white, mud, verde · green, rosso · red
 Colori Colors: F1366030, F1366031, F1366009, F1366021, F1366039, F1366035, F1368030 DALI, F1368031 DALI, F1368009 DALI, F1368021 DALI, F1368039 DALI, F1368035 DALI

DIMMER INCLUDED
 PUSH OR DALI

CE I P 20

p. 398

SMITHFIELD S
 Jasper Morrison, 2009
 Potenza · Power 4xMAX 70W
 Tensione · Voltage 220-250V



Fonte luminosa · Light source
 LED retrofit 11,5W E27 1100lm o-or
 LED retrofit 15W E27 2000lm o-or
 LED retrofit 18W E27 1900lm o-or
 LED retrofit 18W E27 2000lm
 [esclusa - excluded]

Materiali · Materials
 alluminio, metacrilato · aluminum, methacrylate


Peso · Weight 4,5 Kg

Finiture Finishes: nero · black, nero opaco · matte black, bianco · white, mud, verde · green, rosso · red
 Colori Colors: F1371030, F1371031, F1371009, F1371021, F1371039, F1371035

CE I P 20

p. 351

SMITHFIELD S PRO
 Jasper Morrison, 2009
 Potenza · Power 45W
 Tensione · Voltage 220-240V



Fonte luminosa · Light source
 LED module 45W 2700K 2623lm
 CRI95 [inclusa - included]

Materiali · Materials
 alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 5,8 Kg

Finiture Finishes: nero · black, nero opaco · matte black, bianco · white, mud, verde · green, rosso · red
 Colori Colors: F1367030, F1367031, F1367009, F1367021, F1367039, F1367035, F1369030 DALI, F1369031 DALI, F1369009 DALI, F1369021 DALI, F1369039 DALI, F1369035 DALI

DIMMER INCLUDED
 PUSH OR DALI

CE I P 20

p. 351

SNOOPY
 Achille and Pier Giacomo Castiglioni, 1967
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V



Fonte luminosa · Light source
 LED 8W E27 740lm
 [esclusa - excluded]

Materiali · Materials
 marmo, metallo · marble, metal

Peso · Weight 7,9 Kg

Finiture Finishes: nero · black, verde · green, arancio · orange
 Colori Colors: F6380030, F6380039, F6380075

DIMMER INCLUDED

CE I P 20

p. 122

SPLÜGEN BRÄU
 Achille and Pier Giacomo Castiglioni, 1961
 Potenza · Power MAX 70W
 Tensione · Voltage 220-250V



Fonte luminosa · Light source
 LED 11W E27 1060lm
 [esclusa - excluded]

Materiali · Materials
 alluminio · aluminum


Peso · Weight 1,5 Kg

Finiture Finishes: alluminio · aluminum
 Colori Colors: F6500000

CE I P 20

p. 322

SPUN LIGHT F
 Sebastian Wrong, 2003
 Potenza · Power MAX 250W
 Tensione · Voltage 220-240V



Fonte luminosa · Light source
 LED 21W E27 2452lm o · or
 LED 21W E27 2200lm
 [esclusa - excluded]

Materiali · Materials
 metallo, alluminio · metal, aluminum

Peso · Weight 9,3 Kg

Finiture Finishes: bianco · white, nero · black
 Colori Colors: F6612009, F6612030

DIMMER INCLUDED

CE I P 20

p. 214



SPUN LIGHT T1
Sebastian Wrong, 2003
Potenza · Power MAX 150W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 21W E27 2452lm o. or
LED 21W E27 2200lm
[esclusa - excluded]

Materiali · Materials
metallo, alluminio · metal, aluminum

Peso · Weight 4,3 Kg DIMMER INCLUDED

CE I P 20

Finiture Finishes
bianco · white
nero · black

Colori Colors
● F6610009
● F6610030

p. 144



SPUN LIGHT T2
Sebastian Wrong, 2003
Potenza · Power MAX 250W
Tensione · Voltage 220-240V

Fonte luminosa · Light source
LED 21W E27 2452lm o. or
LED 21W E27 2200lm
[esclusa - excluded]

Materiali · Materials
metallo, alluminio · metal, aluminum

Peso · Weight 5,6 Kg DIMMER INCLUDED

CE I P 20

Finiture Finishes
bianco · white
nero · black

Colori Colors
● F6611009
● F6611030

p. 144



STRING LIGHT TESTA A CONO · CONE HEAD
Michael Anastassiades, 2014
Potenza · Power 21W
Tensione · Voltage 100-240V/48V

Fonte luminosa · Light source
LED INCLUDED
1 LED ARRAY 21W 2700K 1033lm
CRI90 [inclusa - included] DIMMABLE
TOUCH

Materiali · Materials
alluminio, policarbonato · aluminum,
polycarbonate

Peso · Weight 0,95 Kg (12 mt.) - 1,05 Kg (22 mt.) DIMMER INCLUDED

CE I P 20

Finiture Finishes
nero · black
nero · black
bianco · white
bianco · white
blu · blue
blu · blue

Colori Colors
● F6487030 CAVO 12 mt.
● F6497030 CAVO 22 mt.
○ F6487009 CAVO 12 mt.
○ F6497009 CAVO 22 mt.
● F6487014 CAVO 12 mt.
● F6497014 CAVO 22 mt.

completare con rosone o "floor switch" - compulsory to add either floor switch or c/w rose

p. 306



STRING LIGHT TESTA A CONO · CONE HEAD
Michael Anastassiades, 2014
Potenza · Power 21W
Tensione · Voltage 100-240V/48V
CASAMBI READY

Fonte luminosa · Light source
LED INCLUDED
1 LED ARRAY 21W 2700K 1033lm
CRI90 [inclusa - included] REGULATED
WIRELESSLY USING THE APPLICATION FLOS
CONTROL® BY CASAMBI

Materiali · Materials
alluminio, policarbonato · aluminum,
polycarbonate

Peso · Weight 0,95 Kg (12 mt.) - 1,05 Kg (22 mt.) DIMMER INCLUDED

CE I P 20

Finiture Finishes
nero · black
nero · black
bianco · white
bianco · white
blu · blue
blu · blue

Colori Colors
● F6489030 CAVO 12 mt.
● F6499030 CAVO 22 mt.
○ F6489009 CAVO 12 mt.
○ F6499009 CAVO 22 mt.
● F6489014 CAVO 12 mt.
● F6499014 CAVO 22 mt.

completare con rosone o "floor switch" - compulsory to add either floor switch or c/w rose

p. 306



STRING LIGHT TESTA A SFERA · SPHERE HEAD
Michael Anastassiades, 2014
Potenza · Power 21W
Tensione · Voltage 100-240V/48V

Fonte luminosa · Light source
LED INCLUDED
1 LED ARRAY 21W 2700K 1345lm
CRI90 [inclusa - included] DIMMABLE
TOUCH

Materiali · Materials
alluminio, policarbonato · aluminum,
polycarbonate

Peso · Weight 1,15 Kg (12 mt.) - 1,25 Kg (22 mt.) DIMMER INCLUDED


CE I P 20

Finiture Finishes
nero · black
nero · black
bianco · white
bianco · white
blu · blue
blu · blue

Colori Colors
● F6486030 CAVO 12 mt.
● F6496030 CAVO 22 mt.
○ F6486009 CAVO 12 mt.
○ F6496009 CAVO 22 mt.
● F6486014 CAVO 12 mt.
● F6496014 CAVO 22 mt.

completare con rosone o "floor switch" - compulsory to add either floor switch or c/w rose

p. 306



STRING LIGHT TESTA A SFERA · SPHERE HEAD
Michael Anastassiades, 2014
Potenza · Power 21W
Tensione · Voltage 100-240V/48V
CASAMBI READY

Fonte luminosa · Light source
LED INCLUDED
1 LED ARRAY 21W 2700K 1345lm
CRI90 [inclusa - included] REGULATED
WIRELESSLY USING THE APPLICATION FLOS
CONTROL® BY CASAMBI

Materiali · Materials
alluminio, policarbonato · aluminum,
polycarbonate

Peso · Weight 1,15 Kg (12 mt.) - 1,25 Kg (22 mt.) DIMMER INCLUDED

CE I P 20

Finiture Finishes
nero · black
nero · black
bianco · white
bianco · white
blu · blue
blu · blue

Colori Colors
● F6488030 CAVO 12 mt.
● F6498030 CAVO 22 mt.
○ F6488009 CAVO 12 mt.
○ F6498009 CAVO 22 mt.
● F6488014 CAVO 12 mt.
● F6498014 CAVO 22 mt.

completare con rosone o "floor switch" - compulsory to add either floor switch or c/w rose

p. 306



STRING LIGHT ACCESSORI · ACCESSORIES
Tensione · Voltage 100-240V/48V

Descrizione · Description
Rosone da parete o soffitto per l'installazione di massimo 3 teste con tre possibili vie di uscita · Wallrose. Feed up 3 heads maximum; 3 wayout for cables. Wall or ceiling installation

Materiali · Materials
alluminio, policarbonato · aluminum,
polycarbonate

Peso · Weight 0,95 Kg (12 mt.) - 1,05 Kg (22 mt.) DIMMER INCLUDED

CE I P 20

Finiture Finishes
nero · black
bianco · white
blu · blue

Colori Colors
● F6482030
○ F6482009
● F6482014

completare con rosone o "floor switch" - compulsory to add either floor switch or c/w rose

p. 306



STRING LIGHT ACCESSORI · ACCESSORIES
Tensione · Voltage 100-240V/48V

Descrizione · Description
"Floor Switch" per l'installazione di massimo due teste con due possibili vie di uscita per il cavo. Alloggio interno per arrotolare 10 metri di cavo · Floor Switch. Feed up two heads maximum; Two wayout for cables. Space to wrap 10 meters cable

Materiali · Materials
alluminio, policarbonato · aluminum,
polycarbonate

Peso · Weight 0,95 Kg (12 mt.) - 1,05 Kg (22 mt.) DIMMER INCLUDED


CE I P 20

Finiture Finishes
nero · black
bianco · white
blu · blue

Colori Colors
● F6484030
○ F6484009
● F6484014

completare con rosone o "floor switch" - compulsory to add either floor switch or c/w rose

p. 306



STRING LIGHT
ACCESSORI · ACCESSORIES

Descrizione · *Description*
Cavo di connessione supplementare per comporre configurazioni personalizzate · *Extra connection cable to compose personal configurations*

Finiture <i>Finishes</i>	Colori <i>Colors</i>
nero · <i>black</i>	● F6485030
bianco · <i>white</i>	○ F6485009
blu · <i>blue</i>	● F6485014

p. 306



TAB F
E. Barber & J. Osgerby, 2011
Potenza · *Power* 9W
Tensione · *Voltage* 100-240V/24V

LED INCLUDED Fonte luminosa · *Light source*
14 LED 9W 347lm 2700K CRI90
[inclusa - *included*]

Materiali · *Materials*
alluminio, PMMA · *aluminum, PMMA*

Peso · *Weight* 2 Kg SWITCH INCLUDED

Finiture <i>Finishes</i>	Colori <i>Colors</i>
bianco · <i>white</i>	○ F6564009
nero · <i>black</i>	● F6564030
dark green	● F6564031
matte blue	● F6564014

p. 202



STYLOS
Achille Castiglioni, 1984
Potenza · *Power* 1 x MAX 120W + 1 x MAX 100W
Tensione · *Voltage* 220-250V

Fonte luminosa · *Light source*
MAX 120W E27 PAR 38 872lm +
LED 21W E27 2452lm
[inclusa - *included*] o · or
LED 21W E27 2200lm
[esclusa - *excluded*]
Doppia accensione · *Double switch*

Materiali · *Materials*
polimetilmetacrilato, acciaio ·
polymethylmethacrylate, steel

Peso · *Weight* 9,6 Kg

Finiture <i>Finishes</i>	Colori <i>Colors</i>
argento · <i>silver</i>	● F6310004

p. 196



TAB T
E. Barber & J. Osgerby, 2011
Potenza · *Power* 9W
Tensione · *Voltage* 100-240V/24V

LED INCLUDED Fonte luminosa · *Light source*
14 LED 9W 347lm 2700K CRI90
[inclusa - *included*] DIMMABLE

Materiali · *Materials*
alluminio, PMMA · *aluminum, PMMA*

Peso · *Weight* 0,8 Kg SWITCH INCLUDED

Finiture <i>Finishes</i>	Colori <i>Colors</i>
bianco · <i>white</i>	○ F6563009
nero · <i>black</i>	● F6563030
dark green	● F6563031
matte blue	● F6563014

p. 118

TECHNICAL INFO



SUPERARCHIMOON
Philippe Starck, 2000
Potenza · *Power* MAX 250W
Tensione · *Voltage* 220-240V

Fonte luminosa · *Light source*
LED 21W E27 2452lm o · or
LED 21W E27 2200lm
[esclusa - *excluded*]


Materiali · *Materials*
tessuto, vetro, acciaio, alluminio ·
fabric, glass, steel, aluminum

Peso · *Weight* 91 Kg

DIMMER INCLUDED

Finiture <i>Finishes</i>	Colori <i>Colors</i>
tessuto · <i>fabric</i>	● F6366020

p. 220



TACCIA
Achille and Pier Giacomo Castiglioni, 1962
Potenza · *Power* 28W
Tensione · *Voltage* 100-240V/48V


LED INCLUDED Fonte luminosa · *Light source*
1 COB LED 28W 2700K CRI93
[inclusa - *included*] DIMMABLE

Materiali · *Materials*
vetro, alluminio · *glass, aluminum*

Peso · *Weight* 10,7 Kg DIMMER INCLUDED

Finiture <i>Finishes</i>	Colori <i>Colors</i>
argento · <i>silver</i>	● F6602004
nero · <i>black</i>	● F6602030
bronzo · <i>bronze</i>	● F6602046

p. 112



SUPERLOON
Jasper Morrison, 2015
Potenza · *Power* 45W
Tensione · *Voltage* 100-240V/48V

LED INCLUDED Fonte luminosa · *Light source*
EDGE LIGHTING 45W
2716lm 2200/2800K CRI80
[inclusa - *included*] DIM TO WARM


Materiali · *Materials*
alluminio, PMMA · *aluminum, PMMA*

Peso · *Weight* 11 Kg

DIMMER INCLUDED

Finiture <i>Finishes</i>	Colori <i>Colors</i>
bianco · <i>white</i>	○ F6630009
nero · <i>black</i>	● F6630030
cromo · <i>chrome</i>	F6630057

p. 185



TACCIA (PMMA)
Achille and Pier Giacomo Castiglioni, 1962
Potenza · *Power* 28W
Tensione · *Voltage* 100-240V/48V

LED INCLUDED Fonte luminosa · *Light source*
1 COB LED 28W 2700K CRI93
[inclusa - *included*] DIMMABLE

Materiali · *Materials*
PMMA, alluminio · *PMMA, aluminum*

Peso · *Weight* 7,6 Kg DIMMER INCLUDED

Finiture <i>Finishes</i>	Colori <i>Colors</i>
argento · <i>silver</i>	● F6607004
nero · <i>black</i>	● F6607030
bronzo · <i>bronze</i>	● F6607046

p. 112

TECHNICAL INFO



TACCIA SMALL

Achille and Pier Giacomo Castiglioni, 1962
 Potenza · Power 16W
 Tensione · Voltage 100-240V/24V

Finiture Finishes
 argento · silver
 nero · black
 bronzo · bronze

Colori Colors
 F6604004
 F6604030
 F6604046

LED INCLUDED
 Fonte luminosa · Light source
 1 COB LED 16W 2700K CRI92
 [inclusa - included] DIMMABLE

Materiali · Materials
 vetro, alluminio · glass, aluminum

p. 112

Peso · Weight 4,25 Kg DIMMER INCLUDED



TARAXACUM 1

Achille and Pier Giacomo Castiglioni, 1960
 Potenza · Power MAX 100W
 Tensione · Voltage 220-250V

Finiture Finishes
 bianco · white


Colori Colors
 F7401009

Fonte luminosa · Light source
 LED 15W E27 2000lm
 [esclusa - excluded]

Materiali · Materials
 cocoon, acciaio · cocoon, steel

p. 332

Peso · Weight 2,1 Kg



TARAXACUM 2

Achille and Pier Giacomo Castiglioni, 1960
 Potenza · Power MAX 100W
 Tensione · Voltage 220-250V

Finiture Finishes
 bianco · white


Colori Colors
 F7402009

Fonte luminosa · Light source
 LED 15W E27 2000lm
 [esclusa - excluded]

Materiali · Materials
 cocoon, acciaio · cocoon, steel

p. 332

Peso · Weight 2,8 Kg



TARAXACUM 88 C/W

Achille Castiglioni, 1988
 Potenza · Power 15 x MAX 40W
 Tensione · Voltage 220-250V

Finiture Finishes
 alluminio · aluminum

Colori Colors
 F7421000

Fonte luminosa · Light source
 15xLED 3W E27 170lm
 [inclusa - included]

Materiali · Materials
 alluminio · aluminum

p. 416

Peso · Weight 2,3 Kg



TARAXACUM 88 S1

Achille Castiglioni, 1988
 Potenza · Power 60 x MAX 40W
 Tensione · Voltage 220-250V

Finiture Finishes
 alluminio · aluminum

Colori Colors
 F7431000

Fonte luminosa · Light source
 60xLED 3W E27 170lm
 [inclusa - included]

Materiali · Materials
 alluminio · aluminum

p. 314

Peso · Weight 10,6 Kg



TARAXACUM 88 S2

Achille Castiglioni, 1988
 Potenza · Power 120 x MAX 40W
 Tensione · Voltage 220-250V

Finiture Finishes
 alluminio · aluminum

Colori Colors
 F7441000

Fonte luminosa · Light source
 120xLED 3W E27 170lm
 [inclusa - included]


Materiali · Materials
 alluminio · aluminum

p. 314

Peso · Weight 14,2 Kg



Prodotto su richiesta
 Made on demand



TAROU F

Patricia Urquiola, 2012
 Potenza · Power MAX 205W
 Tensione · Voltage 220-240V

Finiture Finishes
 bianco · white
 grigio ocra · ochre-grey

Colori Colors
 F7764009
 F7764048

Fonte luminosa · Light source
 LED 21W E27 2452lm o · or
 LED 21W E27 2200lm
 [esclusa - excluded]

Materiali · Materials
 policarbonato, acciaio · polycarbonate, steel

p. 190

Peso · Weight 16,4 Kg DIMMER INCLUDED



TAROU S1

Patricia Urquiola, 2012
 Potenza · Power MAX 70W
 Tensione · Voltage 220-250V

Finiture Finishes
 bianco · white
 grigio ocra · ochre-grey

Colori Colors
 F7762009
 F7762048

Fonte luminosa · Light source
 LED 8W E27 740lm
 [esclusa - excluded]

Materiali · Materials
 policarbonato · polycarbonate

p. 319

Peso · Weight 1,2 Kg





TATOU S2
 Patricia Urquiola, 2012
 Potenza · Power MAX 205W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 21W E27 2452lm o · or
 LED 21W E27 2200lm
 [esclusa - excluded]

Materiali · Materials
 policarbonato · polycarbonate

Peso · Weight 4,7 Kg

Finiture Finishes: bianco · white, grigio ocra · ochre-grey
 Colori Colors: F7766009, F7766048

CE, I.P. 20, ENEC

p. 319



TATOU T1
 Patricia Urquiola, 2012
 Potenza · Power MAX 70W
 Tensione · Voltage 220-240V

Fonte luminosa · Light source
 LED 11,5W E27 1100lm
 [esclusa - excluded]


Materiali · Materials
 policarbonato · polycarbonate

Peso · Weight 2,7 Kg DIMMER INCLUDED

Finiture Finishes: bianco · white, grigio ocra · ochre-grey
 Colori Colors: F7761009, F7761048

CE, I.P. 20, ENEC

p. 128



TIGHT LIGHT
 Piero Lissoni, 2011
 Potenza · Power 20W
 Tensione · Voltage 100-240V

LED INCLUDED
 Fonte luminosa · Light source
 48 TOP LED 2x10W 1989lm total
 3000K CRI80 [inclusa - included]

Materiali · Materials
 PMMA, alluminio · PMMA, aluminum

Peso · Weight 1,1 Kg

Finiture Finishes: bianco · white
 Colori Colors: F0011009

CE, I.P. 20, ENEC

p. 412



TOIO
 Achille and Pier Giacomo Castiglioni, 1962
 Potenza · Power MAX 300W
 Tensione · Voltage 220-240V

Fonte luminosa · Light source
 300W aluPAR 56 MFL
 [inclusa - included]

Materiali · Materials
 acciaio · steel

Peso · Weight 8,2 Kg DIMMER INCLUDED

Finiture Finishes: bianco · white, nero · black, rosso · red
 Colori Colors: F7600009, F7600030, F7600035

CE, I.P. 20, ENEC

p. 212



TOIO LED
 Achille and Pier Giacomo Castiglioni, 1962
 Potenza · Power MAX 25W LED
 Tensione · Voltage 220-240V

Fonte luminosa · Light source
 LED 23W PRO PAR 56 1600lm
 [esclusa - excluded] o · or
 LED 23W PRO PAR GX16 1500lm
 [inclusa - included]

Materiali · Materials
 acciaio · steel

Peso · Weight 8,2 Kg DIMMER INCLUDED

Finiture Finishes: bianco · white, nero · black, rosso · red
 Colori Colors: F7630009, F7630030, F7630035

CE, I.P. 20, ENEC

p. 212



WAN C/W
 Johanna Grawunder, 2005
 Potenza · Power MAX 40W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 33W HSGS G9 460lm
 [esclusa - excluded]

Materiali · Materials
 alluminio · aluminum

Peso · Weight 0,4 Kg

Finiture Finishes: bianco · white, nero · black
 Colori Colors: F9550009, F9550030

CE, I.P. 20, ENEC, per ogni finitura sono forniti due anelli: 1 di colore verde, 1 di colore nero · two rings supplied for each finish: - green - black

p. 420



WAN S
 Johanna Grawunder, 2006
 Potenza · Power MAX 40W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 33W HSGS G9 460lm
 [esclusa - excluded]


Materiali · Materials
 alluminio · aluminum

Peso · Weight 0,6 Kg

Finiture Finishes: bianco · white, nero · black
 Colori Colors: F9560009, F9560030

CE, I.P. 20, ENEC, per ogni finitura sono forniti due anelli: 1 di colore verde, 1 di colore nero · two rings supplied for each finish: - green - black

p. 325



WIRELINE
 Formafantasma, 2021
 Potenza · Power 45W
 Tensione · Voltage 100-277V

LED INCLUDED
 Fonte luminosa · Light source
 LED module 45W 2793lm 2700K
 CRI90 [inclusa - included] DIMMABLE

Materiali · Materials
 vetro, acciaio inox, gomma, PC · glass stainless steel, rubber, PC

Peso · Weight 7,50 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: rosa · pink, forest green
 Colori Colors: F9520034, F9520039

CE, I.P. 20, ENEC, PENDING

p. 250



WIRERING
Formafantasma, 2018
Potenza · Power 16W
Tensione · Voltage 24V

LED INCLUDED
Fonte luminosa · Light source
180 LED 16W 2700K 712lm CRI90
[inclusa - included] DIMMABLE


Materiali · Materials
alluminio - gomma - PC · aluminum - rubber - PC

Peso · Weight 0,945 Kg DIMMER INCLUDED

Finiture Finishes
bianco/bianco · white/white
bianco/grigio · white/grey
bianco/nero · white/black
bianco/rosa · white/pink
bianco/oro · white/gold
grigio/bianco · grey/white
grigio/grigio · grey/grey
grigio/nero · grey/black
grigio/rosa · grey/pink
grigio/oro · grey/gold
rosa/bianco · pink/white
rosa/grigio · pink/grey
rosa/nero · pink/black
rosa/rosa · pink/pink
rosa/oro · pink/gold

Colori Colors
● F9512009
● F9512020
● F9512030
● F9512034
● F9512044
● F9513009
● F9513020
● F9513030
● F9513034
● F9513044
● F9514009
● F9514020
● F9514030
● F9514034
● F9514044

p. 394



VISCONTEA
Achille and Pier Giacomo Castiglioni, 1960
Potenza · Power MAX 100W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 15W E27 2000lm
[esclusa - excluded]

Materiali · Materials
cocoon, acciaio · cocoon, steel

Peso · Weight 1,7 Kg

Finiture Finishes
bianco · white

Colori Colors
○ F8001009

p. 334



ZEPPELIN 1
Marcel Wanders, 2005
Potenza · Power MAX 250W
Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 21W E27 2452lm o · or
LED 21W E27 2200lm
[esclusa - excluded]

Materiali · Materials
cocoon, acciaio, cristallo · cocoon, steel, crystal

Peso · Weight 15 Kg

Finiture Finishes
bianco · white

Colori Colors
○ F9800009

p. 356



ABAJOUR'HUI SMALL
Flos Soft Architecture

Fonte luminosa · Light source
MAX 75W E27 QT-32
[esclusa - excluded]


Materiali · Materials
installazione su cartongesso · plaster installation

Peso · Weight 8,25 Kg

Finiture Finishes
cartongesso · plaster

Colori Colors
○ SA.5001.1

p. 430



ABAJOUR'HUI LARGE
Flos Soft Architecture

Fonte luminosa · Light source
MAX 150W E27 QT-32
[esclusa - excluded]

Materiali · Materials
installazione su cartongesso · plaster installation

Peso · Weight 16,25 Kg

Finiture Finishes
cartongesso · plaster

Colori Colors
○ SA.5000.1

p. 430



SOFT SPUN SMALL FL
Flos Soft Architecture

Fonte luminosa · Light source
18W 2G11 [esclusa - excluded]
Ballast elettronico · Electronic Ballast

Materiali · Materials
installazione su cartongesso · plaster installation

Peso · Weight 8,5 Kg

Finiture Finishes
cartongesso · plaster

Colori Colors
○ SA.5004.1

p. 432



SOFT SPUN SMALL HL
Flos Soft Architecture

Fonte luminosa · Light source
MAX 120W R7s QT-DE-12
[esclusa - excluded]

Materiali · Materials
installazione su cartongesso · plaster installation

Peso · Weight 8,5 Kg

Finiture Finishes
cartongesso · plaster

Colori Colors
○ SA.5005.1

p. 432



SOFT SPUN SMALL LED
Flos Soft Architecture

LED INCLUDED
Fonte luminosa · Light source
1 LED WHITE 35W 1800lm 3000K
CRI90 [inclusa - included]
Driver elettronico · Electronic Driver


Materiali · Materials
installazione su cartongesso · plaster installation

Peso · Weight 8,5 Kg

Finiture Finishes
cartongesso · plaster

Colori Colors
○ SA.5006.1D

p. 432



SOFT SPUN LARGE FL

Flos Soft Architecture

Finiture
Finishes

cartongesso · plaster

Colori
Colors

○ SA.5008.1



Fonte luminosa · Light source

24W 2G11 TC-L (diff.)
[esclusa - excluded]


Ballast elettr. · Elect. Ballast
+ LED 1.4W 80lm 2700K CRI>90
(base) [inclusa - included]
Driver elettronico · Electronic Driver

Materiali · Materials

installazione su cartongesso · plaster installation

p. 432

Peso · Weight 17 Kg



SOFT SPUN LARGE HL


Flos Soft Architecture

Finiture
Finishes

cartongesso · plaster

Colori
Colors

○ SA.5009.1



Fonte luminosa · Light source

1 x MAX 160W R7s QT-DE (diff.)
[esclusa - excluded] + 1 LED


1.4W 80lm 2700K CRI>90 (base)
[inclusa - included] Driver elettronico ·
Electronic Driver

Materiali · Materials

installazione su cartongesso · plaster installation

p. 432

Peso · Weight 17 Kg



SOFT SPUN LARGE LED

Flos Soft Architecture

Finiture
Finishes

cartongesso · plaster

Colori
Colors

○ SA.5007.1D



Fonte luminosa · Light source

1 LED WHITE 35W 1800lm
3000K CRI90 (diff.)
[inclusa - included] Driver elettr.

· Elect. Driver + 1 LED WHITE 1,4W
80lm 2700K CRI>90 (base)
[inclusa - included] Driver elettr. · Elect.
Driver

Materiali · Materials

installazione su cartongesso · plaster installation

p. 432

Peso · Weight 17 Kg



CLASSIFICAZIONE E MARCHI DI CERTIFICAZIONE · CLASSIFICATION & HOMOLOGATIONS

Classi di isolamento delle lampade · *Luminaires classification*



Classe I: lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore sistema di sicurezza che consiste nel collegamento dei componenti conduttivi accessibili a un conduttore di sicurezza (messa a terra) facente parte dell'impianto elettrico fisso · *Class I: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of connecting the accesible conductive parts to a safety conductor (earth)*



Classe II: Lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore misura di sicurezza che consiste in un doppio isolamento rinforzato senza dispositivi per la messa a terra · *Class II: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of double reinforced insulation without conductive parts to a safety conductor (earth)*



Classe III: Lampada la cui protezione contro la scarica elettrica si basa su un sistema a bassissima tensione, che non viene mai superata. Una lampada di Classe III non deve mai essere fornita con la messa a terra · *Class III: Luminaire in which protection against electrical shocks is based on the very low safety supply voltage and no voltages are produced higher than this. A Class III luminaire must never be provided with earthing*

Omologazioni · *Homologations*



Tutte le lampade prodotte e presentate in questo programma sono state realizzate in conformità con la Norma Europea EN 60 598 e sono pertanto conformi ai requisiti definiti nella Direttiva CEE 73/23 (Direttiva di Bassa Tensione). La loro realizzazione garantisce anche la conformità alla Direttiva 89/336 per quanto concerne la Compatibilità Elettromagnetica. Tutti i prodotti rientranti nel campo di applicazione delle suddette Direttive riportano la marcatura CE, che ne attesta la conformità ai relativi requisiti · *All lamps manufactured and illustrated in this catalog comply with European Standard EN 60 598 and consequently meet the requirements set forth in Directive 73/23 EEC (Low Voltage Directive). They also comply with Directive 89/336 covering electromagnetic compatibility. All products falling under the scope of the above-mentioned Directives bear the CE mark as proof of their compliance with the respective requirements*



La presenza del marchio ENEC sul prodotto conferma l'adempimento della Normativa Europea e garantisce l'affidabilità del sistema organizzativo e produttivo responsabile della fabbricazione del prodotto, attraverso un ente di certificazione accreditato. Il marchio ENEC conferma il nostro impegno ed è la migliore garanzia in tema di sicurezza e qualità di tutti i nostri prodotti · *The ENEC mark on the product stands for the compliance of European Standard as well as a trustworthy organisation and product system and is guaranteed by an accredited certification body. This agreed mark stands for our engagement and represents the best guarantee in security and quality matter of our products*



L'Associazione Spagnola di Normalizzazione e Certificazione AENOR certifica che il Sistema di garanzia di qualità adottato dalla Antares Iluminación S. A. soddisfa i requisiti della Norma Europea EN ISO 9001: Sistema di Qualità. · *The Spanish Association for Standards and Certification AENOR, certifies that quality assurance system adopted by Antares Iluminación, S.A. complies with the requirements of the standard UNE-EN ISO-9001 Quality Systems.*



GRADO DI PROTEZIONE · DEGREE OF PROTECTION

IP
20

Indice di protezione contro la penetrazione di corpi solidi e di liquidi · *Protection degree offered by the fixture to the ingress of solids and liquids*

IP
20

1a cifra, protezione contro la penetrazione dei corpi solidi: 0 Nessuna protezione - 1 Protezione contro i corpi solidi di dimensioni superiori a 50mm - 2 Protezione contro i corpi solidi di dimensioni superiori a 12mm - 3 Protezione contro i corpi solidi di dimensioni superiori a 2,5mm - 4 Protezione contro i corpi solidi di dimensioni superiori a 1mm - 5 Protezione contro la polvere - 6 Totalmente protetto contro la polvere · *1st figure, protection against penetration by solid bodies: 0 No protection - 1 Protected against solid bodies over 50 mm in diameter - 2 Protected against solid bodies over 12 mm in diameter - 3 Protected against solid bodies over 2,5 mm in diameter - 4 Protected against solid bodies over 1 mm in diameter - 5 Protected against dust - 6 Fully protected against dust*

IP
20

2a cifra, protezione contro l'infiltrazione di acqua: 0 Nessuna protezione - 1 Protezione contro la caduta in verticale di gocce d'acqua - 2 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 15° - 3 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 60° - 4 Protezione contro gli spruzzi d'acqua - 5 Protezione contro i getti d'acqua - 6 Protezione contro le ondate d'acqua - 7 Protezione contro l'immersione - 8 Protezione contro l'immersione prolungata · *2nd figure, protection against penetration by water: 0 No protection - 1 Protected against drops of water falling vertically - 2 Protected against drops of water at a max. inclination of 15 degrees - 3 Protected against drops of water at a max. inclination of 60 degrees - 4 Protected against splashed of water - 5 Protected against jets of water - 6 Protected against waves - 7 Protected against immersion - 8 Protected against long term immersion*

Simbologia · *Pictography*



Apparecchio idoneo per essere installato su superfci normalmente infiammabili · *Luminaire with built-in power packs or transformers, suitable for mounting directly onto normally inflammable surfaces*

0,1 m

Distanza minima dagli oggetti illuminati · *Minimum distance from illuminated objects*

WHERE TO FIND US

La nostra rete internazionale di distributori, flagship store e showroom
Our international network of distributors, flagship stores and showrooms

ITALY

Flos Spa
Via Angelo Faini, 2
25073 Bovezzo (Brescia)
Tel +39 0302438.1
info@flos.com

SPAIN

Antares Iluminación S.A.U.
Calle Mallorca, 1
Polígono Industrial Reva 46394 Ribarroja (Valencia)
Tel +34 96 166 95 20
Fax +34 96 166 82 86
flos.architectural@flos.com

ITALY

Flos Outdoor
Via dell'Artigianato, 24
20881 Bernareggio (Monza)
Tel +39 0396900892
flos.outdoor@flos.com

DISTRIBUTION

BELGIUM & LUXEMBOURG
Flos Belux
M +32 474 739 080
flosbelux@flos.com

FRANCE
Flos France
20-22, Passage Dauphine
75006 Paris
Tel +33 (0) 1 40 64 17 44
flos.france@flos.com

GERMANY
Flos Gmbh
Obermünsterstraße 18
93047 Regensburg
Tel +49-941-630837-00
info@flos-gmbh.de

UNITED KINGDOM
Atrium Ltd.
28 Leonard Street
EC2A 4BY London
Tel +44 (0) 20 7681 9933
Fax +44 (0) 20 7681 9943
flos@atrium.ltd.uk

UNITED KINGDOM
International Projects UK
Division
Tel +44 (0) 20 7681 9933
flos.international@flos.com

DENMARK
Flos Scandinavia A/S
Sydhavnsgade 28
DK-2450 København SV
Tel +45 (0) 3388 60 00
Fax +45 (0) 3388 60 10
info@flos.dk

NORWAY
Drammensveien 120
0277 Oslo - Norway
Tel +47 (0) 2212 86 00
Fax +47 (0) 2212 86 08
info@flos.no

THE NETHERLANDS
Flos BV
Cruquiusweg 109S
1019 AG Amsterdam
Tel +31 (0) 20 560 50 60
Fax +31 (0) 20 560 50 70
flosnetherlands@flos.com

U. S. A.
Flos USA Inc.
110 York Street - 5th Floor
Brooklyn, NY 11201
Tel +1 (718) 875-3472
Fax +1 (718) 875-3473
info@flosusa.com

JAPAN
Flos Co., Ltd.
PMC Building 9F
1-23-5 Higashiazabu Minato-Ku Tokyo 104-0044
Tel +81 (0) 3 3582 1468
Fax +81 (0) 3 3582 097
flosjapan@flosjapan.com

FAR EAST
Flos Representative Office
1, Commonwealth Lane
#08-12, 149544 Singapore
Tel +65 (0) 6372 1495
Fax +65 (0) 6372 7607
flosasia@flos.com

CHINA
Flos Illumination (Shanghai)
Co. Ltd. Unit 101, Floor 1,
Building B9 No. 800 of Chang
De road Jing An District,
Shanghai, 200040, China
Tel: 86 021 62176187
floschina@flos.com

SWEDEN
Flos Scandinavia A/S
Karlplan Lützengatan 1
S-115-20
Tel +46 (0) 8 660 4405
Fax +46 (0) 8 660 7005
info@flos.se

**AUSTRIA - GERMANY
SWITZERLAND**
Flos Gmbh
Obermünsterstraße 18
93047 Regensburg, Germany
Tel +49 941 630837 00
Fax +49 941 630837 60
info@flos-gmbh.de

LATIN AMERICA
Flos LatAm
M +52 55 6960 1772
flos.latinoamerica@flos.com

INDIA
Flos Representative Office
1, Commonwealth Lane
#08-12, 149544 Singapore
Tel +65 (0) 6372 1495
Fax +65 (0) 6372 7607
flosindia@flos.com

MIDDLE EAST
Flos Middle East
Dubai Design District
Dubai, United Arab Emirates
Tel +971 54 3567356
flosme@flos.com

HONG KONG
M +852 9307 3713
flosasia@flos.com

FLAGSHIP STORES

MILANO
Corso Monforte, 9
20122- Milano
Tel +39 02 37011080
Fax +39 02 780833
flosmilano@flos.com

ROMA
Via del Babuino, 85
00187 - Roma
Tel +39 06 3207631
Fax +39 06 3207690
flosroma@flos.com

PARIS
15, rue de Bourgogne
75007 - Paris
Tel +33 (0) 1 53 85 49 93
Fax +33 (0) 1 53 85 49 99
shop@flos.fr

LYON
17 rue Jarente
69002 - Lyon
Tel +33 478621301
Fax +33 478622119
lyon@flos.fr

NEW YORK
152 Greene Street
NY 10012
Tel +1 212 941 4760
Fax +1 212 941 4763
info@flosusa.com

STOCKHOLM
Karlplan Lützengatan 1 S-115-20
Tel +46 (0) 8 660 4405
Fax +46 (0) 8 660 7005
info@flos.se

SHOWROOMS

MILANO
Corso Monforte, 15
20122 Milano
Tel +39 02 79 84 57
Fax +39 02 89 78 56 41
contract.milano@flos.com

COPENAGHEN
Sydhavnsgade 28
DK-2450 København SV
Tel +45 (0) 3388 60 00
Fax +45 (0) 3388 60 10
info@flos.dk

OSLO
Drammensveien 120
0277 Oslo - Norway
Tel +47 (0) 2212 86 00
Fax +47 (0) 2212 86 08
info@flos.no

AMSTERDAM
Cruquiusweg 109S
1019 AG Amsterdam
The Netherlands
Tel +31 (0) 20 560 50 60
Fax +31 (0) 20 560 50 70
info@flosmail.nl

TOKYO
PMC Building 9F
1-23-5 Higashiazabu Minato-Ku
Tokyo 104-0044
Tel +81 (0) 3 35 82 14 68
Fax +81 (0) 3 55 75 70 87
info@flosjapan.com

PARIS
20-22, Passage Dauphine
75006 Paris
Tel +33 (0) 1 40 64 17 44
flos.france@flos.com

CREDITS

EDITION

March 2022 © 2022 All rights reserved

ART DIRECTION

Stefanie Barth & Carina Frey

DESIGN

Guido Tamino

STILL LIFE PHOTOGRAPHY

Frank Hülsbömer

IN PLACE PHOTOGRAPHY

Bastian Achard, Florian Boehm, Germano Borrelli, Beppe Brancato, Santi Caleca, Marco Cappelletti, Studio Casali, Monica Castiglioni, Jackie Chan, Cesare Colombo, Ramak Fazel, Alecio Ferrari, Francesca Ferrari, Luciano Ferri, Vincenzo Flore, Alessandro Furchino Capria, Stefano Galuzzi, Giovanni Gastel, Zoë Ghertner, Stefania Giorgi, Frank Hülsbömer, Andrew Jacobs, Philippe Jarrigeon, Heidi Lerkenfeldt, Nico K. Tucci, Jean Baptiste Mondino, Maria Mulas, Ugo Mulas, Maki Ochoa, Giuseppe Pino, Timm Rautert, Jesper Ray - House of Pictures, Tommaso Sartori, Scheltens & Abbenes, Delfino Sisto Legnani, Luciano Svegliado, Tecma Solutions, Federico Torra, Leo Torri, Jan Verlinde, Omar Sartor

PRODUCT PHOTOS

Piero Fasanotto

ACKNOWLEDGEMENTS

Fondazione Achille Castiglioni, Studio la Città - Verona,
Alberto Garutti, La Mutina

Flos si riserva il diritto di apportare ai propri modelli, senza alcun preavviso, qualsiasi modifica ritenesse opportuna.
Flos reserves the right to introduce any changes to its own models, without prior notice.

ALL ABOUT LIGHT

FLOS